

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-02598
Date Received: 1/23/1990
Receipt No: S011046
Received By: R.V.W.

AMENDED

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

AMENDED

1. Name: WYLENE SLADE 208-536-6119
Address: 3511 S., 2200 E.
WENDELL, ID 83355

OR

Name: WILLIAM J. SLADE 208-536-6119
Address: 3511 S., 2200 E.
WENDELL, ID 83355

2. Date of Priority: JAN 07, 1965

3. Source: GROUNDWATER

Trib. to:

4. Point of Diversion:

Township Range Section 1/4 of 1/4 of 1/4 Lot County
08S 15E 36 SE NE NW GOODING

5. Description of diverting works:
12" X 140' WELL WITH PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.980		316.00

7. Total Quantity Appropriated is:
0.980 C.F.S. (and/or) 316.00 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

A36-02598

Page 1

Date: 02/28/90

MICROFILMED

JAN 28 1993

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
08S	15E	36	NE	NW		IRR	39.0
			SE	NW		IRR	40.0
			NE	SW		IRR	8.0
						Section Acres	87.0
						Total Acres	87.0

11. Place of use in counties: GOODING

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A36-07254

14. Remarks:

THIS IRRIGATION SYSTEM IS INTERCONNECTED WITH CLAIMS A36-02372, A36-07254, AND A36-07301 SO THAT WELLS & PUMPS ON THESE OTHER CLAIMS CAN BE USED AS A COMMON INTERMINGLED SOURCE AND EMERGENCY SUPPLY IN CASE OF PUMP OR WELL FAILURE.

AMENDED: 2/28/90 ADDED 8 ACRES WHICH HAS BEEN CLAIMED WITH ORIGINAL PRIORITY. *Receipt #5011346*

15. Basis of Claim: LICENSE
Water Right Number: 32166

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): William J. Slade Date: 2-28-90
_____ Date: _____

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 28th day
of February 1990
_____ Robert V. Horstell
Notary Public

Seal

Residing at Twin Falls, Idaho
My Commission Expires January 16, 1995

MICROFILMED
JAN 28 1993

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-02598
Date Received: 1/23/1990
Receipt No: S011046
Received By:

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: WILLIAM J. SLADE 208-536-6119
Address: 3511 S., 2200 E.
WENDELL, ID 83355

OR

Name: WYLENE SLADE 208-536-6119
Address: 3511 S., 2200 E.
WENDELL, ID 83355

2. Date of Priority: JAN 07, 1965

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
08S	15E	36	SE	NE	NW		GOODING

5. Description of diverting works:
12" X 140' WELL WITH PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.980		316.00

7. Total Quantity Appropriated is:
0.980 C.F.S. (and/or) 316.00 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

A36-02598

Page 1

Date: 01/23/90

MICROFILMED

JAN 28 1993

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
08S	15E	36	NE	NW		IRR	39.0
			SE	NW		IRR	40.0
					Section Acres		79.0
					Total Acres		79.0

11. Place of use in counties: GOODING

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A36-07254

14. Remarks:

15. Basis of Claim: LICENSE
Water Right Number: 32166

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): X William J. Slad Date: X 1-23-90

Date: _____

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 23rd day
of January 1990
Robert V. Horstelt
Notary Public

Seal

Residing at Twin Falls, Idaho
My Commission Expires January 16, 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED

DEC 24 2001

December 3, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM J SLADE
3511 S 2200 E
WENDELL ID 83355

RE: Snake River Basin Adjudication (SRBA)
Water Rights #36-2372, 36-2519, 36-2598, 36-7119, 36-7301, 36-7342,
(36-10631) (36-10648) (36-10652) (36-15228) + 36-15229
Records ok; a change needed. 12-28-01
(7254) Gid [2241] Mc Guffey
Res. Johnson B. Res. X Stock Res. Gibson +36-2241 36-7254

Dear Water Right Holder:

The Postal Service has advised us your address has changed to the above address.

Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list any other water rights you have, and return this letter by December 28, 2001. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water rights referenced above, please call this office toll-free at 1/800-451-4129 to obtain a form to make this required change to the water right records.

Sincerely,

Sally
Sally Sherman
Technical Records Specialist
Adjudication Bureau

SS:region

#####

The address is correct as shown above or as otherwise changed.

William J. Slade
Water Right Holder's Signature

536-6119

Telephone No.

35115 2500E

SLADE, WILLIAM J
RT 2 BOX 255
WENDELL ID 83355

36-2372, -2519, 2598, 7119, 15228,
-7301, all recs. 2372-WR also.

36-10631, -10648, -10652 = ~~WR~~ P.D.s

Log for claim 36-02598



Spatial Dynamics LTD

11/30/01

TR	SEC	QQ	Acres Recommended	Acres Shaped	COMMENT
08s15e	35	NENE	37	37	
08s15e	35	NWNE	39	39	
08s15e	35	SWNE	40	40	
08s15e	35	SENE	39	40	
08s15e	36	NENW	40	40	
08s15e	36	NWNW	34	34	
08s15e	36	SWNW	40	40	
08s15e	36	SENW	40	40	
08s15e	36	NESW	40	40	
08s15e	36	NWSW	40	40	
08s15e	36	SWSW	35	35	
08s15e	36	SESW	35	35	
Totals:			459	460	

Water Right Number 36-02598
Township , 8S15E

11/30/2001



700 0 700 1400 Feet

N

SPATIAL DYNAMICS



IDAHO DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION
1341 FILLMORE, STE 200
TWIN FALLS ID 83301-3380
(208) 736-3033

PHILIP E BATT
GOVERNOR

KARL J DREHER
DIRECTOR

CHANGE TO RECOMMENDED P/U

36-02241, 36-02372, 36-02598, 36-07254, 36-07301, & 36-15228

This change is considered a clerical correction only. After reviewing the file I changed the place of use as follows;

SEC 35 SE $\frac{1}{4}$ NW $\frac{1}{4}$ was changed to SEC 35 SE $\frac{1}{4}$ NE $\frac{1}{4}$

for all claims within the permissible place of use.

KKC
12-17-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 1, 1995

WILLIAM SLADE
3511 S 2200 E
WENDELL ID 83355

RE: Snake River Basin Adjudication (SRBA)
Gooding County - Recommended Water Rights Nos. 36-02241, 36-02372, 36-02598, 36-07254, 36-07301 and 36-15228

Dear Mr. Slade:

This letter is to let you know that following our telephone conversations on January 18, I was able to speak to one of the IDWR's attorneys about getting the one of the points of diversion for the rights shown above corrected. He felt that it would be best to make the correction after the SRBA Court makes a decision on the constitutionality of Idaho Code 42-1426, the waiver of the mandatory permit requirement for enlargements of the type that occurred on your land. We are hoping that the Court will remand enlargement claims, and other claims associated with them, to us for correction.

Thank you for bringing this clerical error to our attention. If you have any additional questions, please contact me at (208) 327-7939.

Sincerely,

Carter Fritschle
Water Rights Supervisor
Adjudication Bureau

CF:ss:region

MICROFILMED
DEC 04 1996

COMMUNICATION DOCUMENTATION

Claim No. A36-2372
36-2372

This form is to be used to document public record information requests regarding any SRBA claim or claims. The form may also be used to document IDWR communications requesting information regarding any SRBA claim or claims when the request is not made in writing or the claim verification report is not readily available to document the request. This form is to be filed in all relevant claim files or a central office file.


IDWR Employee/Agent D Jones Date 1/17/95Contact Person(s) William SladeNature of Contact Measuring Program, found error in print of diversion description in recommendationSubstance of Communication Notice of claim p/d desc. was filed correctly, CVR noted the correct description, recommendation had east well in sec 35 described incorrect - an obvious typo error.

I indicated that the right was sent to him before recommendation sent to court for review - he remembered getting them. He did not file notice of error. Now he must either file transfer (\$100) or late objection thru court (\$?). I told him where court is & he could go & check out court procedure.

MICROFILMED

DEC 04 1996

R PROOF



CVR




MAPS



PHOTOS



MISC



MICROFILMED

JAN 28 1993

VERIFIED AD#

Water Right Number - R36-02598

Prefix Translation:

RESEARCH

Old (D) Number - 32166

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
SLADE

WYLENE

1 - 3511 S. 2200 E.
2 -
3 -City- WENDELL
Phone - 208-536-6119
1 - 3511 S. 2200 E.

State- ID Zip- 83355

SLADE

WILLIAM J.

2 -
3 -
City- WENDELL
Phone - 208-536-6119

State- ID Zip- 83355

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
01/07/1965 17 SOUTHERN L - LICENSE+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +					
Twn	Rng	Sec	Tract	Lot	RFlg County
08S	15E	35	SE NE NE		(47) GOODING
08S	15E	36	NE NE NW		(47) GOODING
08S	15E	36	SE NW NW		(47) GOODING
08S	15E	36	SW NW SW		(47) GOODING

+ - - - - Water Use - - - - - +					
Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
01 - IRRIGATION		03/15	11/15	0.980	

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
0.980 0.0

+ - - - - Place of Use - - - - - +								
Twn	Rng	Sec	Tract	Lot	Acres	Code	Description	County
08S	15E	35	NE NE		37.0	01	IRRIGATION	(47) GOODING
08S	15E	35	NW NE		39.0	01	IRRIGATION	(47) GOODING
08S	15E	35	SW NE		40.0	01	IRRIGATION	(47) GOODING
08S	15E	35	SE NW		39.0	01	IRRIGATION	(47) GOODING
08S	15E	36	NE NW		40.0	01	IRRIGATION	(47) GOODING
08S	15E	36	NW NW		34.0	01	IRRIGATION	(47) GOODING
08S	15E	36	SW NW		40.0	01	IRRIGATION	(47) GOODING
08S	15E	36	SE NW		40.0	01	IRRIGATION	(47) GOODING
08S	15E	36	NE SW		40.0	01	IRRIGATION	(47) GOODING
08S	15E	36	NW SW		40.0	01	IRRIGATION	(47) GOODING
08S	15E	36	SW SW		35.0	01	IRRIGATION	(47) GOODING
08S	15E	36	SE SW		35.0	01	IRRIGATION	(47) GOODING

Water right number - R36-02598

Prefix Translation: RESEARCH

Trn	Rng	Sec	Tract	Lot	Acres	Place of Use Code	Description	County
					Total Acres:	459.0		

+ - - Diversion Means - FOUR WELLS & PUMPS TO SPRINKLERS.

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - SEE REMARKS

+ - - Remarks
THIS RIGHT IS LIMITED TO THE IRRIGATION OF 79 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON. THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF DIVERSION DESCRIBED ABOVE: 36-02241, 36-02372, 36-07254, 36-07301, AND 36-15228. USE OF THIS RIGHT WITH RIGHTS LISTED ABOVE IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 8.68 CFS, A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 1836 AF, A TOTAL COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 1377 AF, AND TO THE IRRIGATION OF A COMBINED TOTAL OF 459 ACRES IN A SINGLE IRRIGATION SEASON. RIGHT NO. 36-15228 IS AN EXPANSION OF THIS RIGHT PURSUANT TO IDAHO CODE 42-1416(2).

+ - - Old Water Right Numbers -
No Old Water Right Numbers Found

+ - - Conditions of Approval -
C03 - RIGHT INCLUDES CHANGE IN POINT OF DIVERSION.
C05 - RIGHT INCLUDES CHANGE IN PLACE OF USE.

+ - - Decree Plaintiff - - - +
+ - - Decree Defendant - - - +
+ - - Decree Date - +
00/00/0000

+ - - Comments -
Date: 09/05/1991 User Id: CHRISTEN Subject: COPIED FROM REMARKS
THIS IRRIGATION SYSTEM IS INTERCONNECTED WITH CLAIMS A36-02372, A36-07254, AND A36-07301 SO THAT WELLS & PUMPS ON THESE OTHER CLAIMS CAN BE USED AS A COMMON INTERMINGLED SOURCE AND EMERGENCY SUPPLY IN CASE OF PUMP OR WELL FAILURE.
AMENDED: 2/28/90 ADDED 8 ACRES WHICH HAS BEEN CLAIMED WITH ORIGINAL PRIORITY...RECEIPT #S011346.

+ - - Audit Fields - - +
09/10/91 MERRITT

Adjudication Rights Dates and Flags Area			
Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000
Objection Filed Date	- 00/00/0000	Field Inspection Flag	- 09/10/1991
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000
Claim Received Date	- 02/28/1990	Last Amended Date	- S011346
		Receipt Number	
		Civil Case Number	- 39576
		Old Case Number	-
		Old Judicial District	-
		Temporary Right	- p
		Water District	-

MICROFILMED

JAN 28 1993

Water right number - R36-02598

Prefix Translation: RESEARCH

+ - - - - - Adjudication Rights Dates and Flags Area - - - - - +

POU Ownership Flag
Name Connector

- Y
- OR

Federal/State Indicator - S
Presumption Flag - C
Notice of Error Flag -

MICROFILMED

JAN 28 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:18:56
08/30/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-02598

LAST: MC GAFFEY
ADDRESS:
CITY: X
PHONE NUMBER: 208-000-0000
OWNER CODE: 0

FIRST: GLADYS
STATE: ID ZIP: 0

LAST: SLADE
ADDRESS: 3511 S. 2200 E.
CITY: WENDELL
PHONE NUMBER: 208-536-6119
OWNER CODE: C

FIRST: WYLENE
STATE: ID ZIP: 83355

LAST: SLADE
ADDRESS: 3511 S. 2200 E.
CITY: WENDELL
PHONE NUMBER: 208-536-6119
OWNER CODE: C

FIRST: WILLIAM J.
STATE: ID ZIP: 83355

LAST: MC GAFFEY
ADDRESS:
CITY: X
PHONE NUMBER: 208-000-0000
OWNER CODE: 0

FIRST: DONALD L.
STATE: ID ZIP: 0

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

DATABASE
Y

FIELD
EXAMINER

CLAIM REMARKS: THIS IRRIGATION SYSTEM IS INTERCONNECTED WITH CLAIMS A36-02372, A36-07254, AND A36-07301 SO THAT WELLS & PUMPS ON THESE OTHER CLAIMS CAN BE USED AS A COMMON INTERMINGLED SOURCE AND EMERGENCY SUPPLY IN CASE OF PUMP OR WELL FAILURE.

~~AMENDED: 2/28/90 ADDED 8 ACRES WHICH HAS BEEN CLAIMED WITH ORIGINAL PRIORITY...RECEIPT #S011346.~~

+ A36-02241

MICROFILMED

JAN 28 1993

PAGE: 2
FIELD EXAMINATION INFORMATION

CLAIM NUMBER: A36-02598

CONTACT PERSON: William Glade

PHONE NUMBER: () -

DATE OF FIELD EXAM: 10/18/90 APPOINTMENT MADE: Y (/) N ()

TIME: 10:30 A(/) P()

ACCOMPANIED BY: _____

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

0000 0001 0010 0011 0100 0101 0110 0111 1000 1001 1010 1011 1100 1101 1110 1111 1200 1201 1210 1211 1220 1221 1230 1231 1240 1241 1250 1251 1260 1261 1270 1271 1280 1281 1290 1291 1300 1301 1310 1311 1320 1321 1330 1331 1340 1341 1350 1351 1360 1361 1370 1371 1380 1381 1390 1391 1400 1401 1410 1411 1420 1421 1430 1431 1440 1441 1450 1451 1460 1461 1470 1471 1480 1481 1490 1491 1500 1501 1510 1511 1520 1521 1530 1531 1540 1541 1550 1551 1560 1561 1570 1571 1580 1581 1590 1591 1600 1601 1610 1611 1620 1621 1630 1631 1640 1641 1650 1651 1660 1661 1670 1671 1680 1681 1690 1691 1700 1701 1710 1711 1720 1721 1730 1731 1740 1741 1750 1751 1760 1761 1770 1771 1780 1781 1790 1791 1800 1801 1810 1811 1820 1821 1830 1831 1840 1841 1850 1851 1860 1861 1870 1871 1880 1881 1890 1891 1900 1901 1910 1911 1920 1921 1930 1931 1940 1941 1950 1951 1960 1961 1970 1971 1980 1981 1990 1991 2000 2001 2010 2011 2020 2021 2030 2031 2040 2041 2050 2051 2060 2061 2070 2071 2080 2081 2090 2091 2100 2101 2110 2111 2120 2121 2130 2131 2140 2141 2150 2151 2160 2161 2170 2171 2180 2181 2190 2191 2200 2201 2210 2211 2220 2221 2230 2231 2240 2241 2250 2251 2260 2261 2270 2271 2280 2281 2290 2291 2300 2301 2310 2311 2320 2321 2330 2331 2340 2341 2350 2351 2360 2361 2370 2371 2380 2381 2390 2391 2400 2401 2410 2411 2420 2421 2430 2431 2440 2441 2450 2451 2460 2461 2470 2471 2480 2481 2490 2491 2500 2501 2510 2511 2520 2521 2530 2531 2540 2541 2550 2551 2560 2561 2570 2571 2580 2581 2590 2591 2600 2601 2610 2611 2620 2621 2630 2631 2640 2641 2650 2651 2660 2661 2670 2671 2680 2681 2690 2691 2700 2701 2710 2711 2720 2721 2730 2731 2740 2741 2750 2751 2760 2761 2770 2771 2780 2781 2790 2791 2800 2801 2810 2811 2820 2821 2830 2831 2840 2841 2850 2851 2860 2861 2870 2871 2880 2881 2890 2891 2900 2901 2910 2911 2920 2921 2930 2931 2940 2941 2950 2951 2960 2961 2970 2971 2980 2981 2990 2991 3000 3001 3010 3011 3020 3021 3030 3031 3040 3041 3050 3051 3060 3061 3070 3071 3080 3081 3090 3091 3100 3101 3110 3111 3120 3121 3130 3131 3140 3141 3150 3151 3160 3161 3170 3171 3180 3181 3190 3191 3200 3201 3210 3211 3220 3221 3230 3231 3240 3241 3250 3251 3260 3261 3270 3271 3280 3281 3290 3291 3300 3301 3310 3311 3320 3321 3330 3331 3340 3341 3350 3351 3360 3361 3370 3371 3380 3381 3390 3391 3400 3401 3410 3411 3420 3421 3430 3431 3440 3441 3450 3451 3460 3461 3470 3471 3480 3481 3490 3491 3500 3501 3510 3511 3520 3521 3530 3531 3540 3541 3550 3551 3560 3561 3570 3571 3580 3581 3590 3591 3600 3601 3610 3611 3620 3621 3630 3631 3640 3641 3650 3651 3660 3661 3670 3671 3680 3681 3690 3691 3700 3701 3710 3711 3720 3721 3730 3731 3740 3741 3750 3751 3760 3761 3770 3771 3780 3781 3790 3791 3800 3801 3810 3811 3820 3821 3830 3831 3840 3841 3850 3851 3860 3861 3870 3871 3880 3881 3890 3891 3900 3901 3910 3911 3920 3921 3930 3931 3940 3941 3950 3951 3960 3961 3970 3971 3980 3981 3990 3991 4000 4001 4010 4011 4020 4021 4030 4031 4040 4041 4050 4051 4060 4061 4070 4071 4080 4081 4090 4091 4100 4101 4110 4111 4120 4121 4130 4131 4140 4141 4150 4151 4160 4161 4170 4171 4180 4181 4190 4191 4200 4201 4210 4211 4220 4221 4230 4231 4240 4241 4250 4251 4260 4261 4270 4271 4280 4281 4290 4291 4300 4301 4310 4311 4320 4321 4330 4331 4340 4341 4350 4351 4360 4361 4370 4371 4380 4381 4390 4391 4400 4401 4410 4411 4420 4421 4430 4431 4440 4441 4450 4451 4460 4461 4470 4471 4480 4481 4490 4491 4500 4501 4510 4511 4520 4521 4530 4531 4540 4541 4550 4551 4560 4561 4570 4571 4580 4581 4590 4591 4600 4601 4610 4611 4620 4621 4630 4631 4640 4641 4650 4651 4660 4661 4670 4671 4680 4681 4690 4691 4700 4701 4710 4711 4720 4721 4730 4731 4740 4741 4750 4751 4760 4761 4770 4771 4780 4781 4790 4791 4800 4801 4810 4811 4820 4821 4830 4831 4840 4841 4850 4851 4860 4861 4870 4871 4880 4881 4890 4891 4900 4901 4910 4911 4920 4921 4930 4931 4940 4941 4950 4951 4960 4961 4970 4971 4980 4981 4990 4991 5000 5001 5010 5011 5020 5021 5030 5031 5040 5041 5050 5051 5060 5061 5070 5071 5080 5081 5090 5091 5100 5101 5110 5111 5120 5121 5130 5131 5140 5141 5150 5151 5160 5161 5170 5171 5180 5181 5190 5191 5200 5201 5210

PAGE: 3
PRIORITY DATE REVIEW PAGE

CLAIM NUMBER: A36-02598

A. AJ CLAIM: # A36-02598 PRIORITY DATE: 01-07-1965 STAGE: L
B. WR RECORD: # 36-02598 PRIORITY DATE: 01-07-1965 STAGE: L

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE N FIELD EXAMINER N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(/)
IF YES EXPLAIN.

REMARKS: _____

RECOMMENDED PRIORITY DATE:
01-07-1965

REVIEWED BY lw DATE 10/16/90

MICROFILMED
JAN 28 1993

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-02598	08S	15E	36	SE	NE	NW		GOODING
OTHER AJ CLAIMS WITH SAME AJ POD				WR RECORDS IN SAME 40 ACRE TRACT				
A PREFIX		R PREFIX		36-02241				
NONE		NONE						

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
36-02598	08S	15E	36		NE	NW		GOODING
OTHER WR RECORDS WITH SAME WR POD				AJ CLAIMS IN SAME 40 ACRE TRACT				
				A PREFIX		R PREFIX		
36-02341				NONE		NONE		

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)	Y	FIELD EXAMINER
DUE TO SOURCE DISCREPANCY? (Y/N)	N	~~N~~

REMARKS:

confirmed with claimant & orig lic. exam

add 3 PDs for PPU

see attached narrative

KKC

CLAIM NUMBER: A36-02598

TRIB:

RECEIVED
JAN 28 1993

A. ROOT WATER RIGHT NUMBERS: A36-02598

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
08S	15E	36	SE	NW		SLADE, WYLENE SLADE, WILLIAM J.	A36-02598 740.0 A36-07254 /35.0	36-02598 740.0 36-07254 /35.0	40.0		40.0
08S	15E	36	NE	SW		SLADE, WYLENE SLADE, WILLIAM J. SLADE, WILLIAM J.	A36-02598 78.0 A36-07301 /40.0	- 36-07301 /35.0 36-07254 /35.0	41.0		0
08S	15E	36	NE	NW		SLADE, WYLENE SLADE, WILLIAM J.	A36-02598 739.0 A36-07254 /35.0	36-02598 739.0 36-07254 /35.0	36.0		39
TOTAL ACRES							A36-02598 87.00	79.00	117.00		79

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?
DUE TO POU DISCREPANCY? (Y/N)

DATABASE Y FIELD EXAMINER

PRESUMPTION FLAG:

REMARKS:

8 acres covered on A36-07301 - confirmed 8 acre
deletion with claimant 10/18/90

change to PPU
per narrative
K KC

RECOMMENDATIONS:

TOTAL ACRES: 79
REVIEWED BY: lw

DATE: 10/18/90

A. AJ CLAIMED USES:

	PURPOSES	MONTH/DAY
A36-02598	IRRIGATION	FROM 04-01 TO 11-01
TOTAL DIVERSION RATE/VOLUME CLAIMED		

	DIVERSION QUANTITY
.980 CFS	316.00 AF/A
.980 CFS	316.00 AF/A

B. WR RECORDED USES:

	PURPOSES	MONTH/DAY
36-02598	IRRIGATION	FROM 04-01 TO 11-01
TOTAL DIVERSION RATE/VOLUME CLAIMED		

	DIVERSION QUANTITY
.980 CFS	316.00 AF/A
.980 CFS	316.00 AF/A

MICROFILMED
JAN 28 1993

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	<u> X </u>
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	<u> X </u>
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	<u> X </u>

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?	Y(<u> X </u>) N(<u> </u>)
RECOMMEND TO WR STANDARDS OR OTHER?	Y(<u> </u>) N(<u> </u>) Explain in remarks, below.

REMARKS:

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y() N()

AJ TOTAL CLAIMED DIVERSION RATE: 0.980 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.980 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y

B. FLOW MEASUREMENT

MEASUREMENT METHOD , SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: A36-07254, ~~A36-02372~~, ~~A36-07301~~

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A36-02598	GROUNDWATER	SLADE, WYLENE	0.980	0.011	316.00	3.63
A36-07254	GROUNDWATER	SLADE, WILLIAM J.	3.200	0.022	1160.00	8.00

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE
ACRES 79 x 0.02 CFS/ACRE = 1.58 CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(☒)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = AE/A
ACRES 79 x CONSUMPTIVE VOL. AE/A FOR AREA 3 =
TOTAL CONSUMPTIVE USE 237 AE/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = 316.00 AE/A
ACRES 79 x DIVERSION VOL. AE/A FOR AREA 4 =
TOTAL DIVERSION VOLUME 316 AE/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(☒)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

A36-02598 ^{CFS} 1.98 ^{cons} 237 ^{val} 316

- 07254 3.2 870 1160

(E/2 of NW
overlapped
acres)

79 * acres
limits 1.58 237 316

See attached
narrative for
analysis for PPG
CKC

MICROFILMED

JAN 28 1993

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	04-01 11-01	DATABASE EXAMINER 0.980 <u>✓</u>	DATABASE EXAMINER 316.00 <u>✓</u>	DATABASE EXAMINER 0.0 <u>237</u>
TOTAL FOR THIS RIGHT		0.980	316.00	0.0

REVIEWED BY:

lu

DATE:

10/18/90

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED	NEEDS REVIEW
(<u>N/A</u>)	()
()	()
()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-02598

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
0.980

EXAMINER
N/A

CFS

SPLITS:

OLD RIGHT
NUMBERS

CURRENT
CLAIM NUMBERS

DIVERSION
RATE

CURRENT "R"
CLAIM NUM.

"R" DIV.
RATE

WR RIGHT
NUMBERS

DIVERSION
RATE

-

A36-02598

0.980

-

36-02598

0.980

TOTAL CFS

0.980

0.980

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
Y

FIELD
EXAMINER

N/A

REMARKS:

AUTHENTICATION:

SIGNATURE: W

DATE: 10/18/90

NAME OF FIELD EXAMINER: W

TITLE: _____

MICROFILMED

JAN 28 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:18:56
08/30/90

PAGE: 12
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-02598

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE				N				
POINT OF DIV	Y			N	5, 6			
SOURCE				N				
PLACE OF USE	Y			Y	5, 6			
DIV. AMOUNT CFS/VOLUME				Y	6			
CONSUMPTIVE USE				Y				
PURPOSES				N				
PERIOD OF USE				N				
BASIS OF CLAIM				N				
REMARKS	Y			Y				

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAIP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

SLADE WILLIAM J.

ANALYSIS OF A36-7119 & A36-15228.

A36-15228 is an expansion of the base right A36-7119. The number of acres within the SW 1/4 of Sec 35 have changed several times as the delivery systems changed from gravity to sprinkler to sprinkler with expanded corner system & back. The recommended expansion recognizes the center pivot with corner guns as this is the system historically used. (pictured in the 1976 orthophoto and the 1987 NAPP Photo). More of the corners were irrigated prior to the licensing exam under gravity system per the attached aerial photo (in micistick) but the field exam recognized a center pivot only. I recommend the expanded acres with a 1972 priority.

Calculations

$$2.41 \text{ CFS} / 153 = 0.01575 \text{ (within Dept. tolerance)}$$

$$0.01575 * 19A = 0.299 \approx \underline{0.30 \text{ CFS}} \text{ DIV. RATE FOR}$$

A36-15229

System Capacity licensed Rate

$$P/D \#1 = 0.98 \quad 36-2372 \cdot 2.97$$

$$\#2 = 1.76 \quad 2598 \cdot 1.98$$

$$\#3 = 2.97 \quad 2241 \cdot 1.50$$

$$\#4 = \underline{2.97} \quad 7264 \cdot 3.20$$

$$\text{total } \underline{8.68 \text{ CFS}} \quad 7301 \cdot 1.12$$

limiting factor $\nearrow$ $\nwarrow$ 9.77 CFS

licensed for

A36-7119 2.41 CFS

limiting factor $\nearrow$

MICROFILMED

JAN 28 1993

Slade, William J.

P/U Description For Sec 36.

The system of 4 wells waters all but the SE $\frac{1}{4}$ & SW corner of the South W $\frac{1}{4}$ (approx 5 acres ea) and 7 acres in the NW $\frac{1}{4}$ where a farmstead is located.

These acres are covered by 5 licensed claims & one expansion claim for 5 acres. The system is designed for cross irrigation. PD # 1 supplies corners in both the NW $\frac{1}{4}$ of Sec 36 & NW $\frac{1}{4}$ of Sec 35 through a gravity & redift pump system. P/D # 2 is not normally tied to other PD's but is included within the PPU as it is a part of the system. PD # 3 & 4 are tied together and can irrigate acres in either section.

These claims are recommended as a Permissible P/U with all PD's on each claim. An expansion claim for 5 acres in the NE SW of Sec 36 is needed. The claimed priority of 3-15-70 is substantiated by a ~~resident~~ neighbor's affidavit.

For P/D identification in this recommendations the P/D identifies the legal description are,

P/D # 1 NENE NW SEC 36
2 SENW NW SEC 36
~~3~~ 4 SWNW SW SEC 36
~~1~~ 3 SE NE NE SEC 35
5. SE SW SW SEC 35

(near center of NW $\frac{1}{4}$)
PPU

MICROFILMED

A36-7119 JAN 8 1993
A36-15228

T8S RISE Sections 35 and 36 - Field Exam Findings
Four Points of Diversion being used

Descriptions


PD#1 NE NE NW 36

44 SW NW SW, 36

PDH 3
SE NE, 35

PD #2
SE NW NW 36

PD#5
SE SW SW 35



SLAVE'S ACRES FOUND 33 PAGES 52C

SW 1/4	=	155
NE 1/4	=	155
NW 1/4	=	147
SE 1/4	=	167
		618 ac.

8/7/91 7707-6

SLADES (NI)

NON IRRIGATED AREAS		TOTAL
Sec 35	SW 1/4	2 ac : 3 ac = ~~1~~ ac
"	NE 1/4	~~1~~ ac Farmstead = 3 ~~1~~ ac
Sec 36	NW 1/4	3 6 ac : ~~1~~ ac = 6 ~~1~~ ac
Total		→ ~~22~~ ac

ICROFILMED
JAN 28 1993

11-1-90

S. J. M. R.
Attention: Lori White

I, Bob Litney, have been a
neighbor to William & Angeline Shedd since
1970. I farmed this particular piece
of ground for a period of time. I have
introduced the entire 40 acres in the
NE SW of Section 36 since the priority
claimed 2/13/1973, as being irrigated.

Also in Section 35, add a
17 acre expansion SW 160. It has
been irrigated as of 2/24/1973. This
is # A 3607117.

RECEIVED

NOV 2 1990

Department of Water Resources
Southern Region Office

Referred to
1805 E 3050 S
WENDELL, ID 83355
PH 208-536-7561

MICROFILMED
JAN 28 1993

DITCH LEGEND


Wm. J. SLADE

Acres found being irrigated = #

Points of Div = ● (4)

Acres Not Irr. = #


RISE
RIBE



= { A36-7119
A36-15229



= { A36-2241
2372
2598
7254
7301
15228



T8S

T9S

POOR ORIGINAL

MICROFILMED

JAN 28 1993

BASED ON 8/7/91
Field Exam

W. D. Brown

Wm. J. Slade Claims



Picture #1, Located
at SW, NW, SW 36.
Looking SE @ P/D
G.E. 100HP 230/460V
SN. 5K6267X H4A
one 10" line visible
going to NE. This
System irrigates the
SW 1/4 36
P/D #1 of System



Picture #2, Located
as above. Looking
West across paved
road dividing Sections
35 and 36.
G.E. 100HP as described
above. Corn field
Visible is not
Slades property.

MICROFILMED

P/D #1 JAN 28 1993

pg 1

WJB 8/91

Wm. J. Slade Claims



Picture # 3, Located
in SESE NE Section
35. Looking NW
across NE 1/4 Section
35 which is
irrigated from this
well.

GE. 100HP 460V
SN. 5K 626 7XH 3A

P/D #2 of System



Picture # 4, Located
as above. Close Up
Shows 3 way diversion
Capability of System.
Can route water N,
NW and East.
Lines are 8", 10" &
12". **MICROFILMED**

P/D #2 **JAN 28 1993**

pg 2
WJPS

Wm. J. Slade Claims



Picture #5
Located near Center
NW $\frac{1}{4}$ Section 36
Described as SE, NW,
NW $\frac{1}{4}$. Pivot is
1320 feet and
Covers NW $\frac{1}{4}$ 36.
U.S Motors with
Vertaline pump.

P/D # 3 of System
w/ Buried Electric
Service to Well.



Picture #6, Located
in SE, SW, SW 35.
Looking West at
U.S. Electric Motors
150 HP 3ph
SN. C100 1980. 460V
172 Amp @ 1770 RPM.
One 8" line runs N.
P/D #4 of System

MICROFILMED

JAN 28 1993

Pg 3

WJSlade

SLADE PUMP INFO

From 8/7/91 Field Exam by W. D. Brown

Pump N° 1 @ SW, NW, SW, Section 36

GE Motor 100 HP 230/460 V

Serial N° 5K 626 7XH 4A

One 10" line of output visible to NE

Pump N° 2 @ SE SE NE, 35

GE Motor 100 HP 460 V

Serial N° 5K 626 7XH 3A . Three visible lines
going N, E & W. (8", 10", 12" in size)

Pump N° 3 @ SE NW NW, 36 (center NW 1/4 36)

US Motors & Vertaline Pump

No S.N. Found. Appears to run only
the one pivot 1320' in length.

Pump N° 4 @ SE SW SW, 35

U.S. Electric Motors 150 HP 3 ph

Serial N° C100 1980 460 V 172 Amp

@ 1770 RPM. (Hollow shaft)

One 8" line of output visible to NW.

MICROFILMED
JAN 28 1993

2598

State of Idaho

WATER LICENSE

Water License No. G-32166/36-2598 Priority January 7, 1965 Amount 0.98 c.f.s.

THIS IS TO CERTIFY, that William J. & Wylene Klado
of Yuma, Arizona, made application for a permit to appropriate the public waters of
the State of Idaho, dated JANUARY 7, 1965; that Permit G-32166/36-2598 was issued pursuant
to said application; that the proposed works were completed on or about June 17, 1969
with a storage or carrying capacity of 0.98 c.f.s., said works consisting of
well, pump, and motor, and that on August 18, 1969
proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of 316
acre feet per season, with a maximum rate of diversion of 0.08 cubic feet per second of the waters
of ground-water, tributary of
for the purpose of Irrigation from April 1 to November 1
and for _____ from _____ to _____, and for
_____ from _____ to _____, and that the use
of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Recla-
mation Engineer and entered in the records of the Idaho Department of Reclamation: the point of diversion is
located in NE 1/4 NW 1/4, Sec 36, T. 8 S., R. 15 E., B.M., and
other additional points _____, in the County of
Gooding; and that the amount of water to which such right is
entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially
used for said purposes and shall not exceed 316 acre feet per year.

Description and location of place of use:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8 S	16 E	36					30		40										70

Total number of acres irrigated 70

The right to the use of the water hereby confirmed is restricted to the lands or place of use herein described,
as provided by the laws of Idaho.

Witness the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

14th day of August, 1970.

[Signature]
State Reclamation Engineer

MICROFILMED


36: 23

JAN 28 1993
32166

#2598

The proper location of the well, located by 40 acre
tract, is as shown on this sketch. Please change my
proof affidavit to show this location

Sec 36 T 8 S R 15 E



MICROFILMED
JAN 28 1993

POOR ORIGINAL

Re:

Good:
Box:
Good:

Cent:

for t
inser
subm:

on th
If we
publi
dates

upl
to w

DW:

Enc

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

REPORT OF EXAMINER

Permit No. G-32166/36-2598

36-2598

This proof is for 1.6 cfs

In Water District No.

1. Name of applicant: (See attached letter) William J. Slade, 1700 Dora Avenue, Yuma, Arizona

2. Source of water supply: ground water

3. Location of point of diversion: Is in the

NE 1/4

of Section 36

T. 8 S

R. 15 E

County of

Gooding

4. Describe works as they exist, giving dimensions and capacities of same:
well, pump, and ditches

PROOF - 30 HP pump; 12" hole, 160' depth with 6" discharge

Measurement by Spinning Meter

5. Water is used for: irrigation (PROOF - Apr. 1 - Nov. 1)

6. State whether or not water has been turned into works of diversion:

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

T. 8 S, R. 15 E, Sec. 36 E 1/4 80 acres

Water was measured using a spinning meter
reading was 100 cfs in 156 mos.
Water was 2:00/100 cfs

System is operating in good condition. Contacted
World Bank to make measurement.
County road runs along the North boundary (Elastic)

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: Land is presently in pasture - hasn't been
cultivated yet this year. Reclamation license
for 98 cfs.

POOR ORIGINAL

This examination was made on the

1st

day of

May

1970

(Signed)

James L. Lister

Examiner

AKD 6-1-70

36-2598
32166

MICROFILMED
JAN 28 1993

DATE OF EXAM August 11, 1973

ACREAGE
Found 1.34
Recommended 1.34

Irrigation Requirement 4.1 AC FEET

USF
Irrigation Q = 2.4 c.f.s. V = 5.36 ft/min. from Aug 11 to Oct 15
Domestic Q = c.f.s. V = ft/min. from to
Livestock Q = c.f.s. V = ft/min. from to

Is water co-mingled? yes no

Name source:
Twp. N/S, Rge E/W, B.M., Sec. , Sub. County

Exchange? yes no

Name source exchanged with:
Twp. N/S, Rge E/W, B.M., Sec. , Sub. County

Point of injection:
Twp. N/S, Rge E/W, B.M., Sec. , Sub. County

Point of exchange:
Twp. N/S, Rge E/W, B.M., Sec. , Sub. County

Total Q measured 2000 gals/hr Method of measurement meter

Total Q recommended 2.4 cfs Meter No. Type Condition Good

Total V recommended 5.36 ft/min

Recommended Amendments:

P.D.
Place of Use
Other
None None

MEASUREMENT CALCULATION:

18.01 gals/hr 1.34 5.36
1000 1000 1000
2000 2000 2000

SYSTEM DESCRIPTION:

No flow at pump meter, so it is not a pump meter, it is a
meter # C100 1950. Pump is not a meter, it is a pump, it is
with the Badger meter, and it is not a meter, it is a pump.

REMARKS:

Only one point of diversion established, 7 E/W, B.M., Sec 35,
Sub 4, Side 4.

Examiner's Signature Wm. D. Thompson Date Aug 12

Checked by Bob Hayes Date 1/8/73

Approved by Date

MICROFILMED

JAN 28 1993

POOR ORIGINAL

35 7119