

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-02648
Date Received: 10-12-89
Receipt No: 0012178
Received By: KAT

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

RECEIVED
OCT 12 1989

1. Name: J. R. SIMPLOT COMPANY
Address: P.O. BOX 27
BOISE, ID

83707

2. Date of Priority: APR 06, 1966

Department of Water Resources

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
10S	23E	15	NW	SW			MINIDOKA
			SE	SW			MINIDOKA

5. Description of diverting works:
2 WELLS, 2 PUMPS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
INDUSTRIAL	01/01	12/31	2.660		405.00

7. Total Quantity Appropriated is:
2.660 C.F.S. (and/or) 405.00 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
DRY STORAGE FACILITY, ETHANOL PLANT

10. Place of Use:

Township	Range	Section	1/4 of	1/4 of	Lot	Use	Acres
10S	23E	15	NW	SW		INDUST	
			SW	SW		INDUST	

A36-02648

Page 1

Date: 10/11/89

MICROFILMED

JAN 28 1993

SCANNED
FEB 07 2007

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
10S	23E	15	SE	SW		INDUST	

11. Place of use in counties: MINIDOKA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: LICENSE
Water Right Number: 32824

MICROFILMED
JAN 28 1993

SCANNED
FEB 07 2007

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: One Map

For Organizations:

I do solemnly swear or affirm that I am Secretary of Title

J. R. SIMPLOT COMPANY, that I have signed the foregoing
Organization
document in the space below as Secretary of Title

J. R. SIMPLOT COMPANY and that the statements contained in the
Organization
foregoing document are true and correct.

[Signature]
Signature of Authorized Agent

Secretary, J. R. SIMPLOT COMPANY
Title and Organization

10/12/89

Date

State of Idaho)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 12th day
of October 19 89

[Signature]
Notary Public

Seal

Residing at Boise, Idaho

My Commission Expires 10-13-92

INPUT: AJ_SELECTION:FRAZEE-NAME-SIMPLOT.SEL

TYPE OF ACTION: ADD

MODIFY ALL FIELDS FLAG:

LAST NAME: YOUNG, GRAY OR BRUCE BELZER
ADDRESS LINE 1: J R SIMPLOT CO LEGAL DEPT
ADDRESS LINE 3: PO BOX 27
CITY: BOISE

STATE: ID ZIP: 837070027

FIRST NAME:

ADDRESS LINE 2: 999 MAIN ST STE 1300

PHCNE NUMBER: (208) 389-7318

36-02208 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02212 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02213 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02542 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02619 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02620 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02648A ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02648B ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02729 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04006 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04179 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04180 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04181 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04182 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04256 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-07333 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-07636 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-08154 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-13319 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-13320 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
57-02202 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
57-02203 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A01-04058 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A01-10101 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00006 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00015 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00060 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00076 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00087 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02053 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02118 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02139 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02166 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02220 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02221 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02222 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02241 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02409 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-07027 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-07040 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-07382 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-10002 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-10026 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-10049 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A22-07423 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A22-07451 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A24-07113 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A24-07164 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A24-07169 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE

you have N.O.A. copy.
-Sal

RECEIVED

APR 07 1993
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION OFFICE

MICROFILMED

OCT 18 1994

GRAY YOUNG
BRUCE BELZER
Attorneys at Law
J. R. Simplot Company Legal Department
999 Main Street, Suite 1300
P.O. Box 27
Boise, ID 83707
(208) 389-7318
(208) 389-7515 Telefacsimile

Attorneys for J. R. Simplot Company

RECEIVED
JAN 21 1992

Department of Water Resources

RECEIVED

APR 06 1993

Department of Water Resources
Southern Region Office

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT
OF THE STATE OF IDAHO IN AND FOR THE COUNTY OF CASSIA

In Re the General Adjudication
of Rights to the Use of Water
From the Snake River Drainage
Basin Water System.

The State of Idaho, ex rel.
R. Keith Higginson in his
official capacity as Director
of the Idaho Department of
Water Resources,

Petitioner,

vs.

The United States;
The State of Idaho;
and All Claimants to the Use
of Water from the Snake River
Basin Water System,

Respondents.

ALICE FOSHA, HELEN FLINT, and
BEVERLY ADAMS, individuals,

Plaintiffs,

vs.

A. KENNETH DUNN, Director of the
Department of Water Resources
of the State of Idaho,

Twin Falls County
Civil Case No. 39576

and

Cassia County
Civil Case No. 13770-12-83

NOTICE OF APPEARANCE

*Don modified thru
C.D.N. program.*

*4-1-93
- Jf*

Defendants.)

IN THE MATTER OF THE GENERAL)
DETERMINATION OF RIGHTS TO THE)
USE OF GROUNDWATER DIVERTED)
FROM SECTIONS 19, 20, 21, 28, 29,)
30, 31, 32, AND 33, T. 11 S.,)
R. 27 E., B.M.)

A. KENNETH DUNN, Director of the)
Department of Water Resources)
of the State of Idaho,)

Counterplaintiff,)

vs.)

ALICE FOSHA, HELEN FLINT, and)
BEVERLY ADAMS, individuals,)

Counterdefendants.)

TO ALL PARTIES:

GRAY YOUNG, Assistant General Counsel, J. R. Simplot
Company, hereby enters his appearance as co-counsel on behalf
of J. R. Simplot Company in this action. All notices to
J. R. Simplot Company should be delivered to the following
address:

Gray Young
Bruce Belzer
J. R. Simplot Company
Legal Department
999 Main Street, Suite 1300
P.O. Box 27
Boise, ID 83707

DATED this 20th day of January, 1992.

By 
GRAY YOUNG
Assistant General Counsel

4507vrl-20-92/1:42

CERTIFICATE OF MAILING

I HEREBY CERTIFY that a true and correct copy of the foregoing NOTICE OF APPEARANCE was mailed this 20th day of January, 1992, in an envelope with sufficient first-class postage prepaid thereon to the following:

Idahome Farms, Inc.
1925 Oakley Avenue
Burley, ID 83318

Dennis Jay Harper
Star Route
Declo, ID 83323

Roland Allen Land &
Livestock
Star Route
Malta, ID 83342

Mark J. Taylor
Strong & Hanni
5th Floor, Boston Building
Salt Lake City, UT 84111
Attorney for Fosha, et al.

Leo A. Jardine
Jardine, Linebaugh,
Brown & Dunn
Suite 400
370 East South Temple
Salt Lake City, UT 84111
Attorney for Raft River Ranches, Inc.

A. Lynne Krogh-Hampe
Deputy Attorney General
Idaho Department of Water Resources
1301 North Orchard
Boise, ID 83706-2237


VICKI SPANGLER

MICROFILMED

OCT 18 1994



E. R. 23 E.

WR# A36-0264B
= point of Diversion
= place of Use

MICROFILMED
JAN 28 1993

J.R. SIMPLOT CO

1-2-89

Jeff —

I receipted two checks for
Vic Conrad —

\$50 for the 2 Bar U, Inc. ^{attached}

\$4957⁰⁰ for 19 claims (attached)
1 app/permit ^(sent to) ~~(sent to)~~ ^(Sawyer)

He said he would bring the maps
next week.

Also, he did not bring the
list with fees for each
claim. Therefore, the receipt ~~is~~
does not break out the
claims. When he brings

COPY TO FILE

C012178

RECEIVED

OCT 26 1989

Department of Water Resources
Southern Region Office

10/12/89
13:24:30

SIMPLOT COMPANY, J.R.

ADJUDICATION FEE
APPLICATION FOR PERMIT

0410162	9337	6490	\$4,912.00
0610199	1238	6390	\$45.00

\$4,957.00

CHECK 47890

WR/NO:	A36-02648	A36-02729	A36-08154	A36-04182	A36-04181
	A36-04180	A36-04178	A36-04179	A36-02542	A36-04256
	A36-07636	A36-02620	A36-02619	A36-02213	A36-02208
	A36-13320	A36-13319	A36-02212	A36-04006	

Idaho Department of Water Resources

Region: STATE

Signature: _____

10/17/89 JP
AFTER CHANGE

MICROFILMED

JAN 28 1993

J. E. Simplot Company

A36-2648	-	\$316
A36-2729	-	\$106
A36-08154	-	\$500
A36-04182	-	\$57
A36-04181	-	\$51
A36-04180	-	\$51
A36-04178	-	\$51
A36-04177	-	\$685
A36-02542	-	\$272
A36-04256	-	\$99
A36-07636	-	\$99
A36-02620	-	\$150
A36-02619	-	\$690
A36-02213	-	\$50
A36-02208	-	\$370
A36-13320	-	\$600
A36-13319	-	\$85
A36-02212	-	\$50
A36-04006	-	\$730

Application - 45

4,957.00

CO12178

Come II

Bar - U - Inc.

A36-13261	-	\$25
A36-13258	-	<u>\$25</u>
		\$50

CO12179

MICROFILMED

JAN 28 1993

Water Right Number - 36-02648A

Prefix Translation: WATER RIGHT

Old (D) Number - 32824

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - - +

*** A - ATTORNEY ***

YOUNG OR TERRY UHLING

GRAY

1 - ENV AND REGULATORY AFFAIRS

2 - J R SIMPLOT COMPANY

3 - PO BOX 27

City- BOISE

State- ID Zip- 837070027

Phone - 208-389-7318

*** C - CURRENT OWNER ***

J R SIMPLOT COMPANY

1 - PO BOX 27

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

*** K - ALSO KNOWN AS ***

SIMPLOT

1 -

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

+ - - Priority Date - - +

04/06/1966

+ - - Region - - - +

17 SOUTHERN

+ - - Stage - - - +

L - LICENSE

+ - - Status - - - +

+ - - Source - - - - - +

GROUNDWATER

+ - - Tributary - - - - - +

+ - - Point of Diversion - - - - - +

Twn	Rng	Sec	Tract	Lot	RFlg	County	Diversion Name
-----	-----	-----	-------	-----	------	--------	----------------

10S	23E	15	SE NE SW			(67) MINIDOKA	
			SW SW SW	1		(67) MINIDOKA	

+ - - Water Use - - - - - +

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
------	-------------	-------------	-----------	----------------	------------------

07 - INDUSTRIAL		01/01	12/31	1.960	
-----------------	--	-------	-------	-------	--

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +

1.960

0.0

+ - - Place of Use - - - - - +

Twn	Rng	Sec	Tract	Lot	Acres	Code	Description	County
10S	23E	15	NE SW			07	INDUSTRIAL	(67) MINIDOKA
10S	23E	15	NW SW			07	INDUSTRIAL	(67) MINIDOKA
10S	23E	15	SW SW	1		07	INDUSTRIAL	(67) MINIDOKA

+ - - Diversion Means - 3 WELLS & PUMPS TO PIPELINE NETWORK

+ - - Non-Irrigation Use - INDUSTRIAL/ POTATO PROCESSING PLANT

+ - - Other Rights for Same Use - SEE REMARKS

to Rmk
(EXP)

proofed, a7
12-10-97
KHC

updated
12-9-97
KHC

Water right number - 36-02648A

Prefix Translation: WATER RIGHT

+ - - - - Remarks - - - - - +

POD
EXP
QNT

GEN TWO POINTS OF DIVERSION LOCATED IN SENWSW, S15, T10S, R23E.
THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE: 36-04179, 36-04180, 36-02729 & 36-08154.
USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A TOTAL
COMBINED DIVERSION RATE OF 7.70 CFS, A TOTAL COMBINED ANNUAL
DIVERSION VOLUME OF 3630.8 AF, A TOTAL COMBINED ANNUAL
~~CONSUMPTIVE USE VOLUME OF 817.2 AF.~~ COMBINED RIGHT NOS.:
36-04179, 36-04180, 36-02729 AND 36-08154.

+ - - - - Old Water Right Numbers - - - - - +

3602648

+ - - - - Conditions of Approval - - - - - +

- C03 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN POINT OF DIVERSION
- PURSUANT TO SECTION 42-1425, IDAHO CODE.
C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- SECTION 42-1425, IDAHO CODE.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +

00/00/0000

+ - - Audit Fields - 03/23/92 BAUMHOFF 07/18/92 POST-STD 08/05/92 MERRITT 08/28/92 PR-PRODM 11/02/92 CPSHAW
12/05/92 ADT-SHAW 04/02/93 CAN-SHAF 05/19/94 CAN-SHAF 03/29/95 POST-STD

+ - - Certified Numbers & Date Mailed - 258586 08/24/92

+ - - - - Comments - - - - - +

Date: 03/23/1992 User Id: BAUMHOFF Subject: SPLIT RECOMMENDATION
THIS RIGHT WAS CLAIMED UNDER A36-02648, BECAUSE THERE ARE TWO DIFFERENT DIVERSIONS THE RECOMMENDATION HAS SPLIT THE RIGHT.
SEE COMMENTS IN R36-02648.

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 11/02/1992	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 08/05/1992	Old Judicial District	-
Claim Received Date	- 10/12/1989	Last Amended Date	- 00/00/0000	Temporary Right	- P
Proof Due Date	- 00/00/0000	Proof Made Date	- 00/00/0000	Water District	-
Licensed Date	- 00/00/0000	Receipt Number	- X777777	Federal/State Indicator	- S
		POU Ownership Flag	- Y	Presumption Flag	- C
		Name Connector	- AND/OR	Notice of Error Flag	-

Water Right Number - 36-02648B

Prefix Translation: WATER RIGHT

Old (D) Number - 32824

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** A - ATTORNEY ***

YOUNG OR TERRY UHLING

GRAY

1 - ENV AND REGULATORY AFFAIRS

2 - J R SIMPLOT COMPANY

3 - PO BOX 27

City- BOISE

State- ID Zip- 837070027

Phone - 208-389-7318

*** C - CURRENT OWNER ***

J R SIMPLOT COMPANY

1 - PO BOX 27

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

*** K - ALSO KNOWN AS ***

SIMPLOT

1 -

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
04/06/1966 17 SOUTHERN L - LICENSE

+ - - - - Source - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - - - - - - - - - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County Diversion Name
10S 23E 15 NW SE SW (67) MINIDOKA

+ - - - - - - - - - - - - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
07 - INDUSTRIAL 01/01 12/31 0.700

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
0.700 332.60 74.2

+ - - - - - - - - - - - - - - - Place of Use - - - - - +
TwN Rng Sec Tract Lot Acres Code Description County
10S 23E 15 SE SW 07 INDUSTRIAL (67) MINIDOKA

+ - - Diversion Means - 8" WELL WITH 25 HP SUBMERSIBLE PUMP

+ - - Non-Irrigation Use - INDUSTRIAL/ ETHANOL PLANT

+ - - Other Rights for Same Use - NONE

✓ EPP RMR

updated 97
12-9 KKC

Water right number - 36-02648B

Prefix Translation: WATER RIGHT

+ - - - - Remarks - - - - - +
No Remarks found.

+ - - - - Old Water Right Numbers - - - - - +
3602648

+ - - - - Conditions of Approval - - - - - +
C03 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN POINT OF DIVERSION
- PURSUANT TO SECTION 42-1425, IDAHO CODE.
C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- SECTION 42-1425, IDAHO CODE.

+ - - - Decree Plaintiff - - - + + - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - Audit Fields - 03/23/92 BAUMHOFF 07/18/92 POST-STD 08/05/92 MERRITT 08/28/92 PR-PRODM 11/02/92 CPSHAW
12/05/92 ADT-SHAW 04/02/93 CAN-SHAF 05/19/94 CAN-SHAF 03/29/95 POST-STD

+ - - Certified Numbers & Date Mailed - 258587 08/24/92

+ - - - - Comments - - - - - +
Date: 03/23/1992 User Id: BAUMHOFF Subject: SPLIT RECOMMENDATION
THIS RIGHT WAS CLAIMED UNDER A36-02648, DUE TO THE SYSTEM THE RIGHT HAS BEEN RECOMMENDED AS TWO DIFFERENT DIVERSIONS, SEE
COMMENTS IN R36-02648.

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

| | | | | | |
|----------------------|--------------|-----------------------|--------------|-------------------------|---------|
| Court Report Filing | - 11/02/1992 | Field Inspection Made | - 00/00/0000 | Civil Case Number | - 39576 |
| Objection Filed Date | - 00/00/0000 | Field Inspection Flag | - | Old Case Number | - |
| Response Filed Date | - 00/00/0000 | Verified Date | - 08/05/1992 | Old Judicial District | - |
| Claim Received Date | - 10/12/1989 | Last Amended Date | - 00/00/0000 | Temporary Right | - P |
| Proof Due Date | - 00/00/0000 | Proof Made Date | - 00/00/0000 | Water District | - |
| Licensed Date | - 00/00/0000 | Receipt Number | - X777777 | Federal/State Indicator | - S |
| | | POU Ownership Flag | - Y | Presumption Flag | - C |
| | | Name Connector | - AND/OR | Notice of Error Flag | - |

R PROOF



CVR



MAPS



PHOTOS



MISC



MICROFILMED

JAN 28 1993

Water Right Number - R36-02648

Prefix Translation: RESEARCH

Old (D) Number - 32824

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - -

*** C - CURRENT OWNER ***
SPLIT CLAIM1 -
2 -
3 -City- BOISE
Phone - 208-000-0000

State- ID Zip- 83707

+ - - Priority Date - - +
04/06/1966+ - - - Region - - - +
17 SOUTHERN

+ - - - Stage - - - +

+ - - - Status - - - +
Z - SEE REMARKS+ - - - - Source - - - - -
GROUNDWATER
SPLIT CLAIM

+ - - - - Tributary - - - - -

+ - - - - Point of Diversion - - - - -
Twn Rng Sec Tract Lot RFlg County10S 23E 15 SE NW SW (67) MINIDOKA
NW SE SW (67) MINIDOKA+ - - - - Water Use - - - - -
Code Description Period From Period To Diversion Rate Diversion Volume
07 - INDUSTRIAL 01/01 12/31 2.660 405.00+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
2.660 405.00 405.0+ - - - - Place of Use - - - - -
Twn Rng Sec Tract Lot Acres Code Description County

()

Total Acres:

+ - - Diversion Means - 8" WELL, 25HP PUMP

+ - - Non-Irrigation Use - INDUSTRIAL/ ETHANOL PLANT & DRY STORAGE

+ - - Other Rights for Same Use - NONE

+ - - - - Remarks - - - - -
SEE NO. 36-02648A AND 36-02648B.+ - - - - Old Water Right Numbers - - - - -
No Old Water Right Numbers Found

VERIFIED ADM

MICROFILMED

JAN 28 1993

Water right number - R36-02648

Prefix Translation: RESEARCH

+ - - - - Conditions of Approval - - - - -
No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - -

Date: 09/18/1991 User Id: WORSTELL Subject: CHANGE IN POINT OF DIVERSION

THIS RIGHT FOR THE ETHANOL PLANT NOW HAS ONLY 1 POINT OF DIVERSION.

Date: 03/10/1992 User Id: MERRITT Subject: SPLITTING OF RECOMMENDATION

THIS RIGHT IS DELIVERED BY TO UNCONNECTED SYSTEMS. IT IS RECOMMENDED AS TWO SEPARATE RIGHTS WITH THE COMBINED
DIV. VOLUME TO BE LIMITED TO 405 AF AS TRANSFERED.

+ - - Audit Fields - - +

03/10/92 MERRITT

+ - - - - Adjudication Rights Dates and Flags Area - - - - -

| | | | | | |
|----------------------|--------------|-----------------------|--------------|-------------------------|---------|
| Court Report Filing | - 00/00/0000 | Field Inspection Made | - 08/14/1991 | Civil Case Number | - 39576 |
| Objection Filed Date | - 00/00/0000 | Field Inspection Flag | - | Old Case Number | - |
| Response Filed Date | - 00/00/0000 | Verified Date | - 03/10/1992 | Old Judicial District | - |
| Claim Received Date | - 10/12/1989 | Last Amended Date | - 00/00/0000 | Temporary Right | - P |
| | | Receipt Number | - C012178 | Water District | - |
| | | POU Ownership Flag | - Y | Federal/State Indicator | - S |
| | | Name Connector | - AND/OR | Presumption Flag | - |
| | | | | Notice of Error Flag | - |

MICROFILMED
JAN 28 1993

Water Right Number - R36-02648A

Prefix Translation:

RESEARCH

Old (D) Number - 32824

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - - +

*** C - CURRENT OWNER ***
J R SIMPLOT COMPANY

1 - PO BOX 27

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

*** K - ALSO KNOWN AS ***
SIMPLOT

1 -

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

+ - - Priority Date - - +
04/06/1966+ - - Region - - - +
17 SOUTHERN+ - - Stage - - - +
L - LICENSE

+ - - Status - - - - +

+ - - Source - - - - - +
GROUNDWATER

+ - - Tributary - - - - - +

| + - - - - Point of Diversion - - - - - + | | | | | | |
|--|-----|-----|----------|-----|------|----------|
| TwN | Rng | Sec | Tract | Lot | RFlg | County |
| 10S | 23E | 15 | SE NE SW | | (67) | MINIDOKA |
| | | | SW SW SW | 1 | (67) | MINIDOKA |

| + - - - - Water Use - - - - - + | | | | | |
|---------------------------------|-------------|-------------|-----------|----------------|------------------|
| Code | Description | Period From | Period To | Diversion Rate | Diversion Volume |
| 07 | INDUSTRIAL | 01/01 | 12/31 | 1.960 | |

| | | | |
|-------------------------|---------------------------|-------------------------------|------------------|
| + - Total Div. Rate - + | + - Total Div. Volume - + | + - Total Consumptive Use - + | + - KW Usage - + |
| 1.960 | | 0.0 | |

| + - - - - Place of Use - - - - - + | | | | | | | | |
|------------------------------------|-----|-----|-------|-----|-------|------|-------------|---------------|
| TwN | Rng | Sec | Tract | Lot | Acres | Code | Description | County |
| 10S | 23E | 15 | NE SW | | | 07 | INDUSTRIAL | (67) MINIDOKA |
| 10S | 23E | 15 | NW SW | | | 07 | INDUSTRIAL | (67) MINIDOKA |
| 10S | 23E | 15 | SW SW | 1 | | 07 | INDUSTRIAL | (67) MINIDOKA |

Total Acres:

+ - - Diversion Means - 3 WELLS & PUMPS TO PIPELINE NETWORK

+ - - Non-Irrigation Use - INDUSTRIAL/ POTATO PROCESSING PLANT

+ - - Other Rights for Same Use - SEE REMARKS

MICROFILMED
JAN 28 1993

Water right number - R36-02648A

Prefix Translation: RESEARCH

+ - - - - - Remarks - - - - - +

TWO POINTS OF DIVERSION LOCATED IN SENWSW, S15, T10S, R23E.
THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE: 36-04179, 36-04180, 36-02729 & 36-08154.
USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A TOTAL
COMBINED DIVERSION RATE OF 7.70 CFS, A TOTAL COMBINED ANNUAL
DIVERSION VOLUME OF 3630.8 AF, A TOTAL COMBINED ANNUAL
CONSUMPTIVE USE VOLUME OF 817.2 AF. COMBINED RIGHT NOS.:
36-04179, 36-04180, 36-02729 AND 36-08154.

+ - - - - - Old Water Right Numbers - - - - - +
3602648

+ - - - - - Conditions of Approval - - - - - +

C03 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN POINT OF DIVERSION
- PURSUANT TO IDAHO CODE 42-1416A.
C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- IDAHO CODE 42-1416A.

+ - - - Decree Plaintiff - - - + + - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - - Comments - - - - - +

Date: 03/23/1992 User Id: BAUMHOFF Subject: SPLIT RECOMMENDATION
THIS RIGHT WAS CLAIMED UNDER A36-02648, BECAUSE THERE ARE TWO DIFFERENT DIVERSIONS THE RECOMMENDATION HAS SPLIT THE RIGHT.
SEE COMMENTS IN R36-02648.

+ - - Audit Fields - - +
08/05/92 MERRITT

+ - - - - - Adjudication Rights Dates and Flags Area - - - - - +

| | | | | | |
|----------------------|--------------|-----------------------|--------------|-------------------------|---------|
| Court Report Filing | - 00/00/0000 | Field Inspection Made | - 00/00/0000 | Civil Case Number | - 39576 |
| Objection Filed Date | - 00/00/0000 | Field Inspection Flag | - | Old Case Number | - |
| Response Filed Date | - 00/00/0000 | Verified Date | - 08/05/1992 | Old Judicial District | - |
| Claim Received Date | - 10/12/1989 | Last Amended Date | - 00/00/0000 | Temporary Right | - P |
| | | Receipt Number | - X777777 | Water District | - |
| | | POU Ownership Flag | - Y | Federal/State Indicator | - S |
| | | Name Connector | - AND/OR | Presumption Flag | - C |
| | | | | Notice of Error Flag | - |

MICROFILMED
JAN 28 1993

Water Right Number - R36-02648B

Prefix Translation: RESEARCH

Old (D) Number - 32824

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - - +

*** C - CURRENT OWNER ***
J R SIMPLOT COMPANY

1 - PO BOX 27

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

*** K - ALSO KNOWN AS ***
SIMPLOT

1 -

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

+ - - Priority Date - - +
04/06/1966+ - - Region - - - +
17 SOUTHERN+ - - Stage - - - +
L - LICENSE

+ - - Status - - - - +

+ - - - - Source - - - - - +
GROUNDWATER

+ - - - - Tributary - - - - - +

+ - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County

10S 23E 15 NW SE SW (67) MINIDOKA

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

07 - INDUSTRIAL

01/01

12/31

0.700

+ - Total Div. Rate - + + - Total Div. Volume - +
0.700 332.60+ - Total Consumptive Use - + + - KW Usage - +
74.2+ - - - - Place of Use - - - - - +
TwN Rng Sec Tract Lot Acres Code Description County

10S

23E

15

SE SW

07 INDUSTRIAL

(67) MINIDOKA

Total Acres:

+ - - Diversion Means - 8" WELL WITH 25 HP SUBMERSIBLE PUMP

+ - - Non-Irrigation Use - INDUSTRIAL/ ETHANOL PLANT

+ - - Other Rights for Same Use - NONE

+ - - - - Remarks - - - - - +
No Remarks found.

MICROFILMED

JAN 28 1993

Water right number - R36-02648B

Prefix Translation: RESEARCH

+ - - - - Old Water Right Numbers - - - - - +

+ - - - - Old Water Right Numbers - - - - - +

3602648

+ - - - - Conditions of Approval - - - - - +

C03 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN POINT OF DIVERSION

- PURSUANT TO IDAHO CODE 42-1416A.

C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO

- IDAHO CODE 42-1416A.

+ - - - Decree Plaintiff - - - +

+ - - - Decree Defendant - - - +

+ - Decree Date - +

00/00/0000

+ - - - - Comments - - - - - +

Date: 03/23/1992 User Id: BAUMHOFF Subject: SPLIT RECOMMENDATION

THIS RIGHT WAS CLAIMED UNDER A36-02648, DUE TO THE SYSTEM THE RIGHT HAS BEEN RECOMMENDED AS TWO DIFFERENT DIVERSIONS, SEE COMMENTS IN R36-02648.

+ - - Audit Fields - - +

08/05/92 MERRITT

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing - 00/00/0000

Objection Filed Date - 00/00/0000

Response Filed Date - 00/00/0000

Claim Received Date - 10/12/1989

Field Inspection Made - 00/00/0000

Field Inspection Flag -

Verified Date - 08/05/1992

Last Amended Date - 00/00/0000

Receipt Number - X777777

POU Ownership Flag - Y

Name Connector - AND/OR

Civil Case Number - 39576

Old Case Number -

Old Judicial District -

Temporary Right - P

Water District -

Federal/State Indicator - S

Presumption Flag - C

Notice of Error Flag -


MICROFILMED
JAN 28 1993

MEMO

09-Mar-1992 08:55

From: Allen Merritt

To: Files A36-02542
A36-02648
A36-02729
A36-08154
A36-04179
A36-04180
A36-04181
A36-04182



J.R.Simplot Company has filed the above referenced claims to record the water use at the Simplot-Heyburn potatoe processing plant. The plant is located within the SW1/4 of Sec.15 T10S, R23E, BM in Minidoka County with the waste disposal plant located across the Snake River in the S1/2 of Sec.16 and the N1/2NE1/4 Sec.21 T10S, R23E, BM in Cassia County.

In the fall of 1991 Mike Harshburger, summer aid, conducted a field review of the claims but the exams were not finalized with detail sufficient to determine the diversion volume and consumptive use of the facility. During my re-evaluation I have contacted Vic Conrad of the Simplot office in Boise by phone on numerous occasions and on Feb. 21, 1992 I visited the plant and was escorted to all the well sites by Gerald Jordan. Additionally on Feb. 27 I contacted Mike Gann, environmental engineer for the plant, by phone to discuss the waste treatment facility and on 3/6/92 Vic Conrad visited my office.

My field review found that the bulk of the potatoe processing plant is supplied water from three production wells which are valved together but normally operated separately. The ethanol plant is supplied from a separate production well and there are other sandpoint wells for small domestic uses and watering of landscape. The water used within the plant is used for many purposes which can generally be classified as:

| | |
|-----------|--|
| Domestic | (To supply the needs of the workers which would include drinking, toilet, washing, etc.) |
| Flume | (Water is used as a medium to transport potatoes and potatoe products thru the process) |
| Cooling | (Water is used to cool various mechanical devices as well as for humidification) |
| Washing | (Cleaning equipment, potatoes, ect.) |
| Fire Prot | (Protection for Plant) |

Waste water from the processes at the potatoe processing plant and the ethanol plant is pumped across the river for treatment and disposal. A small portion being the domestic waste is processed thru the City of Heyburn waste treatment facility. Regarding the three main production

MICROFILMED
JAN 28 1993

wells these are generally used year-round, 24 hrs a day. They are valved &/or switched such that the discharge varies greatly throughout the day. To determine the appropriate amounts for the diversion volume and consumptive use volume I decided to first determine the volume of water pumped based on conversations and observations made then subtract out the measured waste. The large unknown in the water budget for the complex is the water evaporated into the air at the plant thru the venting of steam. This consumptive use of the water was estimated to be large by both Mr. Gann and Mr. Conrad but they could not quantify this value. Mike Gann indicated that the waste treatment facility treats around 3.0 million gallons/day (mgd). Of this 2.3 to 2.7 is termed "white water" and the remainder being termed "silt water". These waters are run thru a combination of digesters and settling ponds with effluent being discharged back to the Snake River under a discharge permit with a daily average of 2.5 to 2.7 mgd. A by product of this process is a biogas which is recovered and burned. Using napp photos and the description provided by Mr. Gann it appears that there are 35 acres of pond surface to evaporate water at the waste disposal site. The numbers provided by Mr. Gann and Mr. Conrad are their best estimates and are reduced below in a simplified water budget for the processes:

WATER INPUT TO SYSTEM

Main Well
 $4.27 \times 1.98 \times 365 = 3085.1 \text{ AFA}$

Dry Storage Well
 $30\% \times 2.23 \times 1.98 \times 365 = 477.0 \text{ AFA}$

Ethanol Well
 $0.70 \times 1.98 \times 240 = 332.6 \text{ AFA}$

River Well = 66.7 AFA

Estimated loss to evap @ plant

3961.4
 -3247.9
 - 3.7
 -61.6

 648.2 AFA

WATER OUTPUT FROM SYSTEM

Waste Treatment
 $2.9 \text{ mgd} = 3247.9 \text{ AFA}$
Back to River
 $2.6 \text{ mgd} = 2911.9 \text{ AFA}$
Evap in Pond
 $4 \times 35 = 140.0 \text{ AFA}$
Unaccounted
 $3247.9 - 2911.9 - 140 = 196.0 \text{ AFA}$
 (Biogas + seepage +?)

Ethanol Production
 5000×240
 ----- = 3.7 AFA
 325900

Domestic Waste
 $1100 \times 50 \times 365$
 ----- = 61.6 AFA
 325900

TOTAL DIVERSION VOLUME 3961.4 AFA
TOTAL CONSUMPTIVE USE 648.2 + 140.0 + 3.7 + (196 x 50%) 889.9 AFA

It is realized that some water enters the process in the potatoes and some water is lost in the biogas but it is assumed that these balance

MICROFILMED

JAN 28 1993

out or is a portion of the 196.0 AFA unaccounted at the waste treatment plant.

.....
In recommending the rights since the three main production wells are tied together all three points of diversion should be listed and the rights associated with these three wells should be:

| | | |
|-------------|---------------|----------------------|
| Main Well | 36-04179 | 4.27 cfs |
| Dry Storage | 36-02648 part | 1.96 cfs (2.66-0.70) |
| | 36-02729 | 0.56 cfs |
| | | ----- |
| | | 2.23 cfs *well cap. |
| River Well | 36-08154 | 1.20 cfs |

*** Combined diversion rate = 7.70 cfs
**** Combined diversion volume = 3628.8 AFA
***** Also note that 36-04080 also supplied from this system for irrig.
of 1/2 acre
***** Combined consumptive use est. = 889.9 (7.70/8.4)= 815.7 AFA
.....

Ethanol Pump 36-02648 part 0.70 cfs
** Diversion volume = $0.7 \times 1.98 \times 240 = 332.6$ AFA
*** Consumptive use est. = 889.9 (0.7/8.4)= 74.2 AFA
.....

A36-02542 This claim was for the fertilizer plant and after review with Mr. Conrad they are going to relinquish the claim since Simplot has never owned the property and they do not own it now. If belongs to Cenex but Simplot my purchase it in the future. During my field review we reviewed the property and the well and pump was not located and the fertilizer plant was not used and it was reported that the plant has not been used for many years.
.....

36-04180 This right was initially developed with an old sandpoint well located in the auto body shop. The right was for irrigation of a small strip of grass on the southern end of the property. During the field review the strip of ground continues to be irrigated but the pump on the sandpoint has been removed. Further discussions with Mr. Jordan indicated that the grass is watered from the pipeline network which connects the River Well, Dry Storage Well & the Main Well. This use will be recommended out of this system.
.....

36-04181 This right is for the lawn and shrub irrigation around the main parking lot located near the main building. The well and pump are located inside the main building inside the wheel pit peal room. The pump is a 1 hp and is only used for irrigation of the lawn of approx. 1/2 acre.

MICROFILMED

JAN 28 1993

.....
36-04182 This right is for the small domestic type use for the workers
in the carpenter shop. The well is a sandpoint with 1/3 hp pump
supplying the shop.

MICROFILMED
JAN 28 1993

CANAL

416

CLAIM

INIT

Adm

T. R. S. Q/Q

P/D

PHOTO BB78 SE

DT.&ID.

Well location
Simplot Plant
Heyburn

4715

4714

POOR ORIGINAL

MICROFILMED

JAN 28 1993


32' 30"

MEMO

09-Mar-1992 08:55

From: Allen Merritt

To: Files A36-02542
A36-02648
A36-02729
A36-08154
A36-04179
A36-04180
A36-04181
A36-04182



J.R.Simplot Company has filed the above referenced claims to record the water use at the Simplot-Heyburn potatoe processing plant. The plant is located within the SW1/4 of Sec.15 T10S, R23E, BM in Minidoka County with the waste disposal plant located across the Snake River in the S1/2 of Sec.16 and the N1/2NE1/4 Sec.21 T10S, R23E, BM in Cassia County.

In the fall of 1991 Mike Harshburger, summer aid, conducted a field review of the claims but the exams were not finalized with detail sufficient to determine the diversion volume and consumptive use of the facility. During my re-evaluation I have contacted Vic Conrad of the Simplot office in Boise by phone on numerous occasions and on Feb. 21, 1992 I visited the plant and was escorted to all the well sites by Gerald Jordan. Additionally on Feb. 27 I contacted Mike Gann, environmental engineer for the plant, by phone to discuss the waste treatment facility and on 3/6/92 Vic Conrad visited my office.

My field review found that the bulk of the potatoe processing plant is supplied water from three production wells which are valved together but normally operated separately. The ethanol plant is supplied from a separate production well and there are other sandpoint wells for small domestic uses and watering of landscape. The water used within the plant is used for many purposes which can generally be classified as:

| | |
|-----------|--|
| Domestic | (To supply the needs of the workers which would include drinking, toilet, washing, etc.) |
| Flume | (Water is used as a medium to transport potatoes and potatoe products thru the process) |
| Cooling | (Water is used to cool various mechanical devices as well as for humidification) |
| Washing | (Cleaning equipment, potatoes, ect.) |
| Fire Prot | (Protection for Plant) |

Waste water from the processes at the potatoe processing plant and the ethanol plant is pumped across the river for treatment and disposal. A small portion being the domestic waste is processed thru the City of Heyburn waste treatment facility. Regarding the three main production

MICROFILMED

JAN 28 1993

wells these are generally used year-round, 24 hrs a day. They are valved &/or switched such that the discharge varies greatly throughout the day. To determine the appropriate amounts for the diversion volume and consumptive use volume I decided to first determine the volume of water pumped based on conversations and observations made then subtract out the measured waste. The large unknown in the water budget for the complex is the water evaporated into the air at the plant thru the venting of steam. This consumptive use of the water was estimated to be large by both Mr. Gann and Mr. Conrad but they could not quantify this value. Mike Gann indicated that the waste treatment facility treats around 3.0 million gallons/day (mgd). Of this 2.3 to 2.7 is termed "white water" and the remainder being termed "silt water". These waters are run thru a combination of digesters and settling ponds with effluent being discharged back to the Snake River under a discharge permit with a daily average of 2.5 to 2.7 mgd. A by product of this process is a biogas which is recovered and burned. Using napp photos and the description provided by Mr. Gann it appears that there are 35 acres of pond surface to evaporate water at the waist disposal site. The numbers provided by Mr. Gann and Mr. Conrad are their best estimates and are reduced below in a simplified water budget for the processes:

WATER INPUT TO SYSTEM

Main Well
 $4.27 \times 1.98 \times 365 = 3085.1 \text{ AFA}$

Dry Storage Well
 $30\% \times 2.23 \times 1.98 \times 365 = 477.0 \text{ AFA}$

Ethanol Well
 $0.70 \times 1.98 \times 240 = 332.6 \text{ AFA}$

River Well = 66.7 AFA

Estimated loss to evap @ plant

3961.4
 -3247.9
 - 3.7
 -61.6

 648.2 AFA

WATER OUTPUT FROM SYSTEM

Waste Treatment
 $2.9 \text{ mgd} = 3247.9 \text{ AFA}$
Back to River
 $2.6 \text{ mgd} = 2911.9 \text{ AFA}$
Evap in Pond
 $4 \times 35 = 140.0 \text{ AFA}$
Unaccounted
 $3247.9 - 2911.9 - 140 = 196.0 \text{ AFA}$
 (Biogas + seepage +?)

Ethanol Production
 5000×240
 ----- = 3.7 AFA
 325900

Domestic Waste
 $1100 \times 50 \times 365$
 ----- = 61.6 AFA
 325900

TOTAL DIVERSION VOLUME 3961.4 AFA
TOTAL CONSUMPTIVE USE 648.2 + 140.0 + 3.7 + (196 x 50%) 889.9 AFA

It is realized that some water enters the process in the potatoes and some water is lost in the biogas but it is assumed that these balance

MICROFILMED

JAN 28 1993

out or is a portion of the 196.0 AFA unaccounted at the waste treatment plant.

.....
In recommending the rights since the three main production wells are tied together all three points of diversion should be listed and the rights associated with these three wells should be:

| | | |
|-------------|---------------|----------------------|
| Main Well | 36-04179 | 4.27 cfs |
| Dry Storage | 36-02648 part | 1.96 cfs (2.66-0.70) |
| | 36-02729 | 0.56 cfs |
| | | ----- |
| | | 2.23 cfs *well cap. |
| River Well | 36-08154 | 1.20 cfs |

*** Combined diversion rate = 7.70 cfs
**** Combined diversion volume = 3628.8 AFA
***** Also note that 36-04080 also supplied from this system for irrig.
of 1/2 acre
***** Combined consumptive use est. = 889.9 (7.70/8.4) = 815.7 AFA
.....

Ethanol Pump 36-02648 part 0.70 cfs
** Diversion volume = $0.7 \times 1.98 \times 240 = 332.6$ AFA
*** Consumptive use est. = 889.9 (0.7/8.4) = 74.2 AFA
.....

A36-02542 This claim was for the fertilizer plant and after review with Mr. Conrad they are going to relinquish the claim since Simplot has never owned the property and they do not own it now. It belongs to Cenex but Simplot may purchase it in the future. During my field review we reviewed the property and the well and pump was not located and the fertilizer plant was not used and it was reported that the plant has not been used for many years.
.....

36-04180 This right was initially developed with an old sandpoint well located in the auto body shop. The right was for irrigation of a small strip of grass on the southern end of the property. During the field review the strip of ground continues to be irrigated but the pump on the sandpoint has been removed. Further discussions with Mr. Jordan indicated that the grass is watered from the pipeline network which connects the River Well, Dry Storage Well & the Main Well. This use will be recommended out of this system.
.....

36-04181 This right is for the lawn and shrub irrigation around the main parking lot located near the main building. The well and pump are located inside the main building inside the wheel pit peal room. The pump is a 1 hp and is only used for irrigation of the lawn of approx. 1/2 acre.

MICROFILMED

JAN 28 1993

.....
36-04182 This right is for the small domestic type use for the workers
in the carpenter shop. The well is a sandpoint with 1/3 hp pump
supplying the shop.

MICROFILMED
JAN 28 1993

Ethanol Plant
Well

2/21/92 ADN

36-02648 (Part)



MICROFILMED

JAN 28 1993

CANAL

4716

CLAIM _____ INIT AD
T. R. S. Q/Q
P/D _____
PHOTO BB 78 SE
DT. & ID. _____

Well locations
Simplot Plant
Heyburn

4715

POOR ORIGINAL

4714

MICROFILMED
JAN 28 1993

32' 30"



CLAIM NO. A36 - 02648 B

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
CLAIM VERIFICATION EXAM SHEET
FOR SMALL INDUSTRIAL AND COMMERCIAL CLAIMS IN PLACE OF A CVR

1. ☒ No Change NAME:
NEW OWNER: _____
☒ No Change ADDRESS:
NEW ADDRESS: _____
☐ DATA ENTRY STANDARDS CHECKED?
2. ☒ No Change - DATE OF PRIORITY: - LICENSE
(EVIDENCE OF PRIORITY REQUIRED) ☐ Proof in File
☐ Claimant Contact if Not
☐ CHANGE- Priority date, per claimant, is _____
(if the priority date, based on your exam, seems questionable,
explain in COMMENTS.)
3. ☒ No Change - SOURCE:
CHANGE - Different Source found: _____
4. ☐ No Change - POINT OF DIVERSION:
Point of diversion is different than the claim
New P/D: Twp. 10S, Rge. 23E, Sec. 15, NW 1/4 SE 1/4 SW 1/4

Note: If the 10-acre tract is shown on the claim, then
verification of the 10-acre parcel is needed. Otherwise the
10-acre tract is not required, unless the source is a spring.

5. ☐ No Change - DESCRIPTION OF DIVERTING WORKS:
☒ Complete items missing, IF KNOWN.

HP of pump 25 Static water level 130 Well depth _____
Casing size 8" Pumping water level _____ Gravity flow _____

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping
water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

MICROFILMED
JAN 28 1993

$$Q = \frac{(8.8) (\dots 25 \dots) (0.70)}{[(\dots 130 \dots) + (\dots 40 \dots \times 2.31)]} = 0.692 \text{ cfs}$$

LIFT FROM:

measurement ()

owner ()

area estimate (X)

well logs ()

Booster (Y) (N)

PSI FROM:

measurement ()

owner ()

estimate (-)

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

25 HP SUBMERSIBLE

REMARKS

.....
DESCRIPTION OF USE: (Fully describe type, time & all aspects of Use)USED IN PLANT TO PRODUCE ETHYL ALCOHOLALL THE WATER USED IN THE ETHANOL PLANT IS COLLECTED AT A
PURIFICATION PLANT AND EVAPORATED,

CALCULATE VOLUMES: (time)X(rate)= Vol.

$$0.7 \text{ cfs} = 310 \text{ GPM} \cdot 525600 \frac{\text{MIN}}{\text{YEAR}} \cdot \frac{1 \text{ ACRE-FOOT}}{325850 \text{ GAL}} = 502 \text{ AFA}$$

CLAIMED = 405 AFA

Limited by transfer 

6. ☒ No Change - WATER USES:
RECOMMENDED USES:

div cons
Use IND From 1/1 To 12/31 Amount 0.7 cfs 405 af 405 af
Use _____ From _____ To _____ Amount _____ cfs _____ af _____ af

☐ DATA ENTRY STANDARDS CHECKED FOR ITEMS 6, 7, 8 AND 9.

10. ☒ No Change - PLACE OF USE: (If changed, list below.)

| Use | Twp. | Rge. | Sec. | 1/4, | 1/4, | 1/4 |
|------------|------------|------------|-----------|-----------|-----------|----------|
| <u>IND</u> | <u>10S</u> | <u>23E</u> | <u>15</u> | <u>NE</u> | <u>SW</u> | |
| <u>"</u> | <u>"</u> | <u>"</u> | <u>"</u> | <u>SE</u> | <u>SW</u> | |
| <u>"</u> | <u>"</u> | <u>"</u> | <u>"</u> | <u>"</u> | <u>"</u> | <u>"</u> |

13. ☒ No change - OTHER RIGHTS FOR SAME USE:
CHANGE: _____

REMARKS AND CONDITIONS

14. ☐ (copy existing remarks to comments in "R")
☐ LIST STANDARD REMARKS FOR THE RECOMMENDATION: ☐ NONE

☐ LIST STANDARD CONDITIONS FOR THE RECOMMENDATION: ☐ NONE

15. ☒ BASIS OF CLAIM VERIFIED AS: D - L - P - S - J (circle one)

COMMENTS: (pertinent to field examination)

THE ETANVOL PLANT THIS WELL SERVES ~~IS~~ NOW HAS
A SEPARATE WATER SYSTEM FROM THE POTATO PROCESSING PLANT
(SO IT HAS ONLY ONE PAD)

MICROFILMED
JAN 28 1993

ATTACHMENTS: Attached to Attachments are
 This Form. in Permit File.

PHOTOS

MAP

SYSTEM DIAGRAM

| |
|---|
| |
| 2 |
| |

| |
|--|
| |
| |
| |

DATE EXAM CONDUCTED: 8/14/91

ACCOMPANIED BY: RAYMOND HOPKINS

FIELD EXAMINER: MIKE HARSHBARGER

SIGNATURE: Michael Hurlinger

REVIEWED BY/DATE: _____

DATA ENTRY BY/DATE: MTH 8/16/91

VERIFICATION BY/DATE: _____

18440
Shop
04182

Main
wall
36-04179
Wheel pit
36-04181


Auto S
501-1001
36-04180

WALL
5

36-04180

POOR ORIGINAL

09,55M



417

416

415

414

32' 3

413

412

MICROFILMED
JAN 28 1991

POOR CHIGN

CANAL

16

CLAIM A36-2648 INIT AD
T. R. S. Q/Q
P/D _____
PHOTO _____
DT.&ID. 0078

Ethanol Plant

*8" hole
pump at @ 290'
25 H.P. pump.*

4715

POOR ORIGINAL

4714

MICROFILMED
JAN 28 1993

32' 30"

