

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-04092
Date Received: 9/08/1989
Receipt No: S009110
Received By: lw

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: FRANKLIN SUHR 208-438-5957
Address: RT. 1, BOX 89
PAUL, ID 83347

2. Date of Priority: MAY 01, 1960

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
09S	23E	4	SE	SW			MINIDOKA

5. Description of diverting works:
PUMP & SPRINKLERS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/15	11/15	0.330		

7. Total Quantity Appropriated is:
0.330 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 180.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
09S	23E	4	SW	SW		IRR	40.0
			SE	SW		IRR	27.0

Section Acres 67.0

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
09S	23E	9	NW	NW	IRR	3.0

Section Acres 3.0

Total Acres 70.0

11. Place of use in counties: MINIDOKA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

A36-02239

14. Remarks:

LIC. #A36-02239 FOR 1.0 CFS ALSO COVERS SAME 60 ACRES.

15. Basis of Claim: STATUTORY CLAIM

MICROFILMED
FEB 01 1993

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not / wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments:

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Franklin E. Lusk Date: Sept 9, 89
Date:

State of Idaho)
County of sf) SS.

Subscribed and sworn (or affirmed) before me this 9 day
of Sept 19 89 Lon White
Notary Public

Seal

Residing at sf
My Commission Expires 5/94



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 3, 1990

A36-04092
FRANKLIN SUHR
RT. 1 BOX 89

PAUL

ID 88847

Dear Claimant(s):

In the past you submitted the claim(s) identified with the number(s) shown above your name and address at the top of this letter. You indicated on the claim(s) that the basis for establishing the water right(s) was Beneficial Use, meaning the water right was not previously confirmed by a decree, water right license or permit before you filed the claim(s).

The purpose of this letter is to request evidence supporting the priority date(s) you have claimed. The enclosed pamphlet describes what this means. While I encourage you to read all of the pamphlet, I direct your attention to the right-hand half of the pamphlet after you open it. There you will find two sections: What Kind of Evidence is Required, and Some Examples of Documents which May Be Evidence of the Priority Date. These sections tell you what must be submitted. The other sections tell you why the evidence is necessary and what the consequences of not submitting the evidence could be.

Please submit the requested evidence by November 1, 1990. When returning to the Department please reference all documents with the claim(s) identification number(s) listed above.

If you have questions not addressed by the pamphlet or need other technical assistance, please feel free to contact this office. For advice on your water right(s), please contact your attorney.

Sincerely,

Allen Merritt, P.E.
Water Rights Supervisor

Enclosure

MICROFILMED
FEB 01 1993



LAYNE & BOWLER PUMP COMPANY

2943 VAIL AVENUE, LOS ANGELES 22, CALIFORNIA, MAILING ADDRESS: P. O. BOX 6991

SOLD TO F.G. Suhr
Rt. #1
Paul, Idaho

SHIP TO

18

TERMS: NET 30 DAYS

SALES ORDER NO.	CUSTOMER'S ORDER NO.	PUMP NO.	DATE	INVOICE NO.
	TF 149	18256	5/5/60	C 33642

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
4	Impellers 10EHM		195.20
1	30HP GE 4 Pole motor 60 cy. 3 ph. 220/440 v.		980.40
	Pull pump - change impellers - install		180.00
			<u>1355.60</u>
	Allowance for motor 25 HP GE 4 Pole & 4 10EH impellers		415.00
			<u>940.60</u>

Paid in full
5-26-60

ALL CLAIMS FOR SHORTAGE MUST BE MADE IN WRITING WITHIN FIVE DAYS. INTEREST CHARGED AT THE LEGAL RATE ON PAST DUE ACCOUNTS

RECEIVED

OCT 11 1960

Department of Water Resources
Southern Region Office

MICROFILMED

FEB 01 1993

LA E & BOWLER PUMP COMPANY

P. O. Box 6991, Los Angeles 22, California

SALES ORDER

SOLD TO _____ Scheduled Shipping Date _____
 Address Route #1 Date April 9, 1960
Paul, Idaho Branch _____
 Ship to: Layne & Bowler Customer P.O. No. TF-149
Idaho Falls, Idaho Name _____ Address _____
 Via: Bowling - Rush Markings _____

<u>La B Pump #18256</u>			
<u>Change from 25 NP to 30 NP Pump</u>			
<u>For Conditions of: 600 GPM @ 150 ft</u>			
<u>4 - 10" ENH - Full Diameter Impellers</u>		<u>195</u>	<u>20</u>
<u>1 - 30 NP - 220/440 Volt, 3 phase, 60 cycle, 1800 RPM</u>			
<u>HE VHS Motor</u>		<u>980</u>	<u>40</u>
<u>Labor to pull pump, change impellers & install</u>		<u>180</u>	<u>00</u>
<u>Total</u>		<u>\$1355</u>	<u>60</u>
<u>Trade In Allowance: 35 NP - 1/2 speed, 220/440 Volt Motor</u>		<u>400</u>	<u>00</u>
<u>4 - 10" ENH Impellers (used)</u>		<u>15</u>	<u>00</u>
<u>Total</u>		<u>415</u>	<u>00</u>
<u>(Please Rush Material)</u>			
TERMS: <u>Net 30 days after completion</u>		SALES TAX	
		TOTAL PRICE	<u>940 60</u>

The Purchaser agrees that any material or labor furnished to him in addition to the above described work shall be charged at current prices and added to and shall become a part of this contract.

The title to and ownership of the property described herein shall remain in the name of the seller, and shall not pass from the seller to the purchaser or to his successors until all purchase money (including deferred payments, notes given for purchase money, and renewals thereof) shall have been fully paid in cash by the purchaser. Said property shall not become a part of any realty, but shall remain the personal property of the seller, regardless of the manner of its use or of its attachment to any realty or other property, until full cash payment is made as aforesaid.

The capacity, speed, lift, and all other service requirements and guarantees and/or warranties herein stated shall be considered as met if it is found the well is crooked to the extent that the mechanical operation of the pump is impaired, or if the well does not properly furnish the pump with the amount of clean, non-aerated and/or non-gaseous water, free from sand, detritus and/or other foreign substances, called for herein within the total head or lift specified herein.

It is hereby understood and agreed that all work ordered hereunder is precarious and uncertain in its nature, and all pulling of pumps, reinstalling pumps, repair work, alterations, well work, sand pumping, corrections, or other work herein specified, etc., shall be strictly at the purchaser's risk. The Corporation will not be liable for damage of any kind, particularly including loss or damage for diminution or failure of crop, shortage of water, inability or failure to supply same, or for diminution or cessation of water flow; nor shall the Corporation be liable for any damages or delays of any kind on account of sticking of pump in the well in any position, either when being pulled out or being reinstalled nor shall the Corporation be liable for any damages on account of delay in making repairs or installing by virtue of some defect in the well, or by virtue of the well not being in condition to receive the machinery, or by virtue of unforeseen or changing conditions in the well or in or about the premises on which the well is located.

Time is the essence of this agreement, and should Purchaser fail to make any payment above specified when the same is due, or fail to do anything else required hereunder the entire unpaid balance of the purchase price shall, at the option of Seller, become immediately due and payable and shall bear interest thereafter at the highest lawful rate; and Purchaser agrees to make full payment of such balance. Should Purchaser return said machinery to Seller, or should Seller repossess said machinery, the Seller may retain all payments previously made as compensation for use of said machinery, and Seller may at its option sell said machinery at public or private sale, with or without notice, and credit the net proceeds, after expenses, on the amounts unpaid hereunder. Any balance over the said amounts unpaid hereunder shall be paid to Purchaser on demand. If the net proceeds of such sale are insufficient to cover the amount unpaid hereunder, Purchaser agrees to pay any deficiency upon demand. In lieu of such resale, Seller may, at its option, credit the reasonable value of said machinery as determined by it, less all expenses and attorney's fees herein incurred, as hereinafter provided, to the unpaid amounts due under this contract, in which event Purchaser agrees to pay Seller any difference or deficiency that may exist or remain due or unpaid.

FEB 01 1993

LAYNE & BOWLER PUMP CO.

450 GPM-150 ft. 1770 RPM FORM 175-1

Pump No. 18256

B. M. No. A 16659

Date Orig. Shipmt. 3-14-52

Dealer

Job Name F.G. Suhr

Location Paul, Idaho

Cust. Order No. Eaton 132

COLUMN PIPE

Top Section 10-0 Lgth. 6" Std Butt Pipe w/ HS2450 Flg.
15 Pcs 10-0 Lgth. 6" Std Butt Pipe w/ Cplgs.
Pcs. Lgth. Pipe w/ Cplgs.

al Setting 160

Spiders

LINE SHAFT

Top Section 8'7 Lgth. 1 3/16 10 Thd. Shaft
15 Pcs 10-0 Lgth. 1 3/16 10 Thd. Shaft
Pcs. Lgth. Thd. Shaft

ENCLOSING TUBE

Top Section 9'-10 Total Lgth. 2" Tubing 5'0+2'6+2'4 w/LT,
Bottom Section 10-1 Total Lgth. 2'2 x 2 Tubing 5'0 x 2'2 + 5'0 x 2
Pcs. Total Lgth. Tubing
Pcs. Total Lgth. Tubing

Ft. Suction Pipe w/

Ft. Disch. Pipe

BOWL ASSEMBLY

5 Stg. 10EHM-LEA Bowl Assem XA29
Disch. Case LS3363
Cplg. For 6" Std Butt
Tube Adapter HS2317 For 2 1/2
Suction Case 10EH3
Cplg./Bushing For 6" Std Butt

Shaft 1 1/2 x 1 3/16 10TP1 Dwg. HS2080 Cplg. 1 3/16

Impeller 1-10EHM-UFL=1/8
4-10EHL-UFL=1/8

Curve Test Lat.
450 Gpm. 150 Ft. 1770 R.P.M.

HEAD ASSEMBLY

17AC-8
Disch. Flg. YS297 Disch. Flg. 6" Std. 125
Tens. Nut Assem. (Pkg. Box) LS3518-2X1 3/16

Headshaft 45 x 1 3/16 10TP1
KW 1/4 x 1/8 x 7 Adj. Nut HS201

DRIVER

25 HP CE 4 Pole Elec. Motor Fr. 3641
220 V. 1770 RPM

EXTENSIONS

REVISIONS

BOWLS

Tot. Lgth. B.M. Date

Tot. Lgth. B.M. Date

Stg. Bowl Assem. B.M. Date



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

April 8, 1991

MR FRANKLIN SUHR
RT 1 BOX 89
PAUL ID 83347

RE: Evidence of Priority - Snake River Basin Adjudication
Claim #A36-04092

Dear Claimant(s):

Our records indicate that your claim(s) listed above, is based upon either a "Statutory Claim" or "Beneficial Use" of the water. For water rights of this type, the claimed "Priority Date" must be substantiated with supporting evidence. We previously requested this supporting evidence be submitted by November 1, 1990, and to date we have not received the requested documentation.

Before the Department can make a recommendation to the Court to decree the claim(s), some evidence of the priority date must be submitted. Again we are enclosing a brochure outlining the types of evidence you may submit, and a printout of your claim(s) for reference. We request that you submit your evidence of priority as soon as possible. If we do not receive the requested documentation, your claim(s) will be recommended for disallowal due to lack of evidence supporting any priority date.

Please submit the required evidence supporting the priority date(s) by April 23, 1991. Please reference the claim number on your correspondence. If you have questions or need other assistance please contact this office.

Sincerely,

for Anna Baumle
Allen Merritt, P.E.
Adjudication Section Supv.

Enclosure

MICROFILMED
FEB 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

April 15, 1991

Franklin Suhr
Rt. 1 Box 89
Paul, ID 83347

RE: Field Examination of a Water Right Claimed in the Snake
River Basin Adjudication (SRBA) - A36-04092#

Dear Claimant:

The field staff of this agency plans to conduct water right field examinations in your area during April and May this year. These field examinations are necessary to verify your water use. The identification number of your water right claim which must be examined is shown above. If more than one of your water right claims is to be field examined, the additional claim identification numbers are listed below.

We will attempt to contact you by telephone to schedule a time to field examine your water right claim(s). At the time of the examination, we would appreciate the assistance of you or someone who is familiar with your water system.

If you have any questions regarding the field examination, please telephone me at our Boise office. You can reach me at 1-800-451-4129 or 327-7934.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Resource Agent

SWK:swk

A36-02239

MICROFILMED
FEB 01 1993

Water Right Number - 36-04092

Prefix Translation: WATER RIGHT

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

SUHR

FRANKLIN

1 - RT 1 BOX 89

2 -

3 -

City- PAUL

State- ID Zip- 83347

Phone - 208-438-5957

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - - +
05/05/1960 17 SOUTHERN J - BENEFICIAL USE

+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Diversion Name
09S 23E 4 NW SE SW (67) MINIDOKA

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
01 - IRRIGATION 04/01 10/31 0.240

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
0.240 0.0

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County
09S 23E 4 SW SW 37.0 01 IRRIGATION (67) MINIDOKA
09S 23E 4 SE SW 30.0 01 IRRIGATION (67) MINIDOKA
09S 23E 9 NW NW 3.0 01 IRRIGATION (67) MINIDOKA

Total Acres: 70.0

+ - - Diversion Means - WELL, PUMP, 50 HP MOTOR, MAINLINE AND SPRINKLERS

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - 36-02239

+ - - - - Remarks - - - - - +

Paul
EXP
QWR
Paul
THIS RIGHT IS LIMITED TO THE IRRIGATION OF 24 ACRES WITHIN
THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.
RIGHT NO. 36-02239 IS ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE.
USE OF THIS RIGHT WITH RIGHT NO. 36-02239 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 1.24 CFS, A TOTAL COMBINED
ANNUAL DIVERSION VOLUME OF 280 AF, A TOTAL COMBINED ANNUAL
CONSUMPTIVE USE VOLUME OF 210 AF, AND TO THE IRRIGATION OF A

updated
12-9-97
KKC

Water right number - 36-04092

Prefix Translation: WATER RIGHT

+ - - - - Remarks - - - - - +
COMBINED TOTAL OF 70 ACRES IN A SINGLE IRRIGATION SEASON.

+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +
C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- SECTION 42-1425, IDAHO CODE.

+ - - - - Decree Plaintiff - - - - - + - - - - Decree Defendant - - - - - + - - - - Decree Date - - - - - +
00/00/0000

+ - - Audit Fields - 01/24/92 KEEN 07/18/92 POST-STD 07/30/92 SCHULTZ 08/28/92 PR-PRODM 11/02/92 CPSHAW
12/05/92 ADT-SHAW 03/29/95 POST-STD

+ - - Certified Numbers & Date Mailed - 257736 08/24/92

+ - - - - Comments - - - - - +

Date: 01/24/1992 User Id: KEEN Subject: CLAIM REVIEWER
DESKTOP REVIEW, FIELD INVESTIGATION, RECOMMENDATIONS, AND DATA ENTRY BY S.W. KEEN.
Date: 07/30/1992 User Id: SCHULTZ Subject: APPROVAL CONDITION & BASIS OF CLAIM
ADDED CONDITION C05. CHANGED BASIS OF CLAIM FROM STATUTORY CLAIM TO BENEFICIAL USE.
CLAIM VERIFIED 1/24/92, DID NOT REVERIFY ANY OTHER PART OF CLAIM.

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 11/02/1992	Field Inspection Made	- 01/15/1992	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000	Old Judicial District	-
Claim Received Date	- 09/08/1989	Last Amended Date	- 00/00/0000	Temporary Right	- P
Proof Due Date	- 00/00/0000	Proof Made Date	- 00/00/0000	Water District	-
Licensed Date	- 00/00/0000	Receipt Number	- S009110	Federal/State Indicator	- S
		POU Ownership Flag	- Y	Presumption Flag	-
		Name Connector	-	Notice of Error Flag	-

NO. OF CLAIMS IN POLYGON _____

TRANSFER NUMBER _____

CLAIM NUMBERS 36-2239
- 4092

DATE _____

OBJECTION FILED _____

AGENT KKCTOTAL ACRES FROM RECOMMENDATION 70GEOGRAPHIC INFO SYSTEM 71.

RIGHT NO				NE				NW				SW				SE			
	TNS	RNG	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
RECOM	9S	23E	4											37	30				
GIS														36.2	32				67
																			68.3
RECOM	9S	23E	9					3											3
GIS								2.9											2.9
RECOM																			
GIS																			
RECOM																			
GIS																			

UPDATED

POLYGON #

UPDATED

B36-DBPOU.DBF 8-8POLYGON CREATED ON 604 (K) 319ATTRIBUTES OF B36-POU.SHP 318 8-8B36-DBPOD.DBF 8-8ATTRIBUTES OF B36-POD.SHP 285 8-8

P/U unioned in 2 polygons
 1 in sec 4 (318)
 1 in sec 9 (319)

P/U CONFLICT yes () no (X)


P/D CONFLICT yes () no ()

READY FOR DECREE yes () no ()

SENT FOR DECREE yes () no ()


IDAHO DEPARTMENT OF WATER RESOURCES

36-02239 & 36-04092
FRANKLIN SUHR



200 0 200 400 600 800 1000 1200 1400 1600 1800 2000 2200 2400 2600 2800 Feet

TNS 9S, RNG 23E, SEC 4 & 9



○ B36-pod.shp
Pou-outline.shp


09s23e.dxf



T09s23eqq.shp

GIS PLACE OF USE PRESENTATION
1987 and/or 1988 NAPP PHOTOGRAPHY
DATA ENTRY AUGUST 1997
BY KELLY K CHRISTENSEN

R PROOF



CVR



MAPS



PHOTOS



MISC

MICROFILMED
FEB 0 1 1993

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME																																																																																																																																																																																
C	FRANKLIN SUHR RT 1 BOX 89 PAUL ID 83347 (208) 438-5957	05/05/1960	IRRIGATION	04-01 10-31	0.24 CFS																																																																																																																																																																																	
					TOTAL DIVERSION:	0.24 CFS																																																																																																																																																																																
Water Source: GROUNDWATER		Tributary to:		Stage: STATUTORY CLAIM																																																																																																																																																																																		
Point(s) of Diversion:		T09S R23E S04	NWSESW	MINIDOKA County																																																																																																																																																																																		
Place of use Legal Description for: IRRIGATION																																																																																																																																																																																						
<table border="1"> <thead> <tr> <th colspan="4">NE</th> <th colspan="4">NW</th> <th colspan="4">SW</th> <th colspan="4">SE</th> <th></th> </tr> <tr> <th colspan="2">NENE</th> <th colspan="2">NWNE</th> <th colspan="2">SWNE</th> <th colspan="2">SENE</th> <th colspan="2">NENW</th> <th colspan="2">NWNW</th> <th colspan="2">SWNW</th> <th colspan="2">SENW</th> <th colspan="2">NESW</th> <th colspan="2">NWSW</th> <th colspan="2">SWSW</th> <th colspan="2">SESW</th> <th colspan="2">NESE</th> <th colspan="2">NWSE</th> <th colspan="2">SWSE</th> <th colspan="2">SESE</th> <th></th> </tr> <tr> <th>T</th> <th>R</th> <th>S</th> <th></th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>Lt</th> <th>Ac</th> <th>SUM</th> </tr> </thead> <tbody> <tr> <td>09S</td> <td>23E</td> <td>4</td> <td>:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>67.0</td> </tr> <tr> <td>09S</td> <td>23E</td> <td>9</td> <td>:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>3.0</td> </tr> <tr> <td colspan="16"></td> <td colspan="10">TOTAL ACRES</td> <td>70.0</td> </tr> </tbody> </table>							NE				NW				SW				SE					NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE			T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM	09S	23E	4	:																													67.0	09S	23E	9	:																													3.0																	TOTAL ACRES										70.0
NE				NW				SW				SE																																																																																																																																																																										
NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE																																																																																																																																																								
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM																																																																																																																																																						
09S	23E	4	:																													67.0																																																																																																																																																						
09S	23E	9	:																													3.0																																																																																																																																																						
																TOTAL ACRES										70.0																																																																																																																																																												

Other Rights: 36-02239

Other Water Rights with Same Point(s) of Diversion and Source:
A36-02239 A36-04092 R36-02239

Other Water Rights Listing Overlapping Place(s) of use:
A01-10187Z1 A36-02236 A36-02239 A36-04092 R36-02236 R36-02239

Remarks: THIS RIGHT IS LIMITED TO THE IRRIGATION OF 24 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON. RIGHT NO. 36-02239 IS ALSO DIVERTED THROUGH POINT OF DIVERSION DESCRIBED ABOVE. USE OF THIS RIGHT WITH RIGHT NO. 36-02239 IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 1.24 CFS, A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 280 AF, A TOTAL COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 210 AF, AND TO THE IRRIGATION OF A COMBINED TOTAL OF 70 ACRES IN A SINGLE IRRIGATION SEASON.

Dates: Exam Made Date: 01/15/1992 Verified Date: 01/24/1992

Misc: Water District Number: Field Inspection Flag: Presumption Flag:

Verified by S.W. Kean
1/27/92

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:01:07
12/18/90

PAGE: 11
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-04092

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE			S.W. Keen 1-24-92	Yes	6	S.W. Keen 1-24-92	S.W. Keen 1-24-92	S.W. Keen 1-27-92
POINT OF DIV	Y		S.W. Keen 1-15-92	Yes	5			
SOURCE			S.W. Keen 1-15-92	No	5			
PLACE OF USE			S.W. Keen 1-15-92	Yes	5,4,2			
DIV. AMOUNT CFS/VOLUME			S.W. Keen 1-15-92	Yes	6,5			
CONSUMPTIVE USE	-		S.W. Keen 1-24-92	Yes	6			
PURPOSES			S.W. Keen 1-15-92	No	6,5			
PERIOD OF USE			S.W. Keen 1-24-92	Yes	6			
BASIS OF CLAIM			S.W. Keen 1-24-92	No	6			
REMARKS			S.W. Keen 1-24-92	Yes	6			

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

Flag = None

Cond. Code = None

Remarks = K06 - 24 ACRES

= F05 - 36-02239

= E01 - 36-02239, 1.24 cfs; 280 AF; 210 AF; 70 ACRES.

RECEIVED
FEB 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:01:07
12/18/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-04092

LAST: SUHR
ADDRESS: RT. 1 BOX 89
CITY: PAUL
PHONE NUMBER: 208-438-5957

FIRST: FRANKLIN
STATE: ID ZIP: 83347

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

DATABASE
N

FIELD
EXAMINER

MICROFILMED
FEB 01 1993

FIELD EXAMINATION INFORMATION

CONTACT PERSON: Franklin Suhr

PHONE NUMBER: (208) 438 - 5957

DATE OF FIELD EXAM: 1/15/92

APPOINTMENT MADE: Y() N()

TIME: ____:____ A() P()

ACCOMPANIED BY: _____

PHONE NUMBER: () ____ - ____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

A. AJ CLAIM: # A36-04092 PRIORITY DATE: 05-01-1960 STAGE: S

B. WR RECORD: # 36-04092 PRIORITY DATE: 05-01-1960 STAGE: S

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE
N

FIELD
EXAMINER
SW Keen

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y(☒) N(☐)
IF YES EXPLAIN.

REMARKS: Receipt submitted as evidence of priority says 5-5-1960.

MICROFILMED
FEB 01 1993

=====

RECOMMENDED PRIORITY DATE: 5-5-1960
05-01-1960

REVIEWED BY S.W. Keen

DATE 1-24-92

=====

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-04092	09S	23E	4		SE	SW		MINIDOKA

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
A36-02239 NONE

WR RECORDS IN SAME 40 ACRE TRACT
36-02239.

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
36-04092	09S	23E	4		SE	SW		MINIDOKA

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
A36-02239 NONE
A36-11896

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

	DUE TO POD DISCREPANCY? (Y/N)	DUE TO SOURCE DISCREPANCY? (Y/N)	DATABASE	FIELD EXAMINER
			Y	SW Keen
			N	SW Keen

REMARKS:

Field exam showed T09S, R23E, S.04, NWSESW. Exam date 1-15-92.

MICROFILMED
FEB 01 1993

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
<u>09S</u>	<u>23E</u>	<u>04</u>	<u>NW</u>	<u>SE</u>	<u>SW</u>	<u>---</u>	<u>Minidoka</u>

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY: S.W. Keen DATE: 1-24-92

MICROFILMED
FEB 01 1993

A. ROOT WATER RIGHT NUMBERS: A36-04092

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
09S	23E	4	SE	SW		SUHR , FRANKLIN	A36-04092 /27.0	36-04092 /27.0	39.0	35	30.0
						SUHR , FRANKLIN	A36-11896 /	- /			
						LARGE CLAIM	A01-10187Z1 / 3.0	- /			
						SUHR , FRANKLIN	A36-02239 /17.0	36-02239 /17.0			
09S	23E	9	NW	NW		SUHR , FRANKLIN	A36-04092 / 3.0	36-04092 / 3.0	40.0	34	37.0
						ROSA , LAREN	A36-11832 /	- /			
						LARGE CLAIM	A01-10187Z1 /35.0	- /			
						ROSA , MELVIN (17)	A36-02236 /20.0	36-02236 /20.0			
						SUHR , FRANKLIN	A36-02239 / 3.0	36-02239 / 3.0			
09S	23E	4	SW	SW		SUHR , FRANKLIN	A36-04092 /40.0	36-04092 /40.0	40.0	39	~~40.0~~
						LARGE CLAIM	A01-10187Z1 / 3.0	- /			3.0
						SUHR , FRANKLIN	A36-02239 /40.0	36-02239 /40.0			
TOTAL ACRES							A36-04092	70.00	70.00	119.00	70.0

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N(✓)
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
N

FIELD
EXAMINER
S.W.Keen

PRESUMPTION FLAG:

REMARKS:

SW SW -- Road on two sides and some farmstead area located here.

See memo dated 1/21/92. (NEXT PAGE)

Field exam date 1/15/92.

NAPP, U.S.G.S, and ASCS photography used.

RECOMMENDATIONS:

TOTAL ACRES: 70.0

REVIEWED BY: S.W.Keen

DATE: 1-24-92

MICROFILMED
FEB 0 1 1993

CLAIMANT'S NAME: Franklin SuhrDATE: 1/21/92COUNTY: MinidokaEMPLOYEE: S.W. Keen

Today I called Mr. Suhr at 438-5957 to discuss his claimed place of use. After doing a field investigation on Mr. Suhr's farm on 1/15/92, I returned to the office and used the planimeter to check the number of irrigated acres. I found 76 acres. ASCS figures indicate 72.2 acres. Mr. Suhr has claimed only 70 acres. After some discussion during which I explained to Mr. Suhr that he may claim additional acres, he decided that he would be satisfied with a recommendation of 70 acres. We agreed to eliminate a 2.4 acre parcel on which he has irrigation district water.

Also, I explained permissible place of use, including what happens when property is sold. Mr. Suhr agreed that recommending permissible place of use for his rights would be okay.

1/21/92 Mr. Suhr called me back to say that he found his records regarding tests on 5-15-90 during which Mr. Bill Berry of BPA found that Mr. Suhr's pump could do the following:

60 lbs	526 gpm
55 psi	555 gpm
40 psi	621 gpm.

Mr. Suhr says he runs about 45 psi with four lines on.

MICROFILMED
FEB 01 1993

S.W. Keen

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A36-04092 IRRIGATION	FROM 03-15 TO 11-15	.330 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		.330 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
36-04092 IRRIGATION	FROM 03-15 TO 11-15	.330 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		.330 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	sw Keen
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y() N(☒)

RECOMMEND TO WR STANDARDS OR OTHER?

Y(☒) N() Explain in remarks, below.

REMARKS:

Current standard is 4-1 to 10-31. sw Keen

MICROFILMED
FEB 01 1993

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(☒) N(☐)

AJ TOTAL CLAIMED DIVERSION RATE: 0.330 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.330 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N) Y

FIELD EXAMINER
SWKee

MICROFILMED
FEB 0 1 1993

B.

FLOW MEASUREMENT

MEASUREMENT METHOD Theoretical, SEE ATTACHED CALCULATIONS.

Also, documentation of actual measurement by Bill Berry of BPA. (ENCLOSED)

C. ARE OTHER WATER RIGHTS USED? Y(Y) N(☐) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: A36-02239 OVERLAP WITH 36-02239. Enclosed sprinkler system.

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A36-04092	GROUNDWATER	SUHR , FRANKLIN	0.330	0.004		
A01-10187Z1	LARGE CLAIM	LARGE CLAIM	1070.120	0.030		
A36-02236	GROUNDWATER	ROSA , MELVIN	0.800	0.020		

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A36-11896	DOMESTIC	SUHR , FRANKLIN	FROM 01-01 TO 12-31	.060 CFS	
A36-11896	STOCKWATER	SUHR , FRANKLIN	FROM 01-01 TO 12-31	.030 CFS	
A36-11832	DOMESTIC	ROSA , LAREN	FROM 01-01 TO 12-31	.040 CFS	
A36-11832	STOCKWATER	ROSA , LAREN	FROM 01-01 TO 12-31	.020 CFS	

SUPPLEMENTAL DESCRIPTION OF SYSTEM

METHOD OF DIVERSION:

(Include if applicable: pump type, depth of well and casing diameter, dam height, collection box dimensions, etc.)

50 H.P. MOTOR, Submersible pump, 162 ft. to standing water

DESCRIBE CONTROL WORKS AND MEASURING DEVICES:

(Include if applicable: size of control valve(s) and/or headgate(s), meters, weirs, flumes, etc.)

DESCRIBE DISTRIBUTION SYSTEM:

(Include if applicable: dimensions of distribution ditch(es) and/or pipeline(s); relift pump(s), number and type of sprinklers, operating pressure, etc.)

9/64" nozzles → EQUIVALENT

6" steel mainline runs east and west from the point of diversion, risers every 50 ft. Four 1/4 mile wheel lines with 33 birds each can be operated at once. The area due north of the homestead is watered from 3" hand lines connected to the mainline because that area is too short for wheel lines. A 3" line also runs south from the mainline across the road (under it) to a two acre field in the NW/4 of section 9. The claimant says the maximum he can ~~operate~~ operate at ~~one~~ once is the four wheel lines at 45 psi at the pump. Claimant uses 12 hour sets in spring, 24 hour sets in fall.

IF THE SYSTEM INCLUDES ONE OR MORE PUMPS, RECORD THE FOLLOWING INFORMATION:

DIVERSION ID NO. (SEE MAP)	MOTOR MAKE	HP	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	DISCHARGE PIPE SIZE
	American	50	1044511	LAYNE + BOWLER	18250	6"

MICROFILMED
FEB 01 1993

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

THEORETICAL RATE OF FLOW: $Q = \frac{8.8 \times \text{HP} \times \text{EFF}}{\text{TDH}}$

$$Q = \text{cfs}$$

HP = total brake horsepower of pumping plant including booster

EFF = pumping plant efficiency (assume 70% or 0.70)

TDH = total dynamic head in feet = LIFT + (PSI X 2.31)

LIFT = vertical distance in feet from pumping water level to point at which discharge pressure is measured

PSI = discharge pressure measured in psi near pump (if open discharge assume PSI = 0)

$$Q = \frac{8.8 \times (50 \text{ h.p.}) \times 0.70}{(163 \text{ ft.}) + [(45) \times 2.31]} = 1.15 \text{ cfs}$$

LIFT: measurement (☒) owner (☐) estimate (☐) well logs (☐) 162 ft. + 1 ft. to pipe center = 163 ft.PSI: measurement (☐) owner (☒) estimate (☐) owner's gauge (☐)

$$(4 \text{ wheel lines}) \times (33 \text{ birds/line}) \times (3.99 \text{ gpm/bird}) \times (.00223 \text{ cfs/gpm}) = 1.17 \text{ cfs}$$

ANNUAL VOLUME ANALYSIS

↑ SEE EXHIBIT 9, APPENDIX A IN THE FIELD EXAMINER'S HANDBOOK

POTENTIAL VOLUME = acre-feet/annum = AFA = DAYS X 1.98 X Q

DAYS = number of days in irrigation season from chart for area

3/1 to 12/1	=	276 days
3/15 to 11/15	=	246 days
4/1 to 11/1	=	215 days
4/15 to 10/15	=	184 days

$$\text{POTENTIAL VOLUME} = (214 \text{ DAYS}) \times 1.98 \times (1.15 \text{ cfs}) = 487 \text{ AFA}$$

REQUIRED VOLUME = acre-feet/annum = AFA = FIELD X ACRES

FIELD = irrigation requirements at field headgate from chart for area in acre-feet/acre/season
(NOT CONSUMPTIVE USE CHART)

ACRES = recommended irrigated acres

$$\text{REQUIRED VOLUME} = (70) \times (4.0) = 280 \text{ AFA}$$

() If POTENTIAL VOLUME is greater than REQUIRED VOLUME then no flow measurement is necessary

() If POTENTIAL VOLUME is less than REQUIRED VOLUME then flow measurement will not be necessary

MICROFILMED
FEB 01 1993



G.J. VERTI-LINE PUMPS, INC.
1970 Highland Ave. East • P.O. Box 892
Twin Falls, Idaho 83303

10RM

CUSTOMER

ADDRESS

CITY

Franklin Suh

DATE

1-31-90

ORDER NO.

JOB NO.

CALCULATIONS

Pump #18256

JOB:

600 GPM 305 TDH 1770 RPM 55 H.P.

SIZE PUMP

TYPE

LIST
PRICE

CUSTOMER'S
NET COST

WEIGHT

7 Stages 10B-6M, 1-L

5922

Pull & reinstal. 180' of
6" x 8" x 1 3/8 120' rest 6" x 8"

950

50 HP used U.S. MTR 1 year warranty

1382

6254

Araderin 30 HP

370

5884

New Reeters for Panel

head shaft

180 00

6 spiders

\$10, each ?

10' pipe

\$311. ?

gear 6" gate valve

160

160

braken 250 A,

420

420

RECEIVED
JAN 23 1992

Department of Water Resources

Customers Total Cost

Accepted By

Quoted by

Leoyd

MICROFILMED
FEB 01 1993

Frank Suhr

POST PUMP TEST FORM

Pre test was RER-02-89

Page PT1a

Inspection #.....: RER-03-90

A. # of Pumps in the System: 1Pump #.....: 1MAIN XBOOSTER SERIES PARALLEL

B. MOTOR DATA

1. Make.....: U.S.
 2. Frame #.....: 405-Scr 1044511
 3. Rated HP.....: 50
 4. Rated Volts.....: 220/440
 5. Rated Amps.....: 122/61
 6. RPM.....: 1800
 7. Meter #.....: 321700

D. POWER INPUT DATA

1. Disc Revolutions...: 5
 2. Meter Constant Kh.: 4.8
 3. CTR.....: 200/5
 4. PTR/Multiplier.....: 40
 5. Time.....: 79 sec.
 kW Metered = 43.7 kWe

6. Line Voltage.....: 476
 7. Amperage.....: 62
 8. Power Factor.....:
 kW Measured = kWe

C. PUMP DATA

1. Make.....: Vertiline
 a Centrifugal.....:
 b Turbine Submersible: line shaft
 2. Model #.....: 10R
 3. Serial #.....:
 4. Rated Head.....: 305 ft.
 5. Rated Flow.....: 600 gpm.
 6. Impeller Diameter...: in.
 7. Int/Clmn Diameter...: in.
 8. Int/Clmn Length....: 180 ft.
 9. # of Stages.....: 7 (6M's & 1-L)
 10. Shaft Diameter.....: 1 3/16 in. - 2" tube
 11. Airline Length.....: ft.
 12. Airline Pressure...: psi.
 13. Calculated Lift....: ft.

Rated bowl effic - 83.5% @ 600 gpm @ 305 ft.

AVERAGE:

477
61 - uncorrected current

E. FLOW AND PRESSURE DATA

1. Measurement Device.....: Collins
 2. Pipe Inside Diameter...: 5.75 inch
 3. Pipe Material.....: steel
 4. Flow Reading.....: 7.06
 5. Discharge Pressure.....: 55 psi

Couldn't safely measure corrected current

RECORDED
 JAN 23 1992

F. PUMPING WATER LEVEL AND FRICTION LOSSES

Department of Water Resources

1. Suction Lift or PWL.....: 150 ft. to water
 2. Suction Head.....: ft.
 3. Gauge in feet.....: ft. mm Hg psi
 4. Water Table Fluctuation...: ± 5 ft over the year
 5. Fittings Friction Losses...: 12.8 ft. - Column - entrance & discharge fittings

G. EXISTING PUMPING PLANT CHARACTERISTICS

1. Total Dynamic Head.....: 289.8 ft.
 2. Flow.....: 555 GPM
 3. Water Horsepower.....: 40.6 WHP
 4. Input Horsepower.....: 58.6 EHP
 5. ESTIMATED BRAKE HORSEPOWER.: 52.7 BHP
 6. Pumping Plant Efficiency...: 69.3%

MICROFILMED

FEB 01 1993

hydraulic
 includes pump & motor & losses
 $69.3 \div .9 = 77\%$ est. pump efficiency

Post
 PUMP TEST AND SYSTEM INSPECTION
 Bonneville Power Administration


Protest was
 RER-02-89
 Page 1

Name..... *Frank Suhr*
 Address..... *576W-300N*
 City, State, ZIP..... *Rapart, Idaho*
 Utility..... *Rural Electric*
 Account #..... *321700*
 Inspector(s)..... *Bill Berry*

Inspection #..... *RER-03-90*
 Inspection Date..... *5/15/90*
 Area Office..... *Idaho Falls*
 # Irrigated Acres..... *77*
 Crop Type(s)..... *Beets, Grain, Potatoes*

NOTE!! This form is intended to determine which conservation retrofit measures are eligible under Bonneville Power Administration's cost share program. It does not provide accurate system redesign information. Growers retrofitting systems are responsible for obtaining and using system redesign data from their irrigation dealers.

SYSTEM LAYOUT AS TESTED:



RECEIVED
 JAN 23 1992

Department of Water Resources

This was output the day of the inspection and number of birds running.

MICROFILMED

FEB 01 1993

Franklin Suhr

1990

	A	B
1	6.6	6.7
2	6.7	6.9
	7.2	6.9
	7.05	7.1

~~77.5 gpm / 815~~

@ 60 psi

78.6 gpm / 815

526 gpm

@ 55 psi

547 gpm

555 gpm

@ 40 psi

621 gpm

228' + lift
150' + pressure
141' + pressure
313.8'

22.8
150
127

61 psi - 510 - 77 sec,
55 " - " - 76.5 "
40 " - " - 75.5 "

61 psi WHP - $\frac{313.8 \times 526 \text{ gpm}}{3960} = 41.7 - 43.7 \text{ KW} \div .746 = 58.6$
 field plant (includes motor)
 $\frac{41.7}{58.6} = 71.17\% \text{ eff} \div .9 = 78.9\% \text{ pump eff}$

55 psi WHP - $\frac{300 \times 555}{3960} = 42 - 45.1 \text{ KW} \div .746 = 60.4$
 field plant
 $\frac{42}{60.4} = 69.5\% \text{ eff} (77.2\% \text{ pump eff})$

40 psi WHP - $\frac{265 \times 621}{3960} = 41.6 - 5.8 \text{ KW} \div .746 = 61.4$
 field plant
 $\frac{41.6}{61.4} = 67.73\% \text{ field eff} \div .9 = 75\% \text{ pump eff}$

RECEIVED

JAN 23 1992

Department of Water Resources

54.6 Hp motor load set.
at 45 psi

MICROFILMED

FEB 01 1993

D. RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES _____ x 0.02 CFS/ACRE = _____ CFS
(Taken from p/u review)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y(____) N(____)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y(____) N(____) ***

1b. CALCULATIONS

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 180.0 AF/A

ACRES _____ x CONSUMPTIVE VOL. AF/A FOR AREA _____ =

TOTAL CONSUMPTIVE USE _____ AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = _____ AF/A

ACRES _____ x DIVERSION VOL. AF/A FOR AREA _____ =

TOTAL DIVERSION VOLUME _____ AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y(____) N(____)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.) SEE NEXT PAGE.

MICROFILMED
FEB 01 1993

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD		REC. DIV		REC. DIV		REC. CONS.	
	FROM	TO	RATE	CFS	VOL.	AF/A	USE	
IRRIGATION	~~03-15~~	~~11-15~~	DATABASE	EXAMINER	DATABASE	EXAMINER	DATABASE	EXAMINER
			0.330	<u>0.24</u>			180.0	
TOTAL FOR THIS RIGHT	<u>4-1</u>	<u>10-15</u>	~~0.330~~		<u>COVERED IN REMARKS</u>		180.0	<u>COVERED IN REMARKS</u>
REVIEWED BY: <u>S.W. Keen</u>			DATE: <u>1-24-92</u>					

MICROFILMED
FEB 01 1993

36-02239 Combined { Div. Vol. { 70 ACRES x 4.0 AFY = 280 AFY
36-04092 { Cons. Vol. { 70 ACRES x 3.0 AFY = 210 AFY

Diversion rate is based upon 555 gpm capacity for this system. The 555 gpm is from part G of "POST PUMP TEST FORM" by Bill Berry of the BPA. My theoretical showed 1.15 cfs, or 516 gpm. The claimant stated that he can now do 600 gpm. Mr. Berry's calculation appears to be an actual flow measurement taken in 1989. Mr. Berry's POST SYSTEM CHANGE seems to indicate that the claimant's system can now do 600 gpm, but this was after adjustments made in 1990.

$$555 \text{ gpm} \times .00223 = 1.237 \text{ cfs}$$

1.00 cfs to 36-02239
0.24 cfs to this right.

$$1.00 / 60 \text{ acres} = 0.01667$$

$$1.24 / 70 \text{ acres} = 0.01771$$

SW Keen
1/24/92

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP _____	()	()
FORFEIT/ABANDON _____	()	()
ADDITIONAL DIV. AMOUNT _____	()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-04092

	DATABASE	EXAMINER	CFS
TOTAL DIVERSION RATE OF WR SPLITS	0.330		

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION " RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A36-04092	0.330	-		36-04092	0.330
TOTAL CFS		0.330				0.330

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
Y

FIELD
EXAMINER

REMARKS:

No Splits!

AUTHENTICATION:

SIGNATURE: Shelley Walter Keen

DATE: 1-24-92

NAME OF FIELD EXAMINER: Shelley Walter Keen

TITLE: W.R. Agent, Sr.

R 23 E

NOT TO SCALE

600W

500W

WELL

A36-02239
+
A36-04092
1/24/92

Tract - Not HEL

37. AC.

30 AC.

5 4
8 9

T465
1332

3AC

T177
1747

NO HEL

T466
1560

T467
1314

T467
314

Tract - Not HEL

Tract - Not HEL

2
16.2

7
9.7

T473
1315

12.6

MICROFILMED
FEB 01 1993

1/22/92

T09S, R23E, S04

Scale $\approx \frac{1}{5280}$

