

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: **A36-14854**
Date Received: 4/11/1990
Receipt No: S011962
Received By: _____

AMENDED

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

AMENDED

1. Name: ALAN POSEY 208-324-4178
Address: 327 B EAST 400 NORTH
JEROME ID 83338

OR

Name: JUANITA M. POSEY 208-324-4178
Address: 327 B EAST 400 NORTH
JEROME ID 83338

2. Date of Priority: DEC 31, 1976

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
07S	17E	26	NE	NW	NW		JEROME

5. Description of diverting works:
6" X 400' WELL, 2.0 HP PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
STOCKWATER	10/15	05/01	0.300		

7. Total Quantity Appropriated is:
0.300 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
STOCKWATER/6000 EWES & LAMBS AND UP TO 1000 CALVES

MICROFILMED
FEB 09 1993

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	17E	26	NW	NW		STOCK	

11. Place of use in counties: JEROME

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

IRRIG. WATER FROM THE NORTH SIDE CANAL CO.

14. Remarks:

THIS WELL IS SHARED WITH STEVE & DORIS CHAPMAN AND DARIN AND
CONNIE POSEY WHO WILL SUBMIT SEPARATE DOMESTIC CLAIMS.
A36-14857 & A36-14858. THE WELL IS LOCATED ON THE ALAN POSEY
PROPERTY.

15. Basis of Claim: BENEFICIAL USE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and
understand the form entitled "How you will receive notice in the Snake River
Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay
a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the
foregoing document are true and correct.

Signature of Claimant(s): Alan Posey Date: 12-31-91

Date: _____

MICROFILMED
FEB 09 1993

State of Idaho

County of Thur)
) SS.

Subscribed and sworn (or affirmed) before me this 31st day

of Dec 19 91

[Signature]
Notary Public

Seal.

Residing at Kimberly ID

My Commission Expires 6/30/92

MICROFILMED
FEB 09 1993

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-14854
Date Received: 4/11/1990
Receipt No: S011962
Received By: B. V. St

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: ALAN POSEY 208-324-4178
Address: 327 B EAST 400 NORTH 83338
JEROME, ID

OR

Name: JUANITA M. POSEY 208-324-4178
Address: 327 B EAST 400 NORTH 83338
JEROME, ID

2. Date of Priority: DEC 31, 1976

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
07S	17E	26	NE	NE	NW		JEROME

5. Description of diverting works:
6" X 400' WELL, 2.0 HP PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
STOCKWATER	10/15	05/01	0.300		

7. Total Quantity Appropriated is:
0.300 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
S/6000 EWES & LAMBS AND UP TO 1000 CALVES

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	17E	34	NE	NW		STOCK	

11. Place of use in counties: JEROME

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

IRRIG. WATER FROM THE NORTH SIDE CANAL CO.

14. Remarks:

THIS WELL IS SHARED WITH STEVE & DORIS CHAPMAN AND DARIN AND
CONNIE POSEY WHO WILL SUBMIT SEPARATE DOMESTIC CLAIMS.

15. Basis of Claim: BENEFICIAL USE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): X Alan Posey Date: X 4-11-1990

Date: _____

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 11th day
of April 1990

Robert V. Horstell
Notary Public

Seal

Residing at Twin Falls, Idaho

My Commission Expires January 16, 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:34:27
01/09/92

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-14854

LAST: POSEY
ADDRESS: 327 B EAST 400 NORTH
CITY: JEROME
PHONE NUMBER: 208-324-4178

FIRST: ALAN
STATE: ID ZIP: 83338

OWNER CODE: C

LAST: POSEY
ADDRESS: 327 B EAST 400 NORTH
CITY: JEROME
PHONE NUMBER: 208-324-4178

FIRST: JUANITA M.
STATE: ID ZIP: 83338

OWNER CODE: C

FIELD EXAM REQUIRED?

DATABASE
Y

FIELD
EXAMINER

VERIFICATION REQUIRED DUE TO REMARKS?

CLAIM REMARKS: THIS WELL IS SHARED WITH STEVE & DORIS CHAPMAN AND DARIN AND
CONNIE POSEY WHO WILL SUBMIT SEPARATE DOMESTIC CLAIMS.
A36-14857 & A36-14858. THE WELL IS LOCATED ON THE ALAN POSEY
PROPERTY.

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: __/__/__

APPOINTMENT MADE: Y(____) N(____)

TIME: ____:____ A(____) P(____)

ACCOMPANIED BY: _____

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

A. AJ CLAIM: # A36-14854 PRIORITY DATE: 12-31-1976 STAGE: J

B. WR RECORD: NO WATER RIGHT RECORD TO MATCH THIS AJ CLAIM

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N()
IF YES EXPLAIN.

REMARKS: _____

=====

RECOMMENDED PRIORITY DATE:

__-__-__

REVIEWED BY _____

DATE _____

=====

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-14854	07S	17E	26	NE	NW	NW		JEROME

OTHER AJ CLAIMS WITH SAME AJ POD

A PREFIX	R PREFIX
A36-14857	R36-14857
A36-14858	R36-14858

WR RECORDS IN SAME 40 ACRE TRACT

NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

THERE IS NO WATER RIGHT RECORD WITH THE SAME CLAIM NUMBER

SOURCE: NO SOURCE FOR RECORD

TRIB: NO TRIBUTARY FOR RECORD

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO POD DISCREPANCY? (Y/N)	Y	_____
DUE TO SOURCE DISCREPANCY? (Y/N)	Y	_____

REMARKS:

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
__	__	__	__	__	__	__	__
__	__	__	__	__	__	__	__

SOURCE: _____

TRIB: _____

REVIEWED BY: _____

DATE: _____

A. ROOT WATER RIGHT NUMBERS: A36-14854

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
07S	17E	26	NW	NW		POSEY , ALAN	A36-14854 /	- /			41.0
			NW	NW		LARGE CLAIM	A01-0021222/33.8	- /			
			NW	NW		POSEY , DARIN	R36-14857 /	- /			
			NW	NW		POSEY , DARIN	A36-14857 /	- /			
TOTAL ACRES							A36-14854				41.00

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

PRESUMPTION FLAG:

REMARKS:

RECOMMENDATIONS:

TOTAL ACRES: _____

REVIEWED BY: _____

DATE: _____

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A36-14854 STOCKWATER	FROM 10-15 TO 05-01	.300 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		.300 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
----------	-----------	--------------------

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	Y	_____
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	Y	_____
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	Y	_____

D. PERIOD OF USE:

RECOMMEND AS CLAIMED? Y() N()

RECOMMEND TO WR STANDARDS OR OTHER? Y() N() Explain in remarks, below.

REMARKS:

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y() N()

AJ TOTAL CLAIMED DIVERSION RATE: 0.300 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***

** If an amount smaller than the original diversion rate is **

** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

FIELD
DATABASE EXAMINER

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

Y

B.

FLOW MEASUREMENT

MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: IRRIG. WATER FROM THE NORTH SIDE CANAL CO.

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM NO.	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A01-0021222	LARGE CLAIM	LARGE CLAIM	9999999.000	343.779		

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
R36-14857	DOMESTIC	POSEY , DARIN	FROM 01-01 TO 12-31	.040 CFS	
R36-14857	STOCKWATER	POSEY , DARIN	FROM 01-01 TO 12-31	.020 CFS	

D. RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES _____ x 0.02 CFS/ACRE = _____ CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N()

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = _____ AF/A

ACRES _____ x CONSUMPTIVE VOL. AF/A FOR AREA _____ =

TOTAL CONSUMPTIVE USE _____ AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = _____ AF/A

ACRES _____ x DIVERSION VOL. AF/A FOR AREA _____ =

TOTAL DIVERSION VOLUME _____ AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

=====

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS		REC. DIV VOL. AF/A		REC. CONS. USE	
		DATABASE	EXAMINER	DATABASE	EXAMINER	DATABASE	EXAMINER
_____	_____		_____		_____		_____
TOTAL FOR THIS RIGHT			_____		_____		_____

REVIEWED BY: _____

DATE: _____

=====

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP _____	()	()
FORFEIT/ABANDON _____	()	()
ADDITIONAL DIV. AMOUNT _____	()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-14854

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE

EXAMINER

CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A36-14854	0.300	-		-	
TOTAL CFS		0.300				

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
N

FIELD
EXAMINER

REMARKS:

AUTHENTICATION:

SIGNATURE: _____

DATE: _____

NAME OF FIELD EXAMINER: _____

TITLE: _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:34:27
01/09/92

PAGE: 12
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-14854

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE	Y							
POINT OF DIV	Y							
SOURCE	Y							
PLACE OF USE	Y							
DIV. AMOUNT CFS/VOLUME	Y							
CONSUMPTIVE USE	-							
PURPOSES	Y							
PERIOD OF USE	Y							
BASIS OF CLAIM	Y							
REMARKS	Y							

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

04:18:03
01/09/92

PAGE: 13
PROFILE REPORT

CLAIM NUMBER: A36-14854

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ALAN POSEY	12/31/1976	STOCKWATER	10-15 05-01	0.30 CFS	
C	JUANITA M. POSEY 327 B EAST 400 NORTH JEROME ID 83338 (208) 324-4178					
TOTAL DIVERSION:					0.30 CFS	
Water Source: GROUNDWATER						
Tributary to:						
Stage: BENEFICIAL USE						
Point(s) of Diversion: T07S R17E S26 NENWNW						
JEROME County						
Place of use Legal Description for: STOCKWATER						
NE NW SW SE						
T R S : Lt Ac Lt Ac Lt Ac Lt Ac : Lt Ac Lt Ac Lt Ac Lt Ac : Lt Ac Lt Ac Lt Ac Lt Ac : Lt Ac Lt Ac Lt Ac Lt Ac : Lt Ac Lt Ac Lt Ac Lt Ac :						
07S 17E 26 : : S : : : :						

Other Rights: IRRIG. WATER FROM THE NORTH SIDE CANAL CO.

Non-Irrigation Use: STOCKWATER/6000 EWES & LAMBS AND UP TO 1000 CALVES

Remarks: THIS WELL IS SHARED WITH STEVE & DORIS CHAPMAN AND DARIN AND
CONNIE POSEY WHO WILL SUBMIT SEPARATE DOMESTIC CLAIMS.
A36-14857 & A36-14858. THE WELL IS LOCATED ON THE ALAN POSEY
PROPERTY.

Dates: Exam Made Date:

Verified Date:

Misc: Water District Number:

Field Inspection Flag:
Presumption Flag:

Water Right Number - R36-14854

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

POSEY

ALAN

1 - 327B E 400 N

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-4178

POSEY

JUANITA M

1 - 327B E 400 N

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-4178

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
12/31/1976 17 SOUTHERN J - BENEFICIAL USE

+ - - - - Source - - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Diversion Name

07S 17E 26 NE NW NW (53) JEROME

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

04 - STOCKWATER 10/15 05/01 0.040

+ - - Total Div. Rate - + + - - Total Div. Volume - + + - - Total Div. Capacity - + + - - Total Consumptive Use - + + - - KW Usage - +
0.040 0.0

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

07S 17E 26 NW NW 04 STOCKWATER (53) JEROME

+ - - Diversion Means - 6" X 400' WELL, 2.0 HP PUMP

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

+ - - - - Remarks - - - - - +

EXP RIGHT NOS. 36-14857 & 36-14858 ARE ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE, AND THE TOTAL COMBINED RATE OF
DIVERSION OF THESE RIGHTS IS LIMITED TO 0.04 CFS.
STOCKWATER, 6000 EWES & LAMBS, 1000 CALVES

QNT

updated
12-31-97
KRC

Water right number - R36-14854

Prefix Translation: RESEARCH

+ - - - - Old Water Right Numbers - - - - - +

+ - - - - Old Water Right Numbers - - - - - +

No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +

N11 - THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
- DETERMINATION OF HISTORICAL BENEFICIAL USE.

N13 - THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED 13,000
- GALLONS PER DAY.

+ - - - Decree Plaintiff - - - +

+ - - - Decree Defendant - - - +

+ - Decree Date - +

00/00/0000

+ - - Audit Fields - 10/24/96 DSHAFF 10/30/96 STK-PROD

+ - - - - Comments - - - - - +

Date: 02/18/1992 User Id: CLELLAND Subject: COPIED FROM REMARKS

THIS WELL IS SHARED WITH STEVE & DORIS CHAPMAN AND DARIN AND
A36-14857 & A36-14858. THE WELL IS LOCATED ON THE ALAN POSEY
PROPERTY.

CONNIE POSEY WHO WILL SUBMIT SEPARATE DOMESTIC CLAIMS.

Date: 01/03/1996 User Id: DSMITH Subject: NAME AND/OR ADDRESS CHANGE

THE NAMES OR ADDRESSES IN THE NAME FILE WERE CHANGED WITHOUT THE
K-OWNER OR ATTORNEY MAY HAVE BEEN MADE WITHOUT A WATER RIGHT
OWNER CHANGE.

ABOVE USER NOTING EXACTLY WHAT WAS CHANGED. THE CHANGE FOR A

*CONFORMED NAME/ADDRESS TO AVOID DUPLICATE MAILING LABELS

Date: 10/30/1996 User Id: STK-PROD Subject: D&S STK-BLM UPDATE

USE-NOT-IRRIGATION FIELD TEXT DELETED AND MADE EXP REMARK.
ANY GEN REMARK CHANGED TO EXP REMARK. IF BLM/USFS, DELETED L12.

CONDITION CODES N11 AND N13 ADDED IF NOT ALREADY PART OF RECORD.


+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000	Old Judicial District	-
Claim Received Date	- 04/11/1990	Last Amended Date	- 00/00/0000	Temporary Right	- P
Proof Due Date	- 00/00/0000	Proof Made Date	- 00/00/0000	Water District	-
Licensed Date	- 00/00/0000	Receipt Number	- S011962	Federal/State Indicator	- S
		POU Ownership Flag	- Y	Presumption Flag	-
		Name Connector	- OR	Notice of Error Flag	-


R PROOF



CVR



MAPS



PHOTOS



MISC

MICROFILMED
FEB 09 1993

VERIFIED BY

SC

Water Right Number - R36-14854

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
POSEY

ALAN

1 - 327-B EAST 400 NORTH

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-4178

POSEY

JUANITA M

1 - 327-B EAST 400 NORTH

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-4178

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
12/31/1976 17 SOUTHERN J - BENEFICIAL USE+ - - - - - Source - - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - - Point of Diversion - - - - - +

Twn	Rng	Sec	Tract	Lot	RFlg	County
07S	17E	26	NE NW NW		(53)	JEROME

Code	Description	Period From	Period To	Water Use	Diversion Rate	Diversion Volume
04 - STOCKWATER		10/15	05/01		0.040	

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
0.040 0.0

Twn	Rng	Sec	Tract	Lot	Acres	Code	Description	County
07S	17E	26	NW NW			04	STOCKWATER	(53) JEROME

Total Acres:

+ - - Diversion Means - 6" X 400' WELL, 2.0 HP PUMP

+ - - Non-Irrigation Use - STOCKWATER, 6000 EWES & LAMBS, 1000 CALVES

+ - - Other Rights for Same Use - NONE

+ - - - - - Remarks - - - - - +
RIGHT NOS. 36-14857 & 36-14858 ARE ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE, AND THE TOTAL COMBINED RATE OF
DIVERSION OF THESE RIGHTS IS LIMITED TO 0.04 CFS.MICROFILMED
FEB 09 1993

Water right number - R36-14854

Prefix Translation: RESEARCH

+ - - - - Old Water Right Numbers - - - - - +

+ - - - - Old Water Right Numbers - - - - - +

No Old Water Right Numbers Found

+ - - - - Conditions of Approval - - - - - +

No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - +

+ - - - - Decree Defendant - - - +

+ - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +

Date: 02/18/1992 User Id: CLELLAND Subject: COPIED FROM REMARKS

THIS WELL IS SHARED WITH STEVE & DORIS CHAPMAN AND DARIN AND
A36-14857 & A36-14858. THE WELL IS LOCATED ON THE ALAN POSEY

CONNIE POSEY WHO WILL SUBMIT SEPARATE DOMESTIC CLAIMS.
PROPERTY.

+ - - Audit Fields - - +

02/18/92 CLELLAND

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing - 00/00/0000
Objection Filed Date - 00/00/0000
Response Filed Date - 00/00/0000
Claim Received Date - 04/11/1990

Field Inspection Made - 00/00/0000
Field Inspection Flag -
Verified Date - 02/18/1992
Last Amended Date - 00/00/0000
Receipt Number - S011962
POU Ownership Flag - Y
Name Connector - OR

Civil Case Number - 39576
Old Case Number -
Old Judicial District -
Temporary Right - P
Water District -
Federal/State Indicator - S
Presumption Flag -
Notice of Error Flag -

MICROFILMED
FEB 09 1993

CLAIM NO. A36-14854STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
CLAIM VERIFICATION EXAM SHEET
FOR DOMESTIC AND STOCKWATER CLAIMS IN PLACE OF A CVR

1. ☒ No Change NAME:
☐ NEW OWNER:
☒ No Change ADDRESS:
☐ NEW ADDRESS: _____
- ☒ DATA ENTRY STANDARDS CHECKED?
2. ☒ No Change - DATE OF PRIORITY: No Field Verification Needed.
☐ CHANGE- Priority date, per claimant, is _____
(if the priority date, based on your exam, seems questionable, explain in COMMENTS.)
3. ☒ No Change - SOURCE:
☐ CHANGE - Different Source found: _____
4. ☒ No Change - POINT OF DIVERSION:
☐ Point of diversion is different than the claim
New P/D: Twp. _____, Rge. _____, Sec. _____, _____ 1/4 _____ 1/4 _____ 1/4

Note: If the 10-acre tract is shown on the claim, then verification of the 10-acre parcel is needed. Otherwise the 10-acre tract is not required, unless the source is a spring.

5. ☒ No Change - DESCRIPTION OF DIVERTING WORKS:
☐ Incomplete desc., complete items missing, IF KNOWN.
HP of pump _____ Static water level _____ Well depth _____
Casing size _____ Pumping water level _____ Gravity flow _____
Method of irr. _____
6. ☐ No Change - WATER USES: $\text{Theor. Calc.} = \frac{(8.8)(2)(0.70)}{365 + (60 \times 2.31)} = \frac{12.32}{503.6} = 0.024 \text{ cfs}$
☒ Different uses, (list uses found).
Use Pom From _____ To _____ Amount 0.04 cfs _____ af allowed 0.04 cfs for well capacity
Use Stock From _____ To _____ Amount 0.04 cfs _____ af
7. ☐ No Change - TOTAL VOLUME:
☒ Change found, The new total is, -- -- -- 0.04 cfs _____ af
8. N/A
9. ☒ No Change - NON-IRRIGATION USES: Completed on claim
☐ Incomplete on claim - Exam found:
Domestic - No. of homes _____ Stockwater - No. of head _____
Other: _____
- ☒ DATA ENTRY STANDARDS (correct to..)

MICROFILMED
FEB 09 1993

10. ☒ No Change - PLACE OF USE: (If changed, list below.)
Use Twp. Rge. Sec. 1/4, 1/4, 1/4

11. ☒ Checked: N/A

12. ☒ Checked: N/A

13. ☒ No change - OTHER RIGHTS FOR SAME USE:
☐ CHANGE:

14. ☐ None REMARKS: (copy existing remarks to comments in "R")
☒ Add the following standard remarks:
LIST STANDARD REMARKS FOR THE RECOMMENDATION:

E07 = 0.04 w/ #36-14857 + 36-14858

15. ☒ BASIS OF CLAIM VERIFIED AS: D - L - P - S - J (circle one)

COMMENTS: (pertinent to field examination)

ATTACHMENTS: Attached to Attachments are
 This Form. in Permit File.

PHOTOS ☐
MAP ☒ + well log
SYSTEM DIAGRAM ☐

DATE EXAM CONDUCTED: _____

FIELD EXAMINER: _____

Signature _____

REVIEWED BY/DATE: See 2-18-92

DATA ENTRY BY/DATE: _____

VERIFICATION BY/DATE: _____

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Steve Chapman</u> Address <u>Route 1, Jerome, Idaho</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>365</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																																																																																																																																																							
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA NONE ☐ Pump ☐ Bailer ☐ Other <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Draw Down</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																																																																																																																																																			
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																																																																																																																																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>4</td><td>Top Soil</td><td></td><td>X</td></tr><tr><td></td><td>4</td><td>10</td><td>Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>10</td><td>16</td><td>Hard Grayish Brown Basalt w/small breaks</td><td></td><td></td></tr><tr><td>8/6</td><td>16</td><td>24</td><td>Hard Gray Basalt</td><td></td><td></td></tr><tr><td>6</td><td>24</td><td>31</td><td>Hard Gray Basalt w/large breaks</td><td></td><td></td></tr><tr><td></td><td>31</td><td>81</td><td>Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>81</td><td>86</td><td>Hard Gray Basalt w/large breaks</td><td></td><td></td></tr><tr><td></td><td>86</td><td>111</td><td>Hard Gray Basalt w/small breaks</td><td></td><td></td></tr><tr><td></td><td>111</td><td>122</td><td>Med Hard Brown Basalt</td><td></td><td></td></tr><tr><td></td><td>122</td><td>128</td><td>Hard Brown Basalt w/small breaks</td><td></td><td></td></tr><tr><td></td><td>128</td><td>131</td><td>Broken Brown Basalt</td><td></td><td></td></tr><tr><td></td><td>131</td><td>134</td><td>Hard Brown Basalt w/small breaks</td><td></td><td></td></tr><tr><td></td><td>134</td><td>146</td><td>Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>146</td><td>148</td><td>Broken Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>148</td><td>156</td><td>Hard Gray Basalt w/large breaks</td><td></td><td></td></tr><tr><td></td><td>156</td><td>160</td><td>Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>160</td><td>165</td><td>Broken Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>165</td><td>196</td><td>Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>196</td><td>208</td><td>Cinders - lost return</td><td></td><td></td></tr><tr><td></td><td>208</td><td>210</td><td>Hard w/small breaks</td><td></td><td></td></tr><tr><td></td><td>210</td><td>221</td><td>Cinders</td><td></td><td></td></tr><tr><td></td><td>221</td><td>223</td><td>Hard Brown Basalt</td><td></td><td></td></tr><tr><td></td><td>223</td><td>231</td><td>Broken Brown Basalt w/cinders</td><td></td><td></td></tr><tr><td></td><td>231</td><td>238</td><td>Cinders - lost return</td><td></td><td></td></tr><tr><td></td><td>238</td><td>244</td><td>Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>244</td><td>250</td><td>Hard Gray Basalt w/large breaks</td><td></td><td></td></tr><tr><td></td><td>250</td><td>262</td><td>Broken - lost return</td><td></td><td></td></tr><tr><td></td><td>262</td><td>266</td><td>Hard w/small breaks</td><td></td><td></td></tr><tr><td></td><td>266</td><td>283</td><td>Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>283</td><td>294</td><td>Soft Grayish Brown clay</td><td></td><td></td></tr><tr><td></td><td>294</td><td>306</td><td>Hard Gray Basalt w/small breaks</td><td></td><td></td></tr><tr><td></td><td>306</td><td>314</td><td>Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>314</td><td>323</td><td>Broken Gray Basalt/lost return</td><td></td><td></td></tr><tr><td></td><td>323</td><td>333</td><td>Hard</td><td></td><td></td></tr><tr><td></td><td>333</td><td>340</td><td>Hard w/small breaks</td><td></td><td></td></tr><tr><td></td><td>342</td><td>352</td><td>Soft</td><td></td><td></td></tr><tr><td></td><td>352</td><td>359</td><td>Hard w/small breaks</td><td></td><td></td></tr><tr><td></td><td>359</td><td>360</td><td>Crevices</td><td></td><td>X</td></tr><tr><td></td><td>360</td><td>365</td><td>Hard w/large breaks</td><td>X</td><td></td></tr><tr><td></td><td>365</td><td>371</td><td>Hard w/small breaks</td><td>X</td><td></td></tr><tr><td></td><td>371</td><td>376</td><td>Hard</td><td></td><td>X</td></tr><tr><td></td><td>376</td><td>400</td><td>Med Hard w/large breaks</td><td>X</td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	8	0	4	Top Soil		X		4	10	Hard Gray Basalt				10	16	Hard Grayish Brown Basalt w/small breaks			8/6	16	24	Hard Gray Basalt			6	24	31	Hard Gray Basalt w/large breaks				31	81	Hard Gray Basalt				81	86	Hard Gray Basalt w/large breaks				86	111	Hard Gray Basalt w/small breaks				111	122	Med Hard Brown Basalt				122	128	Hard Brown Basalt w/small breaks				128	131	Broken Brown Basalt				131	134	Hard Brown Basalt w/small breaks				134	146	Hard Gray Basalt				146	148	Broken Gray Basalt				148	156	Hard Gray Basalt w/large breaks				156	160	Hard Gray Basalt				160	165	Broken Gray Basalt				165	196	Hard Gray Basalt				196	208	Cinders - lost return				208	210	Hard w/small breaks				210	221	Cinders				221	223	Hard Brown Basalt				223	231	Broken Brown Basalt w/cinders				231	238	Cinders - lost return				238	244	Hard Gray Basalt				244	250	Hard Gray Basalt w/large breaks				250	262	Broken - lost return				262	266	Hard w/small breaks				266	283	Hard Gray Basalt				283	294	Soft Grayish Brown clay				294	306	Hard Gray Basalt w/small breaks				306	314	Hard Gray Basalt				314	323	Broken Gray Basalt/lost return				323	333	Hard				333	340	Hard w/small breaks				342	352	Soft				352	359	Hard w/small breaks				359	360	Crevices		X		360	365	Hard w/large breaks	X			365	371	Hard w/small breaks	X			371	376	Hard		X		376	400	Med Hard w/large breaks	X	
Hole Diam.	Depth		Material		Water																																																																																																																																																																																																																																																																				
	From	To		Yes	No																																																																																																																																																																																																																																																																				
8	0	4	Top Soil		X																																																																																																																																																																																																																																																																				
	4	10	Hard Gray Basalt																																																																																																																																																																																																																																																																						
	10	16	Hard Grayish Brown Basalt w/small breaks																																																																																																																																																																																																																																																																						
8/6	16	24	Hard Gray Basalt																																																																																																																																																																																																																																																																						
6	24	31	Hard Gray Basalt w/large breaks																																																																																																																																																																																																																																																																						
	31	81	Hard Gray Basalt																																																																																																																																																																																																																																																																						
	81	86	Hard Gray Basalt w/large breaks																																																																																																																																																																																																																																																																						
	86	111	Hard Gray Basalt w/small breaks																																																																																																																																																																																																																																																																						
	111	122	Med Hard Brown Basalt																																																																																																																																																																																																																																																																						
	122	128	Hard Brown Basalt w/small breaks																																																																																																																																																																																																																																																																						
	128	131	Broken Brown Basalt																																																																																																																																																																																																																																																																						
	131	134	Hard Brown Basalt w/small breaks																																																																																																																																																																																																																																																																						
	134	146	Hard Gray Basalt																																																																																																																																																																																																																																																																						
	146	148	Broken Gray Basalt																																																																																																																																																																																																																																																																						
	148	156	Hard Gray Basalt w/large breaks																																																																																																																																																																																																																																																																						
	156	160	Hard Gray Basalt																																																																																																																																																																																																																																																																						
	160	165	Broken Gray Basalt																																																																																																																																																																																																																																																																						
	165	196	Hard Gray Basalt																																																																																																																																																																																																																																																																						
	196	208	Cinders - lost return																																																																																																																																																																																																																																																																						
	208	210	Hard w/small breaks																																																																																																																																																																																																																																																																						
	210	221	Cinders																																																																																																																																																																																																																																																																						
	221	223	Hard Brown Basalt																																																																																																																																																																																																																																																																						
	223	231	Broken Brown Basalt w/cinders																																																																																																																																																																																																																																																																						
	231	238	Cinders - lost return																																																																																																																																																																																																																																																																						
	238	244	Hard Gray Basalt																																																																																																																																																																																																																																																																						
	244	250	Hard Gray Basalt w/large breaks																																																																																																																																																																																																																																																																						
	250	262	Broken - lost return																																																																																																																																																																																																																																																																						
	262	266	Hard w/small breaks																																																																																																																																																																																																																																																																						
	266	283	Hard Gray Basalt																																																																																																																																																																																																																																																																						
	283	294	Soft Grayish Brown clay																																																																																																																																																																																																																																																																						
	294	306	Hard Gray Basalt w/small breaks																																																																																																																																																																																																																																																																						
	306	314	Hard Gray Basalt																																																																																																																																																																																																																																																																						
	314	323	Broken Gray Basalt/lost return																																																																																																																																																																																																																																																																						
	323	333	Hard																																																																																																																																																																																																																																																																						
	333	340	Hard w/small breaks																																																																																																																																																																																																																																																																						
	342	352	Soft																																																																																																																																																																																																																																																																						
	352	359	Hard w/small breaks																																																																																																																																																																																																																																																																						
	359	360	Crevices		X																																																																																																																																																																																																																																																																				
	360	365	Hard w/large breaks	X																																																																																																																																																																																																																																																																					
	365	371	Hard w/small breaks	X																																																																																																																																																																																																																																																																					
	371	376	Hard		X																																																																																																																																																																																																																																																																				
	376	400	Med Hard w/large breaks	X																																																																																																																																																																																																																																																																					
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other																																																																																																																																																																																																																																																																									
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>400</u> feet Casing schedule: ☒ Steel ☒ Concrete <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.25</u> inches</td><td><u>6 5/8</u> inches</td><td><u>1</u> feet</td><td><u>-19</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td><u>-240</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Sherry pit ☐ Temporary surface casing ☒ Overbore to seal depth		Thickness	Diameter	From	To	<u>.25</u> inches	<u>6 5/8</u> inches	<u>1</u> feet	<u>-19</u> feet	_____ inches	_____ inches	_____ feet	<u>-240</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																																																				
Thickness	Diameter	From	To																																																																																																																																																																																																																																																																						
<u>.25</u> inches	<u>6 5/8</u> inches	<u>1</u> feet	<u>-19</u> feet																																																																																																																																																																																																																																																																						
_____ inches	_____ inches	_____ feet	<u>-240</u> feet																																																																																																																																																																																																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																																																																																						
Number	From	To																																																																																																																																																																																																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																																																																																							
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County _____		10. Work started <u>8/5/76</u> finished <u>8/14/76</u>																																																																																																																																																																																																																																																																							
		11. DRILLER'S CERTIFICATION SMITH DRILLING & PUM P CO., INC. Firm Name _____ Firm No. <u>11</u> Address <u>328 West Avenue</u> , <u>Jerome</u> Date <u>8/16/76</u> Signature (Firm Official) _____																																																																																																																																																																																																																																																																							

MICROFILMED
FEB 09 1993

CLAIM A36-14854 INIT SCC
T. R. S. Q/Q 2-14-92
P/D 75 17E 26 NE NWNW
PHOTO AA73 _____
DT.&ID. 1978 _____

RESERVOIR LAND CO.
07097

104
MICROFILMED
FEB 09 1993
3897

R 17 E

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: OCT-31-1996

PAGE: A-105

RIGHTS FROM: SOURCE: GROUNDWATER

RIGHT NUMBER: 36-14854

NAME AND ADDRESS: ALAN POSEY
JUANITA M POSEY
327B E 400 N
JEROME ID 83338

SOURCE: GROUNDWATER

QUANTITY: 0.04 CFS

THE QUANTITY FOR NON-IRRIGATION USE IS LIMITED TO THE AMOUNT BENEFICIARILY
USED FOR: STOCKWATER, 6000 EWES & LAMBS, 1000 CALVES

THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED 13,000
GALLONS PER DAY.

PRIORITY DATE: 12/31/1976

POINT OF DIVERSION: T07S R17E S26 NENWNW Within JEROME County

PURPOSE AND
PERIOD OF USE:PURPOSE OF USE
STOCKWATERPERIOD OF USE
10-15 05-01QUANTITY
0.04 CFSPLACE OF USE: STOCKWATER Within JEROME County
T07S R17E S26 NWNW

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
DETERMINATION OF HISTORICAL BENEFICIAL USE.
RIGHT NOS. 36-14857 & 36-14858 ARE ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE, AND THE TOTAL COMBINED RATE OF
DIVERSION OF THESE RIGHTS IS LIMITED TO 0.04 CFS.

EXPLANATORY MATERIAL: BASIS OF CLAIM - BENEFICIAL USE
RIGHT NOS. 36-14857 & 36-14858 ARE ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE, AND THE TOTAL COMBINED RATE OF
DIVERSION OF THESE RIGHTS IS LIMITED TO 0.04 CFS.
STOCKWATER, 6000 EWES & LAMBS, 1000 CALVES

RB 4/28/95

36-14858
has a conflict in
P/D PK legal
hold back PPT,
KCC