

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-07461

Date Received: 4/25/1988

Receipt No: 5000134

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: MICHAEL D. WOODLAND 208-532-4215
Address: RT. 2 BOX 2542
PAUL, ID 83347

AND/OR

Name: PATRICIA WOODLAND
Address: RT. 2 BOX 2542
PAUL, ID 83347

2. Date of Priority: MAR 26, 1974

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
06S	22E	27	SW	SW	SW		LINCOLN

5. Description of diverting works:
2-20"X300'WELL WITH 350HP.PUMP TO PIVOTS AND HANDLINES. SWL 212'

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/15	11/15	8.350		

7. Total Quantity Appropriated is:
8.350 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4 of	Lot	Use	Acres
06S	22E	27	SW	SW		IRR	9.0

A36-07461

Page 1

Date: 04/25/88

MICROFILMED

FEB 04 1993

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
06S	22E	27	SE	SW		IRR	10.0
			NE	SE		IRR	40.0
			NW	SE		IRR	40.0
			SW	SE		IRR	40.0
			SE	SE		IRR	40.0
						Section Acres	179.0
		28	NE	SE		IRR	40.0
			NW	SE		IRR	40.0
			SW	SE		IRR	40.0
			SE	SE		IRR	40.0
						Section Acres	160.0
		33	NE	NE		IRR	39.0
			NW	NE		IRR	18.0
			SE	NE		IRR	10.0
						Section Acres	67.0
		34	NE	NE		IRR	34.0
			NW	NE		IRR	6.0
			SE	NE		IRR	25.0
			SW	NW		IRR	32.0
			NE	SW		IRR	22.0
			NE	SE		IRR	5.0
			NW	SE		IRR	20.0
						Section Acres	144.0
						Total Acres	550.0

11. Place of use in counties: LINCOLN

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A36-07055, A36-02302

14. Remarks:

The maximum combined annual volume under this right &
Right No. 36-2302 shall not exceed 3476.0 acre feet per
annum.

2 points of diversion in SWSW, S27, T6S, R22E.

15. Basis of Claim: LICENSE
Water Right Number:

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Michael Woodall Date: 4/25/88

Date: _____

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 25th day
of April 19 88

Mary A. Baldwin
Notary Public

Seal

Residing at Gooding, Id
My Commission Expires 10/16/1992

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>MIKE WOODMAN D</u> Address <u>RH 2 PAUL, IDAHO 83047</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>212</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____																																																																								
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;">Discharge G.P.M.</th> <th style="width: 33%;">Pumping Level</th> <th style="width: 33%;">Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																							
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes/No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>20</td><td>0</td><td>12</td><td>CLAY</td><td> </td></tr> <tr><td>12</td><td>12</td><td>48</td><td>GRAY BASALT</td><td> </td></tr> <tr><td>48</td><td>48</td><td>75</td><td>BROWN BASALT</td><td> </td></tr> <tr><td>75</td><td>75</td><td>88</td><td>GRAY BASALT</td><td> </td></tr> <tr><td>88</td><td>88</td><td>110</td><td>BROWN BASALT</td><td> </td></tr> <tr><td>110</td><td>110</td><td>140</td><td>RED BASALT</td><td> </td></tr> <tr><td>140</td><td>140</td><td>178</td><td>GRAY BASALT</td><td> </td></tr> <tr><td>178</td><td>178</td><td>190</td><td>BROWN BASALT</td><td> </td></tr> <tr><td>190</td><td>190</td><td>214</td><td>GRAY BASALT</td><td> </td></tr> <tr><td>214</td><td>214</td><td>222</td><td>RED BASALT</td><td> </td></tr> <tr><td>222</td><td>222</td><td>265</td><td>GRAY BASALT</td><td> </td></tr> <tr><td>265</td><td>265</td><td>279</td><td>BROWN BASALT</td><td> </td></tr> <tr><td>279</td><td>279</td><td>300</td><td>RED BASALT</td><td> </td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yes/No	From	To	20	0	12	CLAY		12	12	48	GRAY BASALT		48	48	75	BROWN BASALT		75	75	88	GRAY BASALT		88	88	110	BROWN BASALT		110	110	140	RED BASALT		140	140	178	GRAY BASALT		178	178	190	BROWN BASALT		190	190	214	GRAY BASALT		214	214	222	RED BASALT		222	222	265	GRAY BASALT		265	265	279	BROWN BASALT		279	279	300	RED BASALT	
Hole Diam.	Depth		Material	Water Yes/No																																																																					
	From	To																																																																							
20	0	12	CLAY																																																																						
12	12	48	GRAY BASALT																																																																						
48	48	75	BROWN BASALT																																																																						
75	75	88	GRAY BASALT																																																																						
88	88	110	BROWN BASALT																																																																						
110	110	140	RED BASALT																																																																						
140	140	178	GRAY BASALT																																																																						
178	178	190	BROWN BASALT																																																																						
190	190	214	GRAY BASALT																																																																						
214	214	222	RED BASALT																																																																						
222	222	265	GRAY BASALT																																																																						
265	265	279	BROWN BASALT																																																																						
279	279	300	RED BASALT																																																																						
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table style="width: 100%;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>20 inches</td> <td>1 feet</td> <td>19 feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table style="width: 100%;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Well cuttings ☐ Puddling clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>1" PIPE</u>	Thickness	Diameter	From	To	250 inches	20 inches	1 feet	19 feet													Number	From	To										10. Work started <u>5-3-51</u> finished <u>9-10-51</u>																																								
Thickness	Diameter	From	To																																																																						
250 inches	20 inches	1 feet	19 feet																																																																						
Number	From	To																																																																							
6. LOCATION OF WELL Sketch map location must agree with written location. N S W E Subdivision Name _____ Lot No. _____ Block No. _____ County <u>LINCOLN</u> <u>SW 1/4 SW 1/4 Sec. 27, T. 6 N/S, R. 22-E/W.</u>	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>HARRY DRILLING CO</u> Firm No. <u>58</u> Address <u>RUPERT IDAHO</u> Date <u>10-23-51</u> Signed by (Firm Official) <u>Harry King</u> and (Operator) <u>Harry King</u>																																																																								

OCT 30 PM 2:49

DIST. OF IDAHO

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA

Case No. 39576

NOTICE OF COMPLETED
ADMINISTRATIVE PROCEEDINGS

SUBCASE NO. 36-02207, 36-02302,
36-02567, 36-02674, 36-07055,
36-07461, 36-10197, 36-15179

IDWR has completed the following Administrative proceeding: **CHANGE OF ADDRESS**

Name and New Address of Claimant:

Michael D Woodland
Patricia Woodland
800 W Hwy 24
Paul ID 83347
Phone:532-4215

The Claimant has filed Objections or Responses to the following water rights: none

IDWR certifies that it has completed its investigation into the changes to the elements of the water rights listed above as set forth in the attached *Amended Director's Reports* for said water rights. No other changes have been made to the elements of these water rights except as set forth above.

IDWR has served copies of the *Notice of Completed Administrative Proceeding* and *Director's Report(s)* on the claimant(s), prior claimant(s) and all parties in the subcases affected, if any, as reflected on the attached certificate of mailing.

DATED:

10/30/97


Signature of IDWR Representative

CERTIFICATE OF MAILING

I certify that on 10-30, 1997, I mailed the original and copies of this form to the following persons, postage prepaid and addressed as follows:

1. Original to:
Clerk of the District Court
Snake River Basin Adjudication
PO Box 2707
Twin Falls ID 83303-2707
2. One Copy to:
Claimant or attorney of record:
Michael D Woodland
Patricia Woodland
800 W Hwy 24
Paul ID 83347
3. One Copy to:
Each party in the subcase or attorney of record:
US Dept of Interior
Bureau of Land Management
1387 S Vinnell way
Boise ID 83709
4. One Copy to:
Chief Natural Resources Division
Office of the Attorney General
PO Box 44449
Boise ID 83711-4449
5. One Copy to:
United States Dept Of Justice
Environment & Natural Resource Div
550 West Fort Street MSC 033
Boise ID 83724


Signature of person or attorney mailing the form

RIGHTS FROM: SOURCE: GROUNDWATER

RIGHT NUMBER: 36-07461

NAME & ADDRESS: MICHAEL D WOODLAND
PATRICIA WOODLAND
800 W HWY 24
PAUL ID 83347

SOURCE: GROUNDWATER

QUANTITY: 8.35 CFS
2192.0 AFY

PRIORITY DATE: 03/26/1974

POINT OF DIVERSION: T06S R22E S27 SWSWSW Within LINCOLN County

TWO POINTS OF DIVERSION LOCATED IN T06S, R22E, S27, SWSWSW.

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	IRRIGATION	Irrigation Season	8.35 CFS

PLACE OF USE:	IRRIGATION	Within LINCOLN County			
	T06S R22E S27	SWSW 9	SESW 10	NESE 40	NWSE 40
	S28	SWSE 40	SESE 40	SWSE 40	SESE 40
	S33	NENE 39	NWNE 18	SENE 5	
	S34	NENE 35	NWNE 8	SENE 25	SNNW 32
		NESW 22	NESE 5	NWSE 20	
	548 ACRES TOTAL				

CONSUMPTIVE USE: 1644.0 AFY

EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE
 RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
 SECTION 42-1425, IDAHO CODE.
 RIGHT NOS. 36-02302 AND 36-07055 ARE ALSO DIVERTED THROUGH
 POINT OF DIVERSION DESCRIBED ABOVE.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

October 31, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MICHAEL D WOODLAND
PATRICIA WOODLAND
800 W HWY 24
PAUL ID 83347

RE: SRBA Claim(s) 36-02207, 36-02302, 36-02567, 36-02674
36-07055, 36-07461, 36-10197, 36-15179
Decreed Water Rights: 36-08143, 36-10009

Dear Claimant:

Please find the enclosed copy of the Notice of Completed Administrative Proceeding which the department has filed with the SRBA Court regarding the above referenced claims. You have received this notice pursuant to SRBA Court Administrative Order 11 requiring IDWR to report to the court and interested parties any pending changes to adjudication claims in basins for which a Director's Report has been filed with the court.

Enclosed you will also find computer printouts of your decreed water rights showing your correct address. Please contact this office if you have any questions about the notice or the administrative process.

Sincerely,

Trish Fawcett
Technical Records Specialist

/tf

cc: Bureau of Land Management
U.S. Dept. of Justice



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

~~CECIL D. ANDRUS~~ Phil Batt
Governor

R. KEITH HIGGINSON
Director

CHANGE IN ADDRESS OF THE NOTICE OF CLAIM IN THE SNAKE RIVER BASIN ADJUDICATION

- 36-08143, 36-10009
- [] Water Right Number(s): 36-002207, 36-02567, 36-2302 -
36-02674, 36-10197, 36-7461 -
36-15179, 36-2302, 36-7055
- [] Old Mailing Address: Michael D Woodland
H2 Box 2542
Paul, Idaho 83347
- [] New Mailing Address: Michael D. Woodland
800 W Hwy 24
Paul, Ida 83347
- [] New Telephone Number: () 208-532 4215
- [] Signature of Claimant(s): Michael D. Woodland

Date: Oct 3 1997

RECEIVED

OCT 03 1997

Department of Water Resources
Southern Region

For IDWR use only:
Initial Review and Data Entry
Date: By:
Further Action Taken
Date: By:
Final Review and Data Entry
Date: 10-6-97 By: [signature]

Further Action Needed:

AJ0749NP
No. R36-07461

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 10/28/97
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MICHAEL D WOODLAND	03/26/1974	IRRIGATION	04-01 10-31	8.35 CFS	
C	PATRICIA WOODLAND					
	800 W HWY 24					
	PAUL ID 83347			TOTAL DIVERSION:	8.35 CFS	2192.00 AFA
	(208) 532-4215			CONSUMPTIVE USE:		1644.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T06S R22E S27 SWSWSW

LINCOLN County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM			
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac					
06S	22E	27	:					:					:					:	40	40	40	40	:	179.0			
06S	22E	28	:					:					:					:	40	40	40	40	:	160.0			
06S	22E	33	:	39		18		:					:					:					:	62.0			
06S	22E	34	:	35		08		:			32		:	22				:	05	20			:	147.0			
																						TOTAL ACRES					548.0

POU County: LINCOLN

Other Rights: NONE

Conditions of Approval:

- C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- SECTION 42-1425, IDAHO CODE.

Remarks: POD TWO POINTS OF DIVERSION LOCATED IN T06S, R22E, S27, SWSWSW.

EXP RIGHT NOS. 36-02302 AND 36-07055 ARE ALSO DIVERTED THROUGH
POINT OF DIVERSION DESCRIBED ABOVE.

Dates: Exam Made Date:

Verified Date:

Objection Filed Date:

Misc: Water District Number:

Field Inspection Flag:
Presumption Flag: C

"DO NOT FILE"

Water Right Number - 36-07461

Prefix Translation: WATER RIGHT

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

WOODLAND

MICHAEL D

1 - 800 W HWY 24

2 -

3 -

City- PAUL

State- ID Zip- 83347

Phone - 208-532-4215

WOODLAND

PATRICIA

1 - 800 W HWY 24

2 -

3 -

City- PAUL

State- ID Zip- 83347

Phone - 208-532-4215

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - - +
03/26/1974 ERROR IN REGION L - LICENSE+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER+ - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County

06S 22E 27 SW SW SW (63) LINCOLN

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

01 - IRRIGATION

04/01

10/31

8.350

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
8.350 2192.00 1644.0+ - - - - Place of Use - - - - - +
TwN Rng Sec Tract Lot Acres Code Description County

06S	22E	27	SW SW		9.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	SE SW		10.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	NE SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	NW SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	SW SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	SE SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	28	NE SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	28	NW SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	28	SW SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	28	SE SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	33	NE NE		39.0	01	IRRIGATION	(63) LINCOLN
06S	22E	33	NW NE		18.0	01	IRRIGATION	(63) LINCOLN
06S	22E	33	SE NE		5.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	NE NE		35.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	NW NE		8.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	SE NE		25.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	SW NW		32.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	NE SW		22.0	01	IRRIGATION	(63) LINCOLN

"DO NOT FILM"

Water right number - 36-07461

Prefix Translation: WATER RIGHT

Tw	Rng	Sec	Tract	Lot	Acres	Place of Use Code	Description	County
06S	22E	34	NE SE		5.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	NW SE		20.0	01	IRRIGATION	(63) LINCOLN

Total Acres: 548.0

+ - - Diversion Means - 2-20"X300'WELL WITH 350HP.PUMP TO PIVOTS AND HANDLINES. SWL 212'

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

+ - - - - - Remarks - - - - -

GEN 2 POINTS OF DIVERSION LOCATED IN SW/SW/SW, S 27, T 6S, R 22E.
RIGHTS NO. 36-02302 AND 36-07055 ARE ALSO DIVERTED THROUGH POINT
OF DIVERSION DESCRIBED ABOVE.

+ - - - - Old Water Right Numbers - - - - -

No Old Water Right Numbers Found

+ - - - - Conditions of Approval - - - - -

C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- SECTION 42-1425, IDAHO CODE.

+ - - - - Decree Plaintiff - - - +

+ - - - - Decree Defendant - - - +

+ - Decree Date - +
00/00/0000

+ - - - - Comments - - - - -

Date: 06/28/1991 User Id: CHRISTEN Subject: COPIED FROM REMARKS
The maximum combined annual volume under this right &
annum.
Date: 10/06/1997 User Id: TFAWCETT Subject: ADDRESS CHANGE
ADDRESS CHANGED PER REQUEST FROM CLAIMANT.

Right No. 36-2302 shall not exceed 3476.0 acre feet per
2 points of diversion in SWSW, S27, T6S, R22E.


+ - - Audit Fields - - +

10/06/97 TFAWCETT

+ - - - - Adjudication Rights Dates and Flags Area - - - - -

Court Report Filing	- 11/02/1992	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000	Old Judicial District	-
Claim Received Date	- 04/25/1988	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- S000134	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- AND/OR	Presumption Flag	- C
				Notice of Error Flag	-

"DO NOT FILM"



36-07461

8/5/97 sa

NO. OF CLAIMS IN POLYGON _____

CLAIM NUMBERS 36-07461 _____DATE 7/30/97AGENT SW

TRANSFER NUMBER _____

OBJECTION FILED XTOTAL ACRES FROM RECOMMENDATION 548GEOGRAPHIC INFO SYSTEM 516

RIGHT NO				NE				NW				SW				SE			
	TNS	RNG	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
RECOM	<u>6S</u>	<u>22E</u>	<u>27</u>											<u>9</u>	<u>10</u>	<u>40</u>	<u>40</u>	<u>40</u>	<u>40</u>
GIS														<u>10</u>	<u>10</u>	<u>35</u>	<u>39</u>	<u>36</u>	<u>33</u>
RECOM			<u>28</u>													<u>40</u>	<u>40</u>	<u>40</u>	<u>40</u>
GIS																<u>35</u>	<u>37</u>	<u>39</u>	<u>40</u>
RECOM			<u>33</u>	<u>39</u>	<u>18</u>		<u>5</u>												
GIS				<u>38</u>	<u>15</u>		<u>5</u>												
RECOM			<u>34</u>	<u>35</u>	<u>8</u>		<u>25</u>			<u>32</u>		<u>22</u>				<u>5</u>	<u>20</u>		
GIS				<u>34</u>	<u>11</u>		<u>22</u>			<u>31</u>		<u>22</u>				<u>4</u>	<u>20</u>		

UPDATED

POLYGON #

UPDATED

B36-DBPOU.DBF _____

ATTRIBUTES OF B36-POU.SHP #262, 264, 267, 268, 269

B36-DBPOD.DBF _____

ATTRIBUTES OF B36-POD.SHP (246) 8/5/97 SW(548 - 5% = 521)gis is greater than 5% less acres.(256) 2 wells, same legal.P/U CONFLICT yes () no (X)P/D CONFLICT yes () no (X)SENT FOR DECREE yes (X) no ()

R PROOF



CVR



MAPS



PHOTOS



MISC



MICROFILMED

FEB 04 1993

Water Right Number - R36-07461

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
WOODLAND

MICHAEL D.

1 - RT. 2 BOX 2542

2 -

3 -

City- PAUL

State- ID Zip- 83347

Phone - 208-532-4215

1 - RT. 2 BOX 2542

2 -

3 -

City- PAUL

State- ID Zip- 83347

Phone - 208-000-0000

WOODLAND

PATRICIA

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - - +
03/26/1974 ERROR IN REGION L - LICENSE+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +

Twn Rng Sec Tract Lot RFlg County

06S 22E 27 SW SW SW (63) LINCOLN

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
01 - IRRIGATION 03/15 11/15 8.350+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
8.350 2192.00 1644.0+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

06S	22E	27	SW SW		9.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	SE SW		10.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	NE SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	NW SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	SW SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	27	SE SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	28	NE SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	28	NW SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	28	SW SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	28	SE SE		40.0	01	IRRIGATION	(63) LINCOLN
06S	22E	33	NE NE		39.0	01	IRRIGATION	(63) LINCOLN
06S	22E	33	NW NE		18.0	01	IRRIGATION	(63) LINCOLN
06S	22E	33	SE NE		5.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	NE NE		35.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	NW NE		8.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	SE NE		25.0	01	IRRIGATION	(63) LINCOLN

VERIFIED BY

KKC

8-15-91

MICROFILMED
FEB 0 4 1993

Water right number - R36-07461

Prefix Translation: RESEARCH

Tw	Rng	Sec	Tract	Lot	Acres	Code	Description	County
06S	22E	34	SW NW		32.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	NE SW		22.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	NE SE		5.0	01	IRRIGATION	(63) LINCOLN
06S	22E	34	NW SE		20.0	01	IRRIGATION	(63) LINCOLN

Total Acres: 548.0

+ - - Diversion Means - 2-20"X300'WELL WITH 350HP.PUMP TO PIVOTS AND HANDLINES. SWL 212'

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

Remarks
2 POINTS OF DIVERSION LOCATED IN SW/SW/SW, S 27, T 6S, R 22E. RIGHTS NO. 36-02302 AND 36-07055 ARE ALSO DIVERTED THROUGH POINT OF DIVERSION DESCRIBED ABOVE.

Old Water Right Numbers
No Old Water Right Numbers Found

Conditions of Approval
C05 - RIGHT INCLUDES CHANGE IN PLACE OF USE. C09 - PORTION OF RIGHT FORFEITED/ABANDONED.

Decree Plaintiff	Decree Defendant	Decree Date
		00/00/0000

Comments
No Comments Found

Audit Fields
08/15/91 CHRISTEN

Adjudication Rights Dates and Flags Area			
Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-
Response Filed Date	- 00/00/0000	Verified Date	- 08/15/1991
Claim Received Date	- 04/25/1988	Last Amended Date	- 00/00/0000
		Receipt Number	- S000134
		POU Ownership Flag	- Y
		Name Connector	- AND/OR
		Civil Case Number	- 39576
		Old Case Number	-
		Old Judicial District	-
		Temporary Right	- P
		Water District	-
		Federal/State Indicator	- S
		Presumption Flag	- C

MICROFILMED
FEB 04 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

10:17:30
09/28/90

PAGE: 13
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-07461

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE			KKC 6-27-91	N	6	KKC		KKC
POINT OF DIV	Y		/	N	6	6-28-91	Second review by KKC 8-15-91	8-15-91
SOURCE		N		6				
DE OF USE	Y	N		6				
DIV. AMOUNT CFS/VOLUME		Y		6,5,1,2				
CONSUMPTIVE USE		N		6				
PURPOSES		Y		6				
PERIOD OF USE		N		6				
BASIS OF CLAIM		N		6				
REMARKS	Y		N	6				

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PG = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAEP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED

FEB 04 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

10:17:30
09/28/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-07461

LAST: WOODLAND
ADDRESS: RT. 2 BOX 2542
CITY: PAUL
PHONE NUMBER: 208-532-4215

FIRST: MICHAEL D.

STATE: ID ZIP: 83347

OWNER CODE: C

LAST: WOODLAND
ADDRESS: RT. 2 BOX 2542
CITY: PAUL
PHONE NUMBER: 208-000-0000

FIRST: PATRICIA

STATE: ID ZIP: 83347

OWNER CODE: C

FIELD EXAM REQUIRED?

DATABASE
Y

FIELD
EXAMINER

VERIFICATION REQUIRED DUE TO REMARKS?

CLAIM REMARKS: The maximum combined annual volume under this right &
Right No. 36-2302 shall not exceed 3476.0 acre feet per
annum.
2 points of diversion in SW5W, S27, T6S, R22E.

MICROFILMED

FEB 04 1993

CONTACT PERSON: Michael Woodland

PHONE NUMBER: () -

DATE OF FIELD EXAM: 6/27/91

APPOINTMENT MADE: Y() N()

TIME: : A() P()

ACCOMPANIED BY: same

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT: owner

DIRECTIONS TO PROPERTY / REMARKS:

Field exam was to identify 10 Acre designation on P/D's and to
identify actual acres irrigated in the W 1/2 of Sec 29,

MICROFILMED

FEB 04 1993

A. AJ CLAIM: # A36-07461 PRIORITY DATE: 03-26-1974 STAGE: L

B. WR RECORD: # 36-07461 PRIORITY DATE: 03-26-1974 STAGE: L

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE FIELD
N EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N()
IF YES EXPLAIN.

REMARKS:

p priority date of claim matches insured date

RECOMMENDED PRIORITY DATE:
03-26-1974

REVIEWED BY

KKC

DATE

6-26-91

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-07461	06S	22E	27	SW	SW	SW		LINCOLN

OTHER AJ CLAIMS WITH SAME AJ POD

WR RECORDS IN SAME 40 ACRE TRACT

A PREFIX R PREFIX

A36-10009 NONE

36-02302

A36-02302

36-07055

A36-07055

*domestic right
P/U ~~add acres~~
P/U add acres*

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
36-07461	06S	22E	27	SW	SW	SW		LINCOLN

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT

A PREFIX

R PREFIX

36-02302

A36-10009

NONE

36-07055

A36-02302

A36-07055

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER
Y
N

MARKS:

*two wells in same QQ approx 60' apart.
Well #1 is west of well #2*

MICROFILMED

FEB 04 1993

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
6S	22E	27	SW	SW	SW		LINCOLN

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY:

KKC

DATE:

6-26-91

MICROFILMED

FEB 04 1993

A. ROOT WATER RIGHT NUMBERS: A36-07461

B. PCU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FINT.D EXAM.	RECOM. ACRES
06S	22E	27	SW	SW		WOODLAND, MICHAEL D.	A36-07461 7 9.0	36-07461 739.0	41.0		
						WOODLAND, MICHAEL D.	A36-10009 /	- /			
						WOODLAND, PATRICIA	A36-02302 /30.0	36-02302 /30.0			
06S	22E	27	SE	SW		WOODLAND, MICHAEL D.	A36-07461 710.0	36-07461 740.0	39.0		
						WOODLAND, PATRICIA	A36-02302 /30.0	36-02302 /30.0			
06S	22E	27	NE	SE		WOODLAND, MICHAEL D.	A36-07461 740.0	36-07461 740.0	37.0		
06S	22E	27	NW	SE		WOODLAND, MICHAEL D.	A36-07461 740.0	36-07461 740.0	41.0		
06S	22E	27	SW	SE		WOODLAND, MICHAEL D.	A36-07461 740.0	36-07461 740.0	40.0		40.0
06S	22E	27	SE	SE		WOODLAND, MICHAEL D.	A36-07461 740.0	36-07461 740.0	38.0		
06S	22E	28	NE	SE		WOODLAND, MICHAEL D.	A36-07461 740.0	36-07461 738.0	37.0		
06S	22E	28	NW	SE		WOODLAND, MICHAEL D.	A36-07461 740.0	36-07461 738.0	40.0		
06S	22E	28	SW	SE		WOODLAND, MICHAEL D.	A36-07461 740.0	36-07461 740.0	39.0		
06S	22E	28	SE	SE		WOODLAND, MICHAEL D.	A36-07461 740.0	36-07461 740.0	39.0		
06S	22E	33	NE	NE		WOODLAND, MICHAEL D.	A36-07461 739.0	36-07461 738.0	37.0		
06S	22E	33	NW	NE		WOODLAND, MICHAEL D.	A36-07461 718.0	36-07461 715.0	22.0		
						WOODLAND, MICHAEL D.		36-07930 710.0			
06S	22E	33	SE	NE		WOODLAND, MICHAEL D.	A36-07461 710.0	36-07461 7 6.0	11.0		
						WOODLAND, MICHAEL D.		36-07930 720.0			
06S	22E	34	NE	NE		WOODLAND, MICHAEL D.	A36-07461 734.0	36-07461 739.0	39.0		
						WOODLAND, PATRICIA	A36-02302 / 5.0	36-02302 / 5.0			
06S	22E	34	NW	NE		WOODLAND, MICHAEL D.	A36-07461 7 6.0	36-07461 738.0	42.0		
						WOODLAND, PATRICIA	A36-02302 /32.0	36-02302 /32.0			
06S	22E	34	NE	SW		WOODLAND, MICHAEL D.	A36-07461 722.0	36-07461 715.0	33.0		
						WOODLAND, MICHAEL D.		36-07930 / 5.0			
06S	22E	34	NE	SE		WOODLAND, MICHAEL D.	A36-07461 7 5.0	36-07461 740.0	38.0		
						WOODLAND, PATRICIA	A36-02302 /35.0	36-02302 /35.0			
06S	22E	34	NW	SE		WOODLAND, MICHAEL D.	A36-07461 720.0	36-07461 740.0	40.0		
						WOODLAND, PATRICIA	A36-02302 /20.0	36-02302 /30.0			
06S	22E	34	SE	NE		WOODLAND, MICHAEL D.	A36-07461 725.0	36-07461 740.0	39.0		
						WOODLAND, PATRICIA	A36-02302 /15.0	36-02302 /15.0			

*See
attached
sheet.*

MICROFILMED

FEB 04 1993

06S 22E 34 SW NW

WOODLAND, MICHAEL D.
WOODLAND, MICHAEL D.

A36-07461 /32.0

36-07461 /33.0
36-07930 / 2.0

38.0

TOTAL ACRES

A36-07461

550.00

699.00

728.00

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE

Y

FIELD
EXAMINER

-#4

PRESUMPTION FLAG:

REMARKS:

*Field exam conducted to identify irr practices in Sec 29**(acres covered by a diff system)**The right was licensed for 869 acres and the
Recommendation is for 548 acres Code CØ9 & CØ5 are
necessary.*

RECOMMENDATIONS:

TOTAL ACRES:

548

REVIEWED BY:

KKC

DATE:

*6-28-91**Also Presumption Flag**"C"**KKC**8-15-91*

MICROFILMED

FEB 04 1993

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A36-07461 IRRIGATION	FROM 03-15 TO 11-15 ✓	8.350 CFS ✓
TOTAL DIVERSION RATE/VOLUME CLAIMED		8.350 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
36-07461 IRRIGATION	FROM 03-15 TO 11-15	8.350 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		8.350 CFS

SUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y(✓) N()

RECOMMEND TO WR STANDARDS OR OTHER?

Y() N() Explain in remarks, below.

REMARKS:

548A * .02 = 10.96 CFS > 8.35

therefore div rate claimed is
OK.

KKC
8-15-91

MICROFILMED

FEB 04 1993

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(☒) N(☐)

AJ TOTAL CLAIMED DIVERSION RATE: 8.350 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 8.350 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y ☒

FLOW MEASUREMENT

MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? ☒ (Y) N(☐) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: A36-07055, A36-02302

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

See attached analysis for system 2.

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A36-07461	GROUNDWATER	WOODLAND, MICHAEL D.	8.350	0.015		
A36-02302	GROUNDWATER	WOODLAND, PATRICIA	5.780	0.016		

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A36-10009	DOMESTIC	WOODLAND, MICHAEL D.	FROM 01-01 TO 12-31	.040 CFS	

MICROFILMED

FEB 04 1993

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE
ACRES 548 x 0.02 CFS/ACRE = 10.96 CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(X)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 1650.0 AF/A

ACRES 548 x CONSUMPTIVE VOL. AF/A FOR AREA 3 =

TOTAL CONSUMPTIVE USE 1644 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES 548 x DIVERSION VOL. AF/A FOR AREA 4 =

TOTAL DIVERSION VOLUME 2192 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(X)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

No limits req. see attached analysis

MICROFILMED

FEB 04 1993

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	03-15 11-15	DATABASE 8.350 EXAMINER 8.35	DATABASE EXAMINER 2192	DATABASE 1650.0 EXAMINER 1644
TOTAL FOR THIS RIGHT		8.350		1650.0

REVIEWED BY:

KKC

DATE:

6-28-91

MICROFILMED

FEB 04 1993

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED	NEEDS REVIEW
(☒)	()
()	()
()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-07461

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
8.350

EXAMINER

CFS

SPLITS:

OLD RIGHT
NUMBERS

CURRENT
CLAIM NUMBERS

DIVERSION
RATE

CURRENT "R"
CLAIM NUM.

"R" DIV.
RATE

WR RIGHT
NUMBERS

DIVERSION
RATE

-

A36-07461

8.350

-

36-07461

8.350

TOTAL CFS

8.350

8.350

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
Y

FIELD
EXAMINER

REMARKS:

AUTHENTICATION:

SIGNATURE:

Kelly K. Christensen

DATE:

6-28-91

NAME OF FIELD EXAMINER:

KELLY K. CHRISTENSEN

TITLE:

SR WATER RESOURCE AGENT

MICROFILMED

FEB 04 1993

WOODLAND, STEVE
SYSTEM 2.

RECOMMENDED ACRES PER Q/Q

TOTAL FOUND ACRES PER Q/Q

	NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
					NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
CLAIM	A36-2302	6S	22E	27									40	40	30	30					140	
CLAIM	A36-7461			27											9	10	40	40	40	40	179	
FOUND	ACRES												40	40	39	40	40	40	40	40		319
CLAIM	A36-7461	6S	22E	28													40	40	40	40	160	
FOUND	ACRES			28						*	*	*	*	*	*	*	40	40	40	40		TOTAL 545 343/160
										30	33	36	38	17	29							
CLAIM	A36-7461	6S	22E	33	39	18		5													62	
FOUND	ACRES			33	39	18		5														62
CLAIM	A36-2302	6S	22E	34	5	32	40	15									35	20	15	36	198	
CLAIM	A36-7461				35	8		25		32		22					5	20			147	
CLAIM	A36-7055								40	40		40									120	
FOUND	ACRES				40	40	40	40	40	40	32	40	22				40	40	15	36		465
																		Lot 2	Lot 1			

* THESE ACRES ARE IRRIGATED UNDER SYSTEM 1

		CLAIMED ACRES	FOUND ACRES
SUMMARY	A36-2302	344	338
	A36-7055	120	120
	A36-7461	550	548
		1,014	1,006

MICROFILMED
FEB 04 1993

Woodland, Steve System 2 Analysis

The system consists of three license based claims diverting water from ^{ONLY} two wells (40 to 60 ft apart) in the SW/SW/SW of Sec 27.

A36-2302 - The claimed acres have been adjusted from the licensed acres to conform to actual irrigation practices. The original license included Desert entry acres that were never irrigated. These were transferred to Deded acres that were irrigated but not covered by a license.

A36-7055 was claimed as licensed and found as such.

A36-7461 was licensed for ground not irrigated (approx 320 acres). These were not claimed. The remaining acres were adjusted to match actual irrigation practices.

Calculations	CLAIMED	
	DIV. RATE	ACRES
A36-2302	5.78 /	338 = <u>0.0171 CFS/ACRE</u>
REC. CLAIMED DIV RATE, FOUND ACRES.		
A36-7055	2.40 /	120 = <u>0.02 CFS/ACRE</u>
REC. RATE AS CLAIMED		
A36-7461	8.35 /	5.48 = <u>0.0152 CFS/ACRE</u>
REC. CLAIMED DIV. RATE, FOUND ACRES		
TOTAL	<u>16.55 CFS</u>	CLAIMED

SYSTEM CAPACITY MEASURED DURING THE LICENSING
FIELD EXAM FOR 36-7461 = 16.55 CFS; No capacity
LIMITER NECESSARY.

MICROFILMED
FEB 04 1993

WOODLAND, STEVE
SYSTEM 2.

RECOMMENDED ACRES PER Q/Q

TOTAL FOUND ACRES PER Q/Q

	NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
					NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
CLAIM	A36-2302	6S	22E	27									40	40	30	30					140	
CLAIM	A36-7461			27											9	10	40	40	40	40	179	
FOUND	ACRES												40	40	39	40	40	40	40	40		319
CLAIM	A36-7461	6S	22E	28													40	40	40	40	160	
FOUND	ACRES			28									*	*	*	*	*	*	*	*		TOTAL 341/548
													27	33	35	38	17	29	40	40	40	160
CLAIM	A36-7461	6S	22E	33	39	18		5													62	
FOUND	ACRES			33	39	18		5														62
CLAIM	A36-2302	6S	22E	34	5	32	40	15									35	20	15	36	198	
CLAIM	A36-7461				35	8		25		32		22					5	20			147	
CLAIM	A36-7055								40	40		40									120	
FOUND	ACRES				40	40	40	40	40	40	32	40	22				40	40	15	36		465
																		Lot 2	Lot 1			

* THESE ACRES ARE IRRIGATED UNDER SYSTEM 1

		CLAIMED ACRES	FOUND ACRES
SUMMARY	A36-2302	344	338
	A36-7055	120	120
	A36-7461	550	548
		1,014	1,006

MICROFILMED
FEB 04 1993

A36 07461

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-7461

Priority: March 26, 1974

Amount: 8.35 CFS

This is to certify, that MICHAEL D. WOODLAND
RT. 2 BOX 2542
PAUL, ID 83347

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated March 26, 1974, and has submitted proof to the Department of Water Resources on March 7, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 16.53 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION	VOLUME
Irrigation	03/15 to 11/15	8.35 cfs	

LOCATION OF POINT OF DIVERSION(S): SWSW , Sec. 27, Township 6S, Range 22E
Lincoln County

PLACE OF USE: Irrigation

TWN	RGE	SEC	ACRES	ACRES	ACRES	ACRES	TOTAL
6S	22E	27	NESW 40	NWSW 39	SWSW 39✓	SESW 40✓	
			NESE 40✓	NWSE 40✓	SWSE 40✓	SESE 40✓	318
		28	NESE 38✓	NWSE 38✓	SWSE 40✓	SESE 40✓	156
		33	NENE 38✓	NWNE 15✓	SENE 6✓		59
		34	NENE 39✓	NWNE 38✓	SWNE 39	SENE 40✓	
			SWNW 33✓	NESW 15✓	NESE 40✓	NWSE 40✓	
			LOT 2(SWSE)12	LOT 1(SESE)40			336

Total number of acres irrigated: 869

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The rate of diversion and annual volume under this right shall be appurtenant to the place of use so that each irrigated acre will receive an equal portion of water when all rights appurtenant to the place of use from the same source are considered cumulatively.
5. The maximum combined annual volume under this right & Right No. 36-2302 shall not exceed 3476.0 acre feet per annum.
6. 2 points of diversion in SWSW, S27, T6S, R22E.

MICROFILMED

APR 13 1987

MICROFILMED

FEB 04 1993

A36-07461

State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE

WATER RIGHT NO. 36-7461

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH day
of APRIL, 1987.

Acting for the Director



MICROFILMED

APR 13 1987

MICROFILMED

FEB 24 1988

RECEIVED

MAR 17 1987

State of Idaho
Department of Water Resources

RECEIVED

MAR 16 1987

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 36-7461

Department of Water Resources
Southern Region Office

APPROVED

Date of Priority: March 26, 1974

Comes now MICHAEL D. WOODLAND
RT. 2 BOX 2542
PAUL, ID 83347

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 36-7461, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	8.35 cfs	

LOCATION OF POINT OF DIVERSION(S): SWSW, Sec. 27, Township 6S, Range 22E
Lincoln County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
6S	22E	27	NESW 40	NWSW 39	SWSW 39	SESW 40	
			NESE 40	NWSE 40	SWSE 40	SESE 40	318
	28		NESE 38	NWSE 38	SWSE 40	SESE 40	156
	33		NENE 38	NWNE 15	SENE 6		59
	34		NENE 39	NWNE 38	SWNE 39	SENE 40	
			SWNW 33	NESW 15	NESE 40	NWSE 40	
			LOT 2(SWSE)12	LOT 1(SESE)40			336

Total number of acres irrigated: 869

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Twin Falls, ID, this 16 day of March, 1987.

MICROFILMED

APR 13 1987

Michael D. Woodland
(Signature)

MICROFILMED
FEB 04 1993

A36-07461

PAGE 2

State of Idaho
Department of Water Resources

RECEIVED

MAR 17 1987

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-7461

Department of Water Resources

FOR DEPARTMENT USE ONLY *R# 40717*

Preliminary check by *kw* Fee = \$20.00 ✓ Receipted by *M. Ballin* Date *3/16/87*

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. Kenneth Dunn, of the Department of Water Resources hereby approve the above
Application for Amendment for Permit No. 36-7461 with the following;

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The maximum combined annual volume under this right & Right No. 36-2302 shall not exceed 3476.0 acre feet per annum.
5. 2 points of diversion in SWSW, S27, T6S, R22E.

Witness my hand this *6TH* day of *April*, 19*87*.

Norman Young
Acting for the (Director)

MICROFILMED

APR 13 1987

MICROFILMED

FEB 04 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

A36-07461

Permit No.

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\begin{array}{r} 4.65 \text{ cfs} > \text{per annular} \\ + 11.88 \text{ cfs} > \text{supplements} \\ \hline 16.53 \text{ cfs} - \text{capacity of system} \end{array}$$

- b) Volume Calculations for Irrigation:

$$\begin{array}{l} V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 869 \times 4.0 \text{ AF} = 3476.0 \text{ AF} \\ V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 14.13 \times 245 \times 1.9835 = 6866.6 \\ V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3476.0 \end{array}$$

- c) Volume Calculations for Other Uses:

$$\begin{array}{l} \text{This right} = 8.35 \text{ cfs} \\ \text{Rt. } 36-2302 = 5.78 \text{ cfs} \\ \hline 14.13 \text{ cfs} \\ 869 \overline{) 14.13} \text{ cfs/acre when the 2 rights} \\ \text{are combined for} \\ \text{these lands.} \end{array}$$

2. Overlap Review

- a) Other water rights with same place of use: 36-2302
- b) Other water rights with same point of diversion: 36-2302, 36-7055
- c) Analysis:

36-2302 ~~yes~~ see memo of 12/29/81 in file

Capacity of system = 16.53 cfs

Lic. 36-2302 = 5.78 cfs

10.75 cfs

Lic. 36-7055 = 2.40 cfs

Remaining $\rightarrow$ 8.35 cfs
in system.

MICROFILMED

APR 13 1987

allow 8.35 cfs for this license.

MICROFILMED

FEB 04 1993

A36-07461

- FEB 04 1993

Overlap Review

2 P/O

#1 = 4.65

#2 = 11.90

16.55 cfs

EXISTING RTS:

36-7055

2.4 cfs

SAME P/O

16.55

36-2302

SAME (PART)

P/O

SAME

DIFF P/O

-2.40

14.15TOTAL ACRES IRRIGATED:5.78

120 + 869 = 989 AC

8.37 cfs

MICROFILMED

APR 13 1987

MICROFILMED

FEB 04 1993

A 36-07461

36-7055

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7055 Priority April 7, 1969 Amount 2.40 cfs

THIS IS TO CERTIFY, that Laurel H. Woodland & Travelers Insurance Company
of Paul, Idaho / Portland, Oregon, have ~~xxx~~ complied with the terms and conditions of Permit
No. 36-7055 issued pursuant to Application for Permit dated April 7, 1969,
and has submitted proof to the Department of Water Resources on May 28, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 6.69 cfs of water from a ground water source
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 1</u> to <u>Oct. 31</u>	at <u>2.40</u> cfs and	<u>480 acre feet or</u>
	from _____ to _____	at _____ cfs and	<u>4.0 af per acre</u>
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 2.40 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
480 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 27, ← same
Twp. 6 S, Rge. 22 E, B. M. in the County of Lincoln Pkd.

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6 S	22 E	34					40	40		40									120

NO
P/U
overlap

Total number of acres irrigated 120

APR 15 1981

MICROFILMED

A measuring device of a type approved by this Department shall be permanently
maintained at the point of the diverting works.

A36-07461

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

36-2302

CERTIFICATE OF WATER RIGHT
TRANSFERRED RIGHT NO. 1053

THIS IS TO CERTIFY, That William Kerbs of 514 East D Street, Rupert, Idaho, is the owner of and using a certain water right of 5.78 cubic feet per second of the waters of subterranean source, said water being obtained by virtue of License No. G-26381, issued by the State of Idaho, Department of Reclamation, dated September 26, 1962, bearing priority date of June 4, 1956, for the purpose of irrigating the following described lands situate, lying and being in the County of Lincoln, State of Idaho, to-wit:

W $\frac{1}{2}$, Section 27; NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$,
Section 34, Township 6 South,
Range 22 E. B. M.,

That said license has been entered in the records of the Department of Reclamation of the State of Idaho, in Volume 12, Page 7459 thereof;

And that William Kerbs has become the owner of said right by appropriation;

And that now, upon the application of William Kerbs for the transfer of 5.78 cubic feet per second, made before the State Reclamation Engineer of the State of Idaho, and said application having been granted, the right to the use of 5.78 cubic feet per second of the waters of subterranean source by well upon the above described lands is hereby abandoned, and the place of use of said water under such right is HEREBY CONFIRMED, shall by this certificate become appurtenant for irrigation purposes, is described as follows, to-wit:

SW $\frac{1}{4}$, Section 27; NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$,
Lots 1 and 2, Section 34,
Township 6 South, Range 22 E.B.M.,

same
P/U

That said water is to be limited at any given time to an amount actually needed and beneficially used for such purposes and shall not exceed the following amount, to-wit:

5.78 cubic feet per second of the
waters of subterranean source with
priority of June 4, 1956;

same
P/D

And that the water right hereby transferred has heretofore been conducted from subterranean source with point of diversion in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 27; Township 6 South, Range 22 E. B. M., and delivered through private ditches;

MICROFILMED

APR 13 1981

T-1053
36-2302

MICROFILME

FEB 04 1993

That the water right hereby transferred will hereafter be conducted to the last above described lands from subterranean source by well with no change in point of diversion;

That the right to the use of the water aforesaid, hereby described, is restricted to the lands or place of use last above described as provided by the laws of the State of Idaho;

IN WITNESS WHEREOF, I have hereunto set my hand and caused the official seal of the Department of Reclamation of the State of Idaho to be hereunto affixed at Boise, Idaho, this 27th day of August, 1965.

CARL E. TAPPAN
State Reclamation Engineer
By

(SEAL)

s/

RALPH W. THOMAS

RALPH W. THOMAS, Deputy
State Reclamation Engineer

MICROFILMED

FEB 04 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
ASS-07461
SEP 26 1986

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Michael D Woodland
Current Address: Rt 2 Box 2542 Paul, ID 83347
2. Accompanied by: Owner
Address: _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____


Permit No. 36-7461
Phone No. 532-4215
EXAM. DATE: 6-25-86
Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: License 36-2302
2. Other water rights with same point of diversion: License 36-2302 and License 36-7055
☐ Copies Attached
☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipo i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

APR 13 1987

MICROFILMED

FEB 04 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Flow measurement was by annubar (see both annubar measurement sheets). For alternate method, water is pumped from 205' at a pressure of 20 psi. Another method is that the 2 pivots use about 450 gpm each (from owner) and the 43 handlines with 4.0 gal flow control nozzles operating at 52 psi. There are 33 heads per line.

FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

See annubar measurement sheets $Q_1 = 4.65 \text{ cfs}$ $Q_2 = 11.90 \text{ cfs}$ $Q = 16.53 \text{ cfs}$
 $Q = 16.55 \text{ cfs}$

2. Alternate Method for Checking Purposes:

$$Q_1 = Q_2 = \frac{350 \times 8.8 \times 0.8}{205 + (20 \times 2.3)} = 9.82 \text{ cfs} \quad Q = 19.63 \text{ cfs} \quad Q = \frac{(43 \times 33 \times 4) + (2 \times 450)}{448.8} = 14.65 \text{ cfs}$$

PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 869 \times 4.0 = 3476 \text{ afa}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 16.53 \times 246 \times 1.9835 = 8075.4 \text{ afa}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3476 \text{ afa}$$

2. Volume Calculations for Other Uses:

MICROFILMED

APR 13 1987

MICROFILMED

FEB 04 1993

H. REMARKS AND OVERALL REVIEW ANALYSIS

A36-07461

Licence 36-2302 covers only part of the land under this permit. When this permit and 36-2302 are combined, the diversion rate must not exceed 16.53 cfs (the 2 wells capacity). When License 36-7055 is combined with the above, the diversion rate must not exceed 16.55 cfs (the capacity of both wells). When combined with 36-7055 and 36-2302, the diversion rate shall not exceed 0.02 cfs per acre irrigated.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afn)
	From	To		
Irrigation	Mar 15	Nov 15	~~16.55~~ 16.53	3476
			16.53 cfs	
			Totals: ~~16.55 cfs~~	3476 afn

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Michael McCurdy
 Signature Michael McCurdy
 Certification Date _____
 Field Report Preparation Date 6-25-86

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

APR 13 1987

MICROFILMED

FEB 04 1993

- Water is pumped from 2 wells into a mutual pipe that discharges from 2 pivot lines (each 9 tower with end gun) and 43 handlines operating at 52 psi. The handlines have 33 heads each with 4.0 gal flow control nozzles. The Pump #1 is approximately 50' west of Pump #2. Both pumps are used at the same time.

4.

*Code to correspond with No. on map and aerial photo

- [illegible]

- Indicate Method of Determination Same as above

RECEIVED

APR 13 1987

MICROFILMED

FEB 04 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Michael McCurdy Date 6-25-86
Owner: Michael D Woodland Permit No. 36-7461

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

see system diagram

Measured inside diameter of pipe in inches

(A) 16.18"

Size of Annubar used in test 15.250"

State ID No. 091442

Model No. of Annubar Meter Used 75
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

~~Size Eagle Eye Meter Used~~ Manometer

State ID No. _____

Date of Last Calibration of Meter _____

Observed inches of H₂O read on Meter

(B) 16.18" 28.0"

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) _____

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

(C) 3.85

CALCULATION: $K \frac{(A^2) (\sqrt{B})}{448.8} C =$

11.88 cfs measured

SKETCH (If not shown on Field Report):

MICROFILMED

APR 13 1987

MICROFILMED

FEB 04 1993

A36-07461

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Michael McCurdy

Date 6-25-86

Owner: Michael D Woodland

Permit No. 36-7461

Description of well &/or measuring site

- Include any clarifications of the sketch

- Include legal description if more than one p.d. is described in the Field Report

See system diagram

Measured inside diameter of pipe in inches

(A) 12.75"

Size of Annubar used in test 12.00"

State ID No. 091430

Model No. of Annubar Meter Used 75
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

~~Size Eagle Eye Meter Used~~ Manometer

State ID No. _____

Date of Last Calibration of Meter _____

Observed inches of H₂O read on Meter

(B) 12.75" 11.1"

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) _____

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

(C) 3.85

CALCULATION: $K \frac{(A^2) (\sqrt{B})}{448.8} C =$

4.65 cfs measured


SKETCH (If not shown on Field Report):

RECORDED

APR 13 1987

MICROFILMED
FEB 04 1993

A36-07461



Group No.	Date of Instructions	Amount of Surveys			When Surveyed	
		Mls.	chs.	lks.	Began	Completed
90	March 31 st 1917	60	54	45	May 18 th 1917	May 24 th 1917
.	.	6	7	59	22 nd	22 nd
.	.	5	70	47	14 th	20 th

The above
Meridian,
in this office

MICROFILMED

FEB 04 1993

DEP/ A 36-0746

266000m E.

267

268

50'


269

3269 IV NE
270 (SHALE BUTTE)

27


100

APR 13 1988 / CONTROLLED
FEB 04 1993



A3607461

T 65 R 16 E



MICROFILMED
FEB 04 1993

T 6 S R 22 E

H36-01461

C
11.0

K
136.7

28.7

PU

PU

Pump #2

Not Covered


135.8

By This Permit


PU

MICROFILMED

FEB 04 1993



Point of diversion: Pump #2



Point of diversion: pump #1

MICROFILMED

APR 13 1987