

04/12/2021  
RECEIVED

APR 27 2021

DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

**YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021**

Water right number: 87-11800

DUANE PARR  
702 PUBLIC AVE  
MOSCOW ID 83843  
Telephone Number: (208) 883-3051

JOYCE PARR  
702 PUBLIC AVE  
MOSCOW ID 83843  
Telephone Number: (208) 883-3051

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:



I AGREE with this proposed recommendation: no changes need to be made.

DATE:

4/19/2021

SIGNATURE:

Joyce Parr

Please print your name:

Joyce PARR

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

FYI: Duane died ~~of~~ on April 7,  
2021.