

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-07513
Date Received: 8/24/1988
Receipt No: 5001678
Received By: ADR

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: JAMES DAVIS 208-536-6485
Address: 3060-A SOUTH 2200 EAST
WENDELL, ID 83355

AND/OR
Name: CHERYL DAVIS 208-536-6485
Address: 3060-A SOUTH 2200 EAST
WENDELL, ID 83355

2. Date of Priority: NOV 29, 1974

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
08S	15E	1	SW	NW	SW		GOODING

5. Description of diverting works:
WELL, PUMP & SPRINKLERS.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	2.670		

7. Total Quantity Appropriated is:
2.670 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 456.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
08S	15E	1	NE		SW		IRR	40.0
			NW		SW		IRR	35.0
			SW		SW		IRR	37.0
			SE		SW		IRR	40.0
							Section Acres	152.0
							Total Acres	152.0

11. Place of use in counties: GOODING

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

THIS LIC. WAS ORIGINALLY ISSUED FOR 1.73 CFS HOWEVER AFTER THE LIC. WAS ISSUED IT WAS DISCOVERED THAT THE METER INSTALLED WAS BROKEN. BASED ON THE NUMBER OF SPRINKLERS AND OTHER DATA THE FLOW FROM THE WELL SHOULD BE 1200 GPM AND THAT IS WHAT THE CLAIM IS BASED ON. NO CHANGE IN THE PUMPING SYSTEM HAS BEEN MADE SINCE THE ORIGINAL LICENSE EXAM.

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): James W Davis Date: 8/24/88

Date: _____

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this

of Aug 19 88

24th day
[Signature]
Notary Public

Seal

Residing at Kimberly, Id
My Commission Expires 6/30/99

MICROFILMED
FEB 04 1993

T.S. RISE

15.2
15.7
15.5
145.5

35
40
976
D190 (729d)
57.7
B 2.3
C 15.2
D 72.6
E 3.9
F 7.2
I 3.8
J 1.9
K 1.5
L 2.1
M 2.1
N 2.1
O 2.1
P 2.1
Q 2.1
R 2.1
S 2.1
T 2.1
U 2.1
V 2.1
W 2.1
X 2.1
Y 2.1
Z 2.1

37
40
D 72.6
E 3.9
F 7.2
I 3.8
J 1.9
K 1.5
L 2.1
M 2.1
N 2.1
O 2.1
P 2.1
Q 2.1
R 2.1
S 2.1
T 2.1
U 2.1
V 2.1
W 2.1
X 2.1
Y 2.1
Z 2.1

D 5.0
E 3.9
F 7.2
I 3.8
J 1.9
K 1.5
L 2.1
M 2.1
N 2.1
O 2.1
P 2.1
Q 2.1
R 2.1
S 2.1
T 2.1
U 2.1
V 2.1
W 2.1
X 2.1
Y 2.1
Z 2.1

D 5.0
E 3.9
F 7.2
I 3.8
J 1.9
K 1.5
L 2.1
M 2.1
N 2.1
O 2.1
P 2.1
Q 2.1
R 2.1
S 2.1
T 2.1
U 2.1
V 2.1
W 2.1
X 2.1
Y 2.1
Z 2.1

2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

D 16.3
E 3.9
F 7.2
I 3.8
J 1.9
K 1.5
L 2.1
M 2.1
N 2.1
O 2.1
P 2.1
Q 2.1
R 2.1
S 2.1
T 2.1
U 2.1
V 2.1
W 2.1
X 2.1
Y 2.1
Z 2.1

D 17.5
E 3.9
F 7.2
I 3.8
J 1.9
K 1.5
L 2.1
M 2.1
N 2.1
O 2.1
P 2.1
Q 2.1
R 2.1
S 2.1
T 2.1
U 2.1
V 2.1
W 2.1
X 2.1
Y 2.1
Z 2.1

D 12.2
E 3.9
F 7.2
I 3.8
J 1.9
K 1.5
L 2.1
M 2.1
N 2.1
O 2.1
P 2.1
Q 2.1
R 2.1
S 2.1
T 2.1
U 2.1
V 2.1
W 2.1
X 2.1
Y 2.1
Z 2.1

D 2.8
E 3.9
F 7.2
I 3.8
J 1.9
K 1.5
L 2.1
M 2.1
N 2.1
O 2.1
P 2.1
Q 2.1
R 2.1
S 2.1
T 2.1
U 2.1
V 2.1
W 2.1
X 2.1
Y 2.1
Z 2.1

MICROFILMED
FEB 04 1993

January 20, 1999

Regarding:

36-7513

Customer:

Jim and Cheryl Davis

536-6485

From: Vikie Hancock

[illegible]

The above claimants came into the office this AM. They had just talked to Scott King and Gary Funderberg about the decreed diversion rate on the above claim. This claim is based upon a license originally filed by Edward Gunning. The AJ claim was filed by Davis.

The claimants reviewed the history of this claim: the measuring device was found to be broken at the time of the licensing exam; the license was sent to the previous owner, Gunning; they had filed on the amount of water they really used in the SRBA; they called someone at IDWR about it, but can't remember who. I asked them if they had ever responded in writing to any of the notice sent to them in the SRBA in regard to their disagreement with the diversion rate. They weren't sure.

I took their phone number and told them that I would investigate to see if there was any way they could file a claim for the additional water in the SRBA. Gary had already told them of the moratorium on new irrigation claims.

04/13/98

Idaho Department of Water Resources
Report of 1996 Diversions

TO: JAMES DAVIS
CHERYL DAVIS
3060-A S 2200 E
WENDELL, ID 83355

The Idaho Department of Water Resources is currently finalizing a report of water measurement results in Administrative Basin 36 for 1995 and 1996. The report documents measurements of water diversions, including maximum diversion rate and volume diverted during 1996. Our records show that the diversions listed below are owned and/or managed by you. The water measurement report includes these diversions and the measurements reported for 1996, as shown below.

Please carefully review the data provided below. If it is incorrect or inaccurate, your immediate notification is essential for corection of the data before printing of the final report. Included with this summary is an explanation of fields. If you have questions, concerns, or comments about this summary, please call either Scott King, Cindy Hodges, Burke Scholer, or Tim Luke at (208) 327-7900.

Water Right		-----REPORTED DATA-----				WATER RIGHT						
Number	Name	I	R	S	QQQ lt	Diversion Name	Measure Method	Flow Rate (cfs)	Volume (Acre-ft)	qualifier**	Flow Rate (cfs)	Volume (acre-ft)
36-07513	DAVIS, JAMES & CHERYL	08S	15E	1	SWNWSW		PCC	2.64	378.6	2	1.73	608.0

** Qualifier explanation: 2 = Systems with multiple operating conditions, all measured and PCC varied ten percent or less, or varied more than ten percent with consistent changes in operation (eg. pivot with end gun).

Tim Luke 327-7864

* Asterisk after water right flow rate value indicates multiple diversion points for the water right. First diversion for right not marked.

Gary Lundberg

FROM Loten Holmes

DATE 4/29/83

TO Dave Tutthill

SUBJECT Lic 36-7153 - C. Edward Gunning

James W. Davis, Rt 2 Box 138, Wendell, ID 83355; visited the office about the above Lic. He is the land owner & was the examiner's contact at the exam.

He says he told the examiner that the flowmeter was broken at the time of exam & the examiner agreed to a re-measurement later. He never heard anything further until he checked on the license in our office.

Our Micro film of the file is missing, so I can't check on the exam report.

Please advise if we can re-measure.

The owner says the system has not been changed since exam.

SIGNATURE

CLAIM NUMBERS 36-7513DATE 10-23-97

TRANSFER NUMBER _____

OBJECTION FILED _____

AGENT KKCTOTAL ACRES FROM RECOMMENDATION 152GEOGRAPHIC INFO SYSTEM 151

RIGHT NO				NE				NW				SW				SE				
	TNS	RNG	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
RECOM	8S	15E	1									40	35	37	40					152
GIS												40	35.43	37.24	40					150.7
RECOM																				
GIS																				
RECOM																				
GIS																				
RECOM																				
GIS																				

UPDATED

POLYGON #

UPDATED

B36-DBPOU.DBF

10/23

POLYGON CREATED ON 604 ()

ATTRIBUTES OF B36-POU.SHP 655

10/23

B36-DBPOD.DBF

ATTRIBUTES OF B36-POD.SHP 620

23

P/U CONFLICT yes () no (X)


P/D CONFLICT yes () no (X)

READY FOR DECREE yes (X) no ()

SENT FOR DECREE yes () no ()


IDAHO DEPARTMENT OF WATER RESOURCES

36-07513
JAMES & SHERYL DAVIS



660 0 660 1320 1980 2640 Feet

TNS 8S, RNG 15E,
SEC 1, SW1/4



⊙ Recommended Point of Diversion



Recommended Place of use



Section lines




Quarter/Quarter Lines


GIS PLACE OF USE PRESENTATION
1987 and/or 1988 NAPP PHOTOGRAPHY
DATA ENTRY OCTOBER 23, 1997
BY KELLY K CHRISTENSEN

IDAHO DEPARTMENT OF WATER RESOURCES

36-07513
JAMES & SHERYL DAVIS



TNS 8S, RNG 15E,
SEC 1, SW1/4



⊙ Recommended Point of Diversion

□ Recommended Place of use

— Section lines

□ Quarter/Quarter Lines

GIS PLACE OF USE PRESENTATION
1987 and/or 1988 NAPP PHOTOGRAPHY
DATA ENTRY OCTOBER 23, 1997
BY KELLY K CHRISTENSEN

"DO NOT FILM"


R PROOF

CVR

MAPS

PHOTOS

MISC



MICROFILMED

FEB 04 1993

Water Right Number - R36-07513 Prefix Translation: RESEARCH Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

DAVIS CHERYL 1 - 3060-A S. 2200 E.
2 -
3 -
City- WENDELL State- ID Zip- 83355
Phone - 208-536-6485

DAVIS JAMES 1 - 3060-A S. 2200 E.
2 -
3 -
City- WENDELL State- ID Zip- 83355
Phone - 208-536-6485

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
11/29/1974 17 SOUTHERN L - LICENSE

+ - - - - Source - - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +

TwN	Rng	Sec	Tract	Lot	RFlg	County
08S	15E	1	SW NW SW		(47)	GOODING

+ - - - - Water Use - - - - - +

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
01 - IRRIGATION		03/15	11/15	1.730	608.00

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
1.730 608.00 456.0

+ - - - - Place of Use - - - - - +

TwN	Rng	Sec	Tract	Lot	Acres	Code	Description	County
08S	15E	1	NE SW		40.0	01	IRRIGATION	(47) GOODING
08S	15E	1	NW SW		35.0	01	IRRIGATION	(47) GOODING
08S	15E	1	SW SW		37.0	01	IRRIGATION	(47) GOODING
08S	15E	1	SE SW		40.0	01	IRRIGATION	(47) GOODING

Total Acres: 152.0

+ - - Diversion Means - WELL, PUMP & SPRINKLERS.

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

MICROFILMED
FEB 04 1993

Water right number - R36-07513

Prefix Translation: RESEARCH

+ - - - - Remarks - - - - -
No Remarks found.

+ - - - - Old Water Right Numbers - - - - -
No Old Water Right Numbers Found

+ - - - - Conditions of Approval - - - - -
No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - -

Date: 11/26/1991 User Id: CHRISTEN Subject: COPIED FROM REMARKS
THIS LIC. WAS ORIGINALLY ISSUED FOR 1.73 CFS HOWEVER AFTER THE
BROKEN. BASED ON THE NUMBER OF SPRINKLERS AND OTHER DATA THE
IS BASED ON. NO CHANGE IN THE PUMPING SYSTEM HAS BEEN MADE

LIC. WAS ISSUED IT WAS DISCOVERED THAT THE METER INSTALLED WAS
FLOW FROM THE WELL SHOULD BE 1200 GPM AND THAT IS WHAT THE CLAIM
SINCE THE ORIGINAL LICENSE EXAM.

+ - - Audit Fields - - +
03/13/92 ROBERTSO

+ - - - - Adjudication Rights Dates and Flags Area - - - - -

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 03/13/1992	Old Judicial District	-
Claim Received Date	- 08/24/1988	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- S001678	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- AND/OR	Presumption Flag	-
				Notice of Error Flag	-

MICROFILMED
FEB 04 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:18:56
08/30/90

PAGE: 12
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-07513

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE				N				
POINT OF DIV	Y			N				
SOURCE				N				
PLACE OF USE				N				
DIV. AMOUNT CFS/VOLUME	Y			Y	6			
CONSUMPTIVE USE	-			N				
PURPOSES				N				
PERIOD OF USE				N				
BASIS OF CLAIM	Y			N				
REMARKS	Y			Y	6			

2nd Review by
KKC
11-26-91

DB
10-5-90

VERIFIED BY CODES

TOPO MAP/ORTHO-PC = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAEP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED

FEB 04 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:18:56
08/30/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A06-07513

LAST: DAVIS FIRST: CHERYL
ADDRESS: 3060-A S. 2200 E.
CITY: WENDELL STATE: ID ZIP: 83355
PHONE NUMBER: 208-536-6485
OWNER CODE: C

LAST: DAVIS FIRST: JAMES
ADDRESS: 3060-A S. 2200 E.
CITY: WENDELL STATE: ID ZIP: 83355
PHONE NUMBER: 208-536-6485
OWNER CODE: C

FIELD EXAM REQUIRED?

DATABASE
Y

FIELD
EXAMINER:

VERIFICATION REQUIRED DUE TO REMARKS?

CLAIM REMARKS: THIS LIC. WAS ORIGINALLY ISSUED FOR 1.73 CFS HOWEVER AFTER THE
LIC. WAS ISSUED IT WAS DISCOVERED THAT THE METER INSTALLED WAS
BROKEN. BASED ON THE NUMBER OF SPRINKLERS AND OTHER DATA THE
FLOW FROM THE WELL SHOULD BE 1200 GPM AND THAT IS WHAT THE CLAIM
IS BASED ON. NO CHANGE IN THE PUMPING SYSTEM HAS BEEN MADE
SINCE THE ORIGINAL LICENSE EXAM.

MICROFILMED

FEB 04 1993

PAGE: 2
FIELD EXAMINATION INFORMATION

CLAIM NUMBER: A36-07513

CONTACT PERSON: JAMES DAVIS

PHONE NUMBER: () -

DATE OF FIELD EXAM: 10 / 3 / 90

APPOINTMENT MADE: Y (/) N ()

TIME: 9 : A (/) P ()

ACCOMPANIED BY:

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT:

DIRECTIONS TO PROPERTY / REMARKS:

10/3/90
JAMES DAVIS
A36-07513

A. AJ CLAIM: # A36-07513 PRIORITY DATE: 11-29-1974 STAGE: L
B. WR RECORD: # 36-07513 PRIORITY DATE: 11-29-1974 STAGE: L

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE
N

FIELD
EXAMINER
N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(*/*)
IF YES EXPLAIN.

REMARKS:

RECOMMENDED PRIORITY DATE:
11-29-1974

REVIEWED BY

lw

DATE

9/5/90

MICROFILMED

FEB 04 1993

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-07513	08S	15E	1	SW	NW	SW		GOODING

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
36-07513	08S	15E	1		NW	SW		GOODING

OTHER WR RECORDS WITH SAME WR POD
NONE

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
NONE NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER
N

REMARKS:

P/D verified via ASCS aerial photo with
well location marked by claimant.
KRC

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
------	------	------	-----	-----	-----	-----	--------

same

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY:

lu

DATE:

9/5/90

MICROFILMED

FEB 04 1993

A. ROOT WATER RIGHT NUMBERS: A36-07513

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
08S	15E	1	NE	SW		DAVIS, CHERYL	A36-07513 740.0	36-07513 740.0	39.0		40
08S	15E	1	NW	SW		DAVIS, CHERYL DAVIS, JAMES	A36-07513 735.0 A36-10567 /	36-07513 740.0 -	39.0		35
08S	15E	1	SW	SW		DAVIS, CHERYL	A36-07513 737.0	36-07513 740.0	37.0		37
08S	15E	1	SE	SW		DAVIS, CHERYL	A36-07513 740.0	36-07513 740.0	40.0		40.0
TOTAL ACRES							A36-07513	152.00	160.00	155.00	152

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
N

FIELD
EXAMINER
N

PRESUMPTION FLAG:

REMARKS:

*Found; claimed acres the same. acres less than licensed
They agree with the BCS photo (requires condition
accept as claimed code C09)
KKC*

RECOMMENDATIONS:

TOTAL ACRES: 152

REVIEWED BY: LW

DATE: 9/5/90

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A36-07513 IRRIGATION	FROM 03-15 TO 11-15	2.670 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		2.670 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
36-07513 IRRIGATION	FROM 03-15 TO 11-15	1.730 CFS 640.00 AF/A
TOTAL DIVERSION RATE/VOLUME CLAIMED		1.730 CFS 640.00 AF/A

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	~~N~~
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	Y	~~Y~~
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	~~N~~

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y() N()

RECOMMEND TO WR STANDARDS OR OTHER?

Y() N() Explain in remarks, below.

REMARKS:

at standard
OK.

MICROFILMED

FEB 04 1993

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y() N(☒)

AJ TOTAL CLAIMED DIVERSION RATE: 2.670 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 1.730 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

Y
FIELD EXAMINER ☒

B.

FLOW MEASUREMENT

MEASUREMENT METHOD PSI measurement, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N(☒) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A36-10567	DOMESTIC	DAVIS, JAMES	FROM 01-01 TO 12-31	.110 CFS	
A36-10567	STOCKWATER	DAVIS, JAMES	FROM 01-01 TO 12-31	.020 CFS	

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE
ACRES 152 x 0.02 CFS/ACRE = 3.04 CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(☒)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 456.0 AF/A

ACRES 152 x CONSUMPTIVE VOL. AF/A FOR AREA 3 =

TOTAL CONSUMPTIVE USE 456 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES 152 x DIVERSION VOL. AF/A FOR AREA 4 =

TOTAL DIVERSION VOLUME 608 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(☒)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

*see attached calculations + claim
remarks*

MICROFILMED

FEB 04 1993

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CES	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	03-15 11-15	DATABASE EXAMINER 2.670 /	DATABASE EXAMINER 608	DATABASE EXAMINER 456.0 /
TOTAL FOR THIS RIGHT		2.670		456.0

REVIEWED BY:

LW

DATE:

9/5/90

Diversion rate to be recommended as
incised; see attached memo.

KKC
11-26-91

Recommend
1.73 CFS

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FOREFIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED
AS CLAIMED

()
()
()

NEEDS
REVIEW

()
()
()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-07513

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
1.730

EXAMINER
N/A

CFS

SPLITS:

OLD RIGHT
NUMBERS

CURRENT
CLAIM NUMBERS

DIVERSION
RATE

CURRENT "R"
CLAIM NUM.

"R" DIV.
RATE

WR RIGHT
NUMBERS

DIVERSION
RATE

-

A36-07513

2.670

-

36-07513

1.730

TOTAL CFS

2.670

1.730

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
N

FIELD
EXAMINER
N/A

REMARKS:

AUTHENTICATION:

SIGNATURE: lw

DATE: 9/5/90

NAME OF FIELD EXAMINER: _____ TITLE: _____

MICROFILMED
FEB 04 1993

A36-07513

RE: DIVERSION RATE REDUCTION.

The claimant requested 2.67 Cfs as appeal to the licensed diversion rate of 1.73 CFS. The additional div rate is Not recommended.

I spoke with Rene Martin (IDWR legal dept) on 11-26-91 about this problem. Although the available data seems to support the 2.67 CFS rate, it cannot be allowed in the adjudication proceedings because the right holder had the opportunity to protest the licensed diversion rate at the time of licensing. The licensed diversion rate stands.

Kelly K. Christensen

MICROFILMED

FEB 04 1993

RECEIVED

風 俗 誌

Office address: Route 3, Wendell, Idaho 83793

Partisan χ^2 (df=1) = 1.00, p = .32.Source of water supply: Groundwater ☒ Surface water ☐

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

(energy saving, etc.)

being used for the following purposes:

1. 20

Introduction

(measure of error)

Approved by _____

March 19 .. Nov. 19 ..

(inv) -day) mature (inv) -day)

Abstract

• **Author:** [Name]
 • **Title:** [Title]
 • **Journal:** [Journal]
 • **Year:** [Year]
 • **Volume:** [Volume]
 • **Issue:** [Issue]
 • **Pages:** [Pages]

Structure 1 (1981)

Period: 1 Jan 1999 - 31 Dec 1999

(from -day) exclusive (from -day)

Abstract

2000

Frequency of use

Forward and Back

1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810

Abstract **Background:** The purpose of this study was to determine the prevalence of self-reported depression and anxiety among a sample of young adults in the United States. **Methods:** Data were obtained from the 2004 National Survey of Adolescent Health, a nationally representative survey of adolescents and young adults. The survey included questions about self-reported depression and anxiety. **Results:** The prevalence of self-reported depression was 12.5% and the prevalence of self-reported anxiety was 15.5%. **Conclusions:** The prevalence of self-reported depression and anxiety among young adults in the United States is high. **Keywords:** Depression, Anxiety, Prevalence, Young Adults.

* Total amount not appropriated

Mass Rate of Diversion 3.22 cubic feet per second and annual volume 111,000 MGD/yr.

Abstract and Practical Discussion

Countdown	25	10%	Large	1.5	5.00	0.00	Section	1	Subtotal	25	5.00	0.00	Grand Total
-----------	----	-----	-------	-----	------	------	---------	---	----------	----	------	------	-------------

Township _____ Range _____ B.M. Section _____ Cause

Ownership: _____ H&L Range: _____ BWP: _____ R. 24: _____ Sec. 36: _____ Township: _____

Keywords: *depression, mood, mood disorder, mood disorder diagnosis, mood disorder treatment, mood disorder symptoms, mood disorder signs, mood disorder risk factors, mood disorder prevention, mood disorder management, mood disorder prognosis, mood disorder research, mood disorder statistics, mood disorder prevalence, mood disorder incidence, mood disorder mortality, mood disorder morbidity, mood disorder quality of life, mood disorder social support, mood disorder coping, mood disorder self-help, mood disorder therapy, mood disorder medication, mood disorder surgery, mood disorder diet, mood disorder exercise, mood disorder sleep, mood disorder stress, mood disorder anxiety, mood disorder personality, mood disorder cognition, mood disorder behavior, mood disorder communication, mood disorder relationships, mood disorder family, mood disorder work, mood disorder school, mood disorder community, mood disorder culture, mood disorder religion, mood disorder spirituality, mood disorder ethics, mood disorder law, mood disorder politics, mood disorder economics, mood disorder sociology, mood disorder psychology, mood disorder biology, mood disorder medicine, mood disorder nursing, mood disorder dentistry, mood disorder pharmacy, mood disorder veterinary, mood disorder podiatry, mood disorder optometry, mood disorder audiology, mood disorder speech therapy, mood disorder occupational therapy, mood disorder physical therapy, mood disorder rehabilitation, mood disorder palliative care, mood disorder hospice, mood disorder end-of-life care, mood disorder bereavement, mood disorder grief, mood disorder loss, mood disorder trauma, mood disorder PTSD, mood disorder PTSD symptoms, mood disorder PTSD signs, mood disorder PTSD risk factors, mood disorder PTSD prevention, mood disorder PTSD management, mood disorder PTSD prognosis, mood disorder PTSD research, mood disorder PTSD statistics, mood disorder PTSD prevalence, mood disorder PTSD incidence, mood disorder PTSD mortality, mood disorder PTSD morbidity, mood disorder PTSD quality of life, mood disorder PTSD social support, mood disorder PTSD coping, mood disorder PTSD self-help, mood disorder PTSD therapy, mood disorder PTSD medication, mood disorder PTSD surgery, mood disorder PTSD diet, mood disorder PTSD exercise, mood disorder PTSD sleep, mood disorder PTSD stress, mood disorder PTSD anxiety, mood disorder PTSD personality, mood disorder PTSD cognition, mood disorder PTSD behavior, mood disorder PTSD communication, mood disorder PTSD relationships, mood disorder PTSD family, mood disorder PTSD work, mood disorder PTSD school, mood disorder PTSD community, mood disorder PTSD culture, mood disorder PTSD religion, mood disorder PTSD spirituality, mood disorder PTSD ethics, mood disorder PTSD law, mood disorder PTSD politics, mood disorder PTSD economics, mood disorder PTSD sociology, mood disorder PTSD psychology, mood disorder PTSD biology, mood disorder PTSD medicine, mood disorder PTSD nursing, mood disorder PTSD dentistry, mood disorder PTSD pharmacy, mood disorder PTSD veterinary, mood disorder PTSD podiatry, mood disorder PTSD optometry, mood disorder PTSD audiology, mood disorder PTSD speech therapy, mood disorder PTSD occupational therapy, mood disorder PTSD physical therapy, mood disorder PTSD rehabilitation, mood disorder PTSD palliative care, mood disorder PTSD hospice, mood disorder PTSD end-of-life care, mood disorder PTSD bereavement, mood disorder PTSD grief, mood disorder PTSD loss*

Description of the sample: 129 No. 10014 water level 199, 10" well



Measuring Service               

• Depends on the individual and process of work

[illegible]

MICROFILMED

Fig. 4



DATE OF DRAW 7-28-77

ACREAGE

MICROFILMED
FEB 04 1993
FEB 4

DATE OF EXAM 7-28-77

AC MEAS

Found

160

Recommended

160

Irrigation Requirement

4.0

in 1944

USE

Irrigation Q=

1.73

Q= 6.66

APPROX. FROM

MARCH 15

to

APR 15

Domestic Q=

1.0

Q=

APPROX. FROM

APPROX. FROM

APPROX. FROM

APPROX. FROM

Livestock Q=

1.0

Q=

APPROX. FROM

APPROX. FROM

APPROX. FROM

APPROX. FROM

Is water exchanged? yes

no

Name source

resp.

APR. 1977

SPW. 0.00, 0.00

Sub.

10

10

County

Exchange? no

no

Name source exchanged with

resp.

APR. 1977

SPW. 0.00, 0.00

Sub.

10

10

County

Point of injection

resp.

APR. 1977

SPW. 0.00, 0.00

Sub.

10

10

County

Point of exchange

resp.

APR. 1977

SPW. 0.00, 0.00

Sub.

10

10

County

Total Q measured

1.73 cfs

Method of measurement WATA FLOW METER

Total Q recommended

1.73 cfs

Model No. 702-198

Type

or

Condition

NEW

Total V recommended

6.40 0 A cfs/Ann.

Recommended Amendments

PD

Place of Use

Other

None

MEASUREMENT CALCULATION

MEASUREMENT: 7.75 gal/min. + 0.00 gal/min = 7.75 gal/min

FLOW: 6.40 A cfs/Ann. (9.0 A cfs/Ann. SEE REMARKS)

est. depth Low water = 150' (nearby OBS well in sec 18 8S 16E) $Q = P(8.8) = 125(8.8) = 1100$

SYSTEM DESCRIPTION

1.5 IN. VERTICAL MOTOR SERIAL # 051/290

WELL LINE PUMP SERIAL # 051/290

1.5 IN. LINE, WHEEL LINES WITH RINGS / LINE

1.5 IN. LINE, HAND LINES WITH RINGS / LINE

SYSTEM WAS AT CAPACITY DISCHARGE

= 1.65 CFS

150 (2.33) x 8.8

= 1865

REMARKS

N. JAMES DAVID NOW OWNS THE PROPERTY. HE WAS PRESENT DURING THE FIELD EXAM.

Engineer's Signature

James David

Checked by

J. David

Approved by

J. David

100 12 3 10

100 2 16 78

100 2 16 78

MICROFILMED
FEB 04 1993

Called state
125 HP office for data
(8) 1/4 mi 32 Hds/line
1 1/4 mi, Hand line 32 Hds

T-85 RISE

hoy

15.3
22.6
57.7
145.5

Domestic Well

57.7

D.190
(729d)

35

+976
40

15.2
Iris. Well

D
72.6

37

40

D865
(731d)
+9

F
7.2

I
3.8

D608
(736d)

A
9.6
T-1059

D
12.2

C
7.9

26.4

D889
(737d)
T-783

C
2.8

B
2.5

D
7.2

MICROFILM

FEB 04 1993

A36-07513

US Electric
C521990
125 HP

9/64th" nozzles
8 wheel lines
1 hand line

	PSI UPPER	PSI LOWER	AVERAGE	CHART	# of NOZZLES	GPM
1.	51	57	54	4.18	30	125.4
2.	55	55	55	4.22	29	122.4
3.	49	49	49	4.0	16	64.0
4. HAND LINE	53	58	55.5	4.24	14	59.4
5.	46	50	48	3.96	32	126.7
6.	51	46	48.5	3.98	32	127.4
7.	56	53	54.5	4.20	32	134.4
8.	46	41	43.5	3.78	32	121.0
9.	46	41	43.5	3.78	32	121.0
10.	46	58	52	4.11	32	131.5

TOTAL GPM = 1133.2

$$1133.2 \div 450 = 2.52 \text{ CFS}$$

$$\text{UNMEASURED LEAKAGE } \approx .13$$

(56.5 GPM) 5% EST.

$$\underline{\underline{2.67 \text{ CFS}}}$$

MICROFILMED

FEB 04 1993

10/3/1990