

RECEIVED

04/14/2021

APR 26 2021

IDWR/NORTH

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-10408

CHARLES E HULL
1146 HENDRIX RD
MOSCOW ID 83843
Telephone Number: (208) 882-1729

BESSIE E HULL
1146 HENDRIX RD
MOSCOW ID 83843
Telephone Number: (208) 882-1729

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 4-26-21 SIGNATURE: Charles Hull - Bessie E Hull
Please print your name: Charles Hull - Bessie E. Hull

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D'ALENE, ID 83815-7763, (208) 762-2800