

04/12/2021

RECEIVED

APR 27 2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-10218

DIANE SAMPSON

3171 W TWIN RD

MOSCOW ID 83843

Telephone Number: (208) 883-4830

ERWIN DAVID SAMPSON

3171 W TWIN RD

MOSCOW ID 83843

Telephone Number: (208) 883-4830

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

✓

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

4-23-21

SIGNATURE:

Diana Sampson

Please print your name:

Diane Sampson

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800