

04/10/2021

RECEIVED

APR 27 2021

DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

**YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021**

Water right number: 87-10493

RICHARD BERGER  
4549 HIGHWAY 95 N  
MOSCOW ID 83843  
Telephone Number: (208) 882-2514

DIANNE ATKISON  
4549 HIGHWAY 95 N  
MOSCOW ID 83843  
Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 4-21-2021 SIGNATURE: Richard Berger

Please print your name: RICHARD BERGER

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800