

04/10/2021

RECEIVED

MAY 03 2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-10137

RITA E BINDL
1125 JACKSHA RD
MOSCOW ID 83843-7816
Telephone Number: (208) 882-3010

JOHN BINDL
1125 JACKSHA RD
MOSCOW ID 83843-7816
Telephone Number: (208) 882-3010

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:



I AGREE with this proposed recommendation: no changes need to be made.

DATE: 4-27-2021

SIGNATURE:

Rita E Bindl

John Bindl

Please print your name:

RITA E BINDL

JOHN BINDL

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800