

NOTICE OF ERROR
REPLY

RECEIVED

MAY 03 2021

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-10138

DOROTHY BALDRIDGE

220 ONAWAY RD

ONAWAY ID 83855

Telephone Number: (208) 875-1510

KIM JONES

220 ONAWAY RD

ONAWAY ID 83855

Telephone Number: (208) 875-1510

RICKY JONES

220 ONAWAY RD

ONAWAY ID 83855

Telephone Number: (208) 875-1510

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE:

4/28/01

SIGNATURE:

Kim Jones

Please print your name:

KIM JONES

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800