

NOTICE OF ERROR
REPLY

04/10/2021
RECEIVED
MAY 07 2021
DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11273

GREGORY M DAHMEN

3365 FOOTHILL RD

MOSCOW ID 83843

Telephone Number: (208) 669-0197

DORTHY L DAHMEN

3365 FOOTHILL RD

MOSCOW ID 83843

Telephone Number: (208) 669-0197

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

5/2/21

SIGNATURE:

Gregory M. Dahmen

Please print your name:

Gregory M. Dahmen

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800