

RECEIVED

04/12/2021

MAY 10 2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-10142

MARK WINTZ

1004 DAIRY LN

MOSCOW ID 83843

Telephone Number: (208) 596-5555

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Our property consists of 2 legal parcels totaling approximately 3 acres. The house and gardens are on one 1 1/2 acre parcel & the other parcel is used for growing flowers & vegetables, etc. We are in the process of expanding our gardens for local

2. Describe the changes you wish to make in the proposed recommendation:

supply to restaurants, etc. We would ask that the daily quantity be increased to 26,000 gpd. our well can easily produce .04 CFS. The adjoining parcel does not have its own well.

3. Give a brief explanation as to why you disagree with these portions:


We may need more than 13,000 gpd to meet our local farming supply goals.

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

5/5/21

SIGNATURE:



Please print your name:

MARK WINTZ