

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-07636
Date Received: 10-12-89
Receipt No: C012178
Received By: hlt

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

RECEIVED
OCT 12 1989

1. Name: J. R. SIMPLOT COMPANY
Address: P.O. BOX 27
BOISE, ID

83707

2. Date of Priority: JUL 27, 1976

3. Source: GROUNDWATER

Trib. to:

Department of Water Resources

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
10S	24E	6	SW	NW		2	MINIDOKA

5. Description of diverting works:
WELL, PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
INDUSTRIAL	01/01	12/31	0.490		1.80

7. Total Quantity Appropriated is:
0.490 C.F.S. (and/or) 1.80 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
I/LIQUID FERTILIZER PLANT & OFFICE.

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
10S	24E	6	SW	NW	2	INDUST	
			SE	NW		INDUST	

11. Place of use in counties: MINIDOKA

A36-07636

Page 1

Date: 10/11/89

MICROFILMED
FEB 04 1993

date: 10/11/89
MICROFILMED
FEB 04 1993

B 48 C 6.4 D 11.9 10.2

7.2

2.5

3.8

place of Use
point of Division

B615
(2628)

14124

B 324 A36-07636

D493
(30)

B615
(20)

B615
(10)

A 5.4

C 15.6

A 19.5

B 13.1

D 4.2

E 5.1

F 12.4

I 26.6

B 13.3

D494
(40)

TAX 4

D316
(50)

D497
(40)

A 4.4

A 22.2

10.6

E 18.6

B 4.6

C 18.9

D498
(40)

A 10.8

D6
(60)

SECTION 16
T10S R.24E

B 3.0

C 12.7

28.2

A 63.7

D8
(50)

D450
(90)

A 24.2

POOR ORIGINAL

MICROFILMED
FEB 04 1985

A 19.5

5.1

C 22.6

D 9.2

E 8.5

13

12.7

200 S.

3

13.5

7.8

COPY TO FILE

C012178

RECEIVED

OCT 26 1989

Department of Water Resources
Southern Region Office

10/12/89
13:24:30

SIMPLOT COMPANY, J.R.

ADJUDICATION FEE
APPLICATION FOR PERMIT

0410162 9337 6490 \$4,912.00
0610199 1238 6390 \$45.00

\$4,957.00

CHECK 47890

WR/NO: A36-02648 A36-02729 A36-08154 A36-04182 A36-04181
A36-04180 A36-04178 A36-04179 A36-02542 A36-04256
A36-07636 A36-02620 A36-02619 A36-02213 A36-02208
A36-13320 A36-13319 A36-02212 A36-04006

Idaho Department of Water Resources

Region: STATE

Signature: _____

10/17/89 JP

AFTER CHANGE

MICROFILMED
FEB 04 1993

J. E. Simplot Company

A36-2648 - \$316

A36-2729 - \$106

A36-08154 - \$500

A36-04182 - \$57

A36-04181 - \$51

A36-04180 - \$51

A36-04178 - \$51

A36-04179 - \$685

A36-02542 - \$272

A36-04256 - \$99

A36-07636 - \$99

A36-02620 - \$50

A36-02619 - \$690

A36-02213 - \$50

A36-02208 - \$370

A36-13320 - \$600

A36-13319 - \$85

A36-02212 - \$50

A36-04006 - \$730

Application - 45

4,957.00

CO12178

Come 11

Bar -U- Inc.

A36-13261 - \$25

A36-13258 - 25

\$50

CO12179

MICROFILMED
FEB 04 1993

INVOICE NO.	DESCRIPTION	ACCOUNT	CENTER	AMOUNT	PROJECT	DESC. II
	SNAKE RIVER ADJUDICATION			\$50.00		

PAYER: DETACH THIS STATEMENT BEFORE DEPOSITING.

J. R. SIMPLOT COMPANY - Boise, Idaho 83707

No

47890

INVOICE NO.	DESCRIPTION	ACCOUNT	CENTER	AMOUNT	PROJECT	DESC. II
	SNAKE RIVER ADJUDICATION			\$4,957.00		

J.R. SIMPLOT CO

10-12-89

Jeff —

I received two checks for
Vic Conrad —

\$50 for the 2 Bar U, Inc. ^{attached}

\$4957⁰⁰ for 19 claims (attached)
1 app/permit (sent to ^{sent to} ~~Simpson~~)

He said he would bring the maps
next week.

Also, he did not bring the
list with fees for each
claim. Therefore, the receipt ~~is~~
does not break out the
claims. When he brings
the list back, receipt needs
to be corrected & have all
claims listed. ^{fees}

Glen

MICROFILMED

FEB 04 1993

INPUT: AJ_SELECTION:FRAZEE-NAME-SIMPLOT.SEL

TYPE OF ACTION: ADD

MODIFY ALL FIELDS FLAG:

LAST NAME: YOUNG, GRAY OR BRUCE BELZER
ADDRESS LINE 1: J R SIMPLOT CO LEGAL DEPT
ADDRESS LINE 3: PO BOX 27
CITY: BOISE

STATE: ID ZIP: 837070027

FIRST NAME:
ADDRESS LINE 2:999 MAIN ST STE 1300
PHONE NUMBER: (208) 389-7318

36-02208 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02212 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02213 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02542 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02619 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02620 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02648A ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02648B ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-02729 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04006 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04179 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04180 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04181 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04182 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-04256 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-07333 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-07636 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-08154 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-13319 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
36-13320 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
57-02202 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
57-02203 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A01-04058 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A01-10101 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00006 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00015 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00060 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00076 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-00087 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02053 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02118 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02139 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02166 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02220 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02221 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02222 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02241 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-02409 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-07027 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-07040 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-07382 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-10002 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-10026 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A02-10049 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A22-07423 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A22-07451 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A24-07113 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A24-07164 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE
A24-07169 ATTORNEY NAME SUCCESSFULLY ADDED TO NAME FILE

you have N.O.A. copy.
-Sal

RECEIVED

APR 10 1993
DEPARTMENT OF WATER RESOURCES
SOUTH BEND, INDIANA

MICROFILMED

OCT 19 1994

GRAY YOUNG
BRUCE BELZER
Attorneys at Law
J. R. Simplot Company Legal Department
999 Main Street, Suite 1300
P.O. Box 27
Boise, ID 83707
(208) 389-7318
(208) 389-7515 Telefacsimile

Attorneys for J. R. Simplot Company

RECEIVED
JAN 21 1992

Department of Water Resources

RECEIVED

APR 06 1993

Department of Water Resources
Southern Region Office

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT
OF THE STATE OF IDAHO IN AND FOR THE COUNTY OF CASSIA

In Re the General Adjudication
of Rights to the Use of Water
From the Snake River Drainage
Basin Water System.

The State of Idaho, ex rel.
R. Keith Higginson in his
official capacity as Director
of the Idaho Department of
Water Resources,

Petitioner,

vs.

The United States;
The State of Idaho;
and All Claimants to the Use
of Water from the Snake River
Basin Water System,

Respondents.

ALICE FOSHA, HELEN FLINT, and
BEVERLY ADAMS, individuals,

Plaintiffs,

vs.

A. KENNETH DUNN, Director of the
Department of Water Resources
of the State of Idaho,

Twin Falls County
Civil Case No. 39576

and

Cassia County
Civil Case No. 13770-12-83

NOTICE OF APPEARANCE

*Don modified thru
C.A.N. program.*

*4-1-93
-2/*

MICROFILMED
OCT 19 1994

Defendants.)

IN THE MATTER OF THE GENERAL)
DETERMINATION OF RIGHTS TO THE)
USE OF GROUNDWATER DIVERTED)
FROM SECTIONS 19, 20, 21, 28, 29,)
30, 31, 32, AND 33, T. 11 S.,)
R. 27 E., B.M.)

A. KENNETH DUNN, Director of the)
Department of Water Resources)
of the State of Idaho,)

Counterplaintiff,)

vs.)

ALICE FOSHA, HELEN FLINT, and)
BEVERLY ADAMS, individuals,)

Counterdefendants.)


TO ALL PARTIES:

GRAY YOUNG, Assistant General Counsel, J. R. Simplot
Company, hereby enters his appearance as co-counsel on behalf
of J. R. Simplot Company in this action. All notices to
J. R. Simplot Company should be delivered to the following
address:

Gray Young
Bruce Belzer
J. R. Simplot Company
Legal Department
999 Main Street, Suite 1300
P.O. Box 27
Boise, ID 83707

DATED this 20th day of January, 1992.

By


GRAY YOUNG

Assistant General Counsel

4507vrl-20-92/1:42

MICROFILMED

OCT 19 1994

CERTIFICATE OF MAILING

I HEREBY CERTIFY that a true and correct copy of the foregoing NOTICE OF APPEARANCE was mailed this 20th day of January, 1992, in an envelope with sufficient first-class postage prepaid thereon to the following:

Idahome Farms, Inc.
1925 Oakley Avenue
Burley, ID 83318

Dennis Jay Harper
Star Route
Declo, ID 83323

Roland Allen Land &
Livestock
Star Route
Malta, ID 83342

Mark J. Taylor
Strong & Hanni
5th Floor, Boston Building
Salt Lake City, UT 84111
Attorney for Fosha, et al.

Leo A. Jardine
Jardine, Linebaugh,
Brown & Dunn
Suite 400
370 East South Temple
Salt Lake City, UT 84111
Attorney for Raft River Ranches, Inc.

A. Lynne Krogh-Hampe
Deputy Attorney General
Idaho Department of Water Resources
1301 North Orchard
Boise, ID 83706-2237


VICKI SPANGLER

MICROFILMED
OCT 19 1994

Water Right Number - R36-07636

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** A - ATTORNEY ***

YOUNG OR TERRY UHLING

GRAY

1 - ENV AND REGULATORY AFFAIRS

2 - J R SIMPLOT COMPANY

3 - PO BOX 27

City- BOISE

State- ID Zip- 837070027

Phone - 208-389-7318

*** C - CURRENT OWNER ***

J R SIMPLOT COMPANY

1 - PO BOX 27

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

*** K - ALSO KNOWN AS ***

SIMPLOT

1 -

2 -

3 -

City- BOISE

State- ID Zip- 83707

Phone - 208-000-0000

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - - +
07/27/1976 17 SOUTHERN L - LICENSE

+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot Rflg County Diversion Name
10S 24E 6 SW NW 2 (67) MINIDOKA

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
07 - INDUSTRIAL 01/01 12/31 0.490 1.80

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
0.490 1.80 1.5

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County
10S 24E 6 SW NW 2 07 INDUSTRIAL (67) MINIDOKA
10S 24E 6 SE NW 2 07 INDUSTRIAL (67) MINIDOKA

+ - - Diversion Means - 2 WELLS (8"/6" X 158'/122'), 2 PUMPS (40HP/1HP)

+ - - Non-Irrigation Use - 1/LIQUID FERTILIZER PLANT & OFFICE

+ - - Other Rights for Same Use - NONE

updated
12-10-97
K K C

EXP Remark

Water right number - R36-07636

Prefix Translation: RESEARCH

+ - - - - Remarks - - - - - +

POD TWO POINTS OF DIVERSION LOCATED IN SWNW(LT.2) S06, T10S, R24E.

+ - - - - Old Water Right Numbers - - - - - +

No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +

No Conditions of Approval found.

+ - - - Decree Plaintiff - - - +

+ - - - Decree Defendant - - - +

+ - Decree Date - +
00/00/0000

+ - - Audit Fields - 08/15/96 DJONES

+ - - - - Comments - - - - - +

No Comments Found

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000	Old Judicial District	-
Claim Received Date	- 10/12/1989	Last Amended Date	- 00/00/0000	Temporary Right	- P
Proof Due Date	- 00/00/0000	Proof Made Date	- 00/00/0000	Water District	-
Licensed Date	- 00/00/0000	Receipt Number	- C012178	Federal/State Indicator	- S
		POU Ownership Flag	- Y	Presumption Flag	-
		Name Connector	- AND/OR	Notice of Error Flag	-

R PROOF



CVR



MAPS



PHOTOS



MISC



MICROFILMED

FEB 04 1993

Water Right Number - R36-07636

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
J R SIMPLOT COMPANY1 - PO BOX 27
2 -
3 -
City- BOISE
Phone - 208-000-0000

State- ID Zip- 83707

*** K - ALSO KNOWN AS ***
SIMPLOT1 -
2 -
3 -
City- BOISE
Phone - 208-000-0000

State- ID Zip- 83707

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
07/27/1976 17 SOUTHERN L - LICENSE+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County

10S 24E 6 SW NW 2 (67) MINIDOKA

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
07 - INDUSTRIAL 01/01 12/31 0.490 1.80+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
0.490 1.80 1.5+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County
10S 24E 6 SW NW 2 07 INDUSTRIAL (67) MINIDOKA
10S 24E 6 SE NW 07 INDUSTRIAL (67) MINIDOKA

Total Acres:

+ - - Diversion Means - 2 WELLS (8"/6" X 158'/122'), 2 PUMPS (40HP/1HP)

+ - - Non-Irrigation Use - I/LIQUID FERTILIZER PLANT & OFFICE

+ - - Other Rights for Same Use - NONE

+ - - - - Remarks - - - - - +
TWO POINTS OF DIVERSION LOCATED IN SWNW(LT.2) S06, T10S, R24E.

MICROFILMED

FEB 04 1993

Water right number - R36-07636

Prefix Translation: RESEARCH

+ - - - - Old Water Right Numbers - - - - - +

+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers Found

+ - - - - Conditions of Approval - - - - - +
No Conditions of Approval found.

+ - - - Decree Plaintiff - - - + + - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +
No Comments Found

+ - - Audit Fields - - +
08/11/92 MERRITT

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 08/14/1991	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 08/11/1992	Old Judicial District	-
Claim Received Date	- 10/12/1989	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- C012178	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- AND/OR	Presumption Flag	-
				Notice of Error Flag	-

MICROFILMED
FEB 04 1993

CLAIM NO. A36 - 07636

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
CLAIM VERIFICATION EXAM SHEET
FOR SMALL INDUSTRIAL AND COMMERCIAL CLAIMS IN PLACE OF A CVR

1. ☒ No Change NAME:
NEW OWNER: _____
☒ No Change ADDRESS:
NEW ADDRESS: _____
☐ DATA ENTRY STANDARDS CHECKED?
2. ☒ No Change - DATE OF PRIORITY: -LICENCE
(EVIDENCE OF PRIORITY REQUIRED) ☐ Proof in File
☐ Claimant Contact if Not
☐ CHANGE- Priority date, per claimant, is _____.
(if the priority date, based on your exam, seems questionable,
explain in COMMENTS.)
3. ☒ No Change - SOURCE:
☐ CHANGE - Different Source found: _____.
4. ☒ No Change - POINT OF DIVERSION:
Point of diversion is different than the claim
New P/D: Twp. _____, Rge. _____, Sec. _____, _____ 1/4 _____ 1/4 _____ 1/4

Note: If the 10-acre tract is shown on the claim, then verification of the 10-acre parcel is needed. Otherwise the 10-acre tract is not required, unless the source is a spring.

5. ☐ No Change - DESCRIPTION OF DIVERTING WORKS:
☒ Complete items missing, IF KNOWN. -2 PUMPS

HP of pump 40/1 Static water level 12' Well depth 158'/122'
Casing size 8 1/6" Pumping water level ? Gravity flow ?

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

MICROFILMED

FEB 04 1993

$$Q = \frac{(8.8) \quad (\dots \overset{40 \text{ hp}}{\text{hp}} \dots) \quad (0.70)}{[(\dots \overset{12}{\text{ft}} \dots) + (\dots \overset{40}{\text{ft}} \dots \times 2.31)]} = \underline{2.36 / 0.06 \text{ cfs}}$$

LIFT FROM:

measurement ()

owner ()

area estimate ()

well logs (X)

Booster (Y) (N)

PSI FROM:

measurement ()

owner ()

estimate (-)

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

REMARKS

* Was licensed for 0.49 cfs per mess.

.....
DESCRIPTION OF USE: (Fully describe type, time & all aspects of Use)

THE 1HP SUBMERSIBLE IS USED IN THE OFFICE WHILE THE 40 HP IS USED TO

WASH EQUIPMENT

CALCULATE VOLUMES: (time)X(rate)= Vol.

1HP - DOMESTIC TYPE USE SO NO CONSUMPTION CALCULATED

40 HP - 3HR A WEEK MAX = 30 AFA DIVERSION

75% 30 = 23 AFA CONSUMPTION - FIGURING WATER IS RELEASED ON THE GROUND

Lic 1.80 Af2 assume all is consumed.

$$\text{Dom} = \frac{24 \text{ people} \times 15 \text{ gph (Dr. makes)} \times 300 \text{ days}}{225,000} = 0.33 \text{ Af2}$$

↑
non consumption

Fertilizer Use - Assume totally consumed.

$$1.8 - 0.3 = 1.5 \text{ consumption}$$

6. ☒ No Change - WATER USES:
RECOMMENDED USES:

						div	cons
Use	_____	From	_____	To	_____	Amount	_____ cfs <u>30</u> af <u>23</u> af
Use	_____	From	_____	To	_____	Amount	_____ cfs _____ af _____ af

☐ DATA ENTRY STANDARDS CHECKED FOR ITEMS 6, 7, 8 AND 9.

10. ☒ No Change - PLACE OF USE: (If changed, list below.)
Use Twp. Rge. Sec. 1/4, 1/4, 1/4

_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

13. ☒ No change - OTHER RIGHTS FOR SAME USE:
CHANGE: _____

14. ☐ REMARKS AND CONDITIONS
(copy existing remarks to comments in "R")
☐ LIST STANDARD REMARKS FOR THE RECOMMENDATION: ☐ NONE

☐ LIST STANDARD CONDITIONS FOR THE RECOMMENDATION: ☐ NONE

15. ☒ BASIS OF CLAIM VERIFIED AS: D - L - P - S - J (circle one)

COMMENTS: (pertinent to field examination)

A36-04256 APPEARS TO BE A DUPLICATE, &

MICROFILMED
FEB 04 1993

ATTACHMENTS: Attached to This Form. Attachments are in Permit File.

PHOTOS
MAP

SYSTEM DIAGRAM

X

well LOG X

DATE EXAM CONDUCTED: 8/14/91

ACCOMPANIED BY: _____

FIELD EXAMINER: MIKE HARSHBARGER

SIGNATURE: Michael Harshbarger

REVIEWED BY/DATE: B.V.W 9/19/91

DATA ENTRY BY/DATE: MTM 8/16/91

VERIFICATION BY/DATE: B.V.W 9/19/91

SEP 8 1976

WELL DRILLER'S REPORT

JUL 29 1976

This report is to be submitted to the Director, Department of Water Administration within 30 days of completion or abandonment of the well.

Department of Water Administration
Southern District Office1 HP
SITEJ. R. Sempier
Owner

2. WATER LEVEL

Static water level 12 feet below land surface
 Pumping water level 12 feet below land surface
 Artesian (static pressure) _____
 Water bearing _____

3. WELL TEST DATA

Flow rate _____
 Draw down _____
 Hours _____

4. LITHOLOGIC LOG

Depth	Material	Locust
From	To	Feet
0	122	
0	4	topsoil
4	18	gravel & water
18	29	fine sand
29	40	thick clay
40	65	gray clay
65	82	sand and clay
82	104	fine gravel & sand
104	113	gray clay & sand
113	122	gray clay & rock

6 inches 122 feet
 6 inches 117 feet
 6 inches 117 feet
 6 inches 117 feet
 6 inches 117 feet

Well is cased? ☒ Yes ☐ No
 Casing material ☒ Steel ☐ Concrete
 Casing size _____
 Casing depth _____

Well is cased? ☒ Yes ☐ No
 Casing material ☒ Steel ☐ Concrete
 Casing size _____
 Casing depth _____

Well is cased? ☒ Yes ☐ No
 Casing material ☒ Steel ☐ Concrete
 Casing size _____
 Casing depth _____

6. LOCATION OF WELL

Well is located _____
 Section _____
 Township _____
 Range _____

10. Well is located _____
 June 18 - 76 to June 22 - 76

1. DRILLERS CERTIFICATION

I, Harry McNeill Drilling, Inc., do hereby certify that the well was drilled and tested in accordance with the requirements of the Department of Water Administration.
 Signed by Firm Officer _____
 and _____
 Operator _____

FEB 04 1993

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

WELL DRILLER'S REPORT

JUL 29 1976

Report of Water Forces
Southern District Office

40 HP
SITE

J. R. Simpson Co.
Superior, Illinois
30-7056

1. WATER LEVEL

Static water level 12 feet below land surface
Yes ☐ No ☐ P.M. flow
Quantity
Control by ☐ Valve ☐ Cap ☐ Plug

2. WELL TEST DATA

Discharge in P.M. 15 Draw Down none Hours Pumped 12

3. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	158			
	0	4	Topsoil		X
	4	18	Gravel & water	X	
	18	29	fine brown sand		X
	29	38	gray clay		X
	38	48	gray clay		X
	48	96	sand, fine gravel		X
	96	110	sand		X
	110	118	clay & sand (mostly sand)		X
	118	123	soft gray lava		X
	123	127	red hard gray lava		X
	127	131	softer gray lava		X
	131	134	red hard		X
	134	148	under last cuttings		X
	148	158	lots of water clay & sand		X

Method drilled ☒ Rotary ☐ Test ☐ Other (specify type)
Waste disposal or injection ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Rotary ☐ Aug ☐ Cth.

5. WELL CONSTRUCTION

Well casing ☒ Steel ☐ Concrete
Diameter 8 inches
Total depth 158 feet
From 1 foot To 118 feet

Well screen or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number of perforations _____ From _____ To _____

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____

Type _____ Model No. _____
Diameter Slot size Set from _____ feet to _____ feet
Diameter Slot size Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet to _____ feet
Placed from _____ feet to _____ feet

Surface seal depth 30 Material used in seal ☐ Cement grout ☒ Peddling clay ☐ Well cuttings
Sealing procedure used ☒ Slurry pit ☐ Temporary surface casing ☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location



Subdivision Name _____
Lot No. _____ Block No. _____

County Milwaukee
Twp. 4N Sec. 6 T 10S N 5, 3 24E E.M.

10 Work started June 22 - 76 finished July 7 - 76

11. DRILLER'S CERTIFICATION

Firm Name Gary Mac Well Drilling Inc.
Address 1692 Kimbrough Street Chicago, IL 60642
Signed by (Firm Official) Gary Mac
Operator _____


FEB 04 1983

4.5 appears to be incorrect.

[illegible]

27 NW	27 NE	27 NW	27 NE
27	27	27	27

T10S R24E



FEB 04 1993


MICROFILMED

HLR

10S24E

MICROFILMED

FEB 04 1993



B 48 C 6.4 D 11.9

10.2

7.2

4.5

3.8

place of Use B615 (2628)

point of Diversion

W12H

B 32.4 A36-07636

D63 (30)

B615 (20)

B615 (10)

A 5.4

C 15.6

G 3.5

A 18.5

D 4.2

E 5.1

F 12.4

I 26.6

B 13.3

D494 (40)

TAX 4

D316 (50)

D197 (44)

A 4.4

A 22.2

B 4.6

C 18.9

10.6

E 18.6

D451 (70)

A 10.8

D6 (60)

SECTION 16
T10S. R.24E

B 3.0

C 12.7

28.2

A 63.7

D8 (50)

D450 (90)

A 24.2

A 19.5

B 10.1

C 22.6

D 9.2

MICROFILMED
FEB 04 1998

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

96-7636

Permit No.

CONTACT WITH PERMIT HOLDER

DATE INITIALS

REMARKS

☐ Appointment letter mailed:

☐ Telephone call made:
(List Telephone No. used)

☐ Appointment scheduled for:
(Date, time, location)

8-5-82

go

EXAMINATION

Date 8-5-82

Accompanied by *Cher Larson*

Total Q measured 0.49 cfs

If source is surface water, estimate total flow of source

Methods of measurement *timed discharge into tank*

Meets Permit requirements? ☒

Measurement calculations:

Measure 1000 gal/283.7 sec = 211 gpm / 448.8 gpm / cfs = 0.47 cfs + 0.02 = .49 capacity ✓
allow .02 cfs from domestic well.

Volume: Estimated at 600,000 gal/acre by Mr. Larson / 325,900 gal / AF = 1.8 AFA
Domestic: 24 people x 50 gal/person x 300 days = 1.1 AFA

WELL/DIVERSION NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	40	FE	T&J 6873062	Linnam	-	1000-gal tank	Good	Main well
2	1	-	-	-	-	-	-	Domestic pump (submersible)

System Description *Two wells pumps, motors, pipelines*

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE
Industrial

Irrigation requirement

Q (cfs)

0.49 ✓

V (gal)

1.8 ✓

AFA Acres

FROM

1-1

TO

12-31

Remarks *No irrigation use, entire area is covered by plant facilities.*

Measuring device requirement should be waived, as flow is under the minimum amount required for measuring device.
Access port in 4" line was in place, but 1" insertion was not possible during the field span.
A 1000-gal tank was filled & timed with a stop watch.

Industries include filling fertilizer trucks, strapping equipment, wire production, domestic use in office.
Heaviest use lasts about 1 month in the spring when we irrigate with overheads for truck application.

MICROFILMED

FEB 04 1993