

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-10121

MARC FLEISHER

2444 BLAINE RD

MOSCOW ID 83843

Telephone Number: (208) 882-3919

ROBERTA KELLY

2444 BLAINE RD

MOSCOW ID 83843-7479

Telephone Number: (208) 882-3919

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10 May 2021 SIGNATURE: Marc Fleisher
Please print your name: MARC FLEISHER

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D'ALENE, ID 83815-7763, (208) 762-2800

Saxton, Craig

From: Marc Fleisher <marc.fleisher@icloud.com>
Sent: Monday, May 10, 2021 9:14 AM
To: NIA Help
Subject: 87-10121
Attachments: 87-10121.pdf

Attached is the Notice of Error Reply for Right Number 87-10121.

I have signed it alone. If you need it also signed by the other party, Roberta Kelly, please let me know.

Thank you.

Marc

Marc Fleisher
2444 Blaine Rd
Moscow ID 83843-7479
208.301.4527, mobile
208.882.3919, house (message only)
marc.fleisher@icloud.com
marc.fleisher@protonmail.com (secure)