

RECEIVED

MAY 17 2021

04/10/2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11267

RODNEY L DALE

2640 TROY RD

MOSCOW ID 83843

Telephone Number: ~~(208) 882-9555~~

SHELLEY R DALE

2640 TROY RD

MOSCOW ID 83843

Telephone Number:

(208) 596-6756

208-596-5888

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

OK

2. Describe the changes you wish to make in the proposed recommendation:

NA

3. Give a brief explanation as to why you disagree with these portions:

NA

X I AGREE with this proposed recommendation: no changes need to be made. Just Phone NO.s

DATE:

5/10/2021

SIGNATURE:

Rodney Dale

Please print your name:

Rodney Dale

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800