

04/12/2021

RECEIVED

MAY 19 2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-10543

RONALD K MILLER
235 NW HARRISON ST
PULLMAN WA 99163
Telephone Number: (509) 595-2883

HELEN MARIE MILLER
235 NW HARRISON ST
PULLMAN WA 99163
Telephone Number: (509) 595-2883

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ We AGREE with this proposed recommendation: no changes need to be made.

DATE:

5/11/2021

SIGNATURE

Ronald K. Miller Helen Marie Miller

Please print your name:

Ronald K. Miller Helen Marie Miller

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800