

RECEIVED 04/12/2021

MAY 25 2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11418

SHANNON KUHL
1085 SADDLE RIDGE RD
MOSCOW ID 83843
Telephone Number: (907) 841-0684

JOSEPH KUHL
1085 SADDLE RIDGE RD
MOSCOW ID 83843
Telephone Number: (907) 841-0684

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: May 16, 2021 SIGNATURE: Joseph C. Kuhl Shannon M. Kuhl
Please print your name: Joseph C. Kuhl Shannon Kuhl

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800