

04/10/2021

RECEIVED

JUN 08 2021

DEPARTMENT
OF WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11162

RHONDA A BUNNEY
1019 O REILLY RD
PRINCETON ID 83857
Telephone Number: (208) 875-0144

LARRY P BUNNEY
1019 O REILLY RD
PRINCETON ID 83857
Telephone Number: (208) 875-0144

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 6/1/2021 SIGNATURE: Rhonda Bunney
Please print your name: Rhonda Bunney

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800