

RECEIVED

JUN 08 2021

04/12/2021

NOTICE OF ERROR
REPLY

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11920

ERIC M MEYER

1000 TIMBER LANE

MOSCOW ID 83843

Telephone Number: (208) 882-7919

HEATHER L MEYER

1000 TIMBER LANE

MOSCOW ID 83843

Telephone Number: (208) 882-7919

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5.28.2021

SIGNATURE:

E. M. Meyer

Please print your name:

ERIC M MEYER

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800