

RECEIVED

04/14/2021

JUN 10 2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11538

BRIAN JEMES
1060 LYON RD
MOSCOW ID 83843
Telephone Number:

SHARON JEMES
1258 CRUMARINE LOOP
MOSCOW ID 83843
Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

The address for Brian Jemes is not correct.

2. Describe the changes you wish to make in the proposed recommendation:

Brian Jemes
1258 Crumarine loop
Moscow, ID 83843

3. Give a brief explanation as to why you disagree with these portions:

Brian resides at 1258 Crumarine loop.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 6/5/2021 SIGNATURE: Brian Jemes Sharon Jemes
Please print your name: Brian Jemes Sharon Jemes