

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-07921
Date Received: 6/23/1988
Receipt No: 50005/6
Received By: JK

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CARL L. NELSON 208-829-5506
Address: 1185 S. 2600 E.
HAZELTON, ID 83335

AND/OR

Name: TRIPLE N FARMS 208-829-5223
Address: 1142 S. 2600 E.
HAZELTON, ID 83335

AND/OR

Name: JEANETTE NELSON
Address: HAZELTON, ID 83335

2. Date of Priority: JUN 04, 1980

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
10S	21E	16	SW	NW			JEROME

5. Description of diverting works:
6" X 300' WELL, 3 HP MOTOR

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
INDUSTRIAL	11/01	06/01	0.010		
DOMESTIC	01/01	12/31	0.080		

7. Total Quantity Appropriated is:
0.090 C.F.S. (and/or) 2.70 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
I/POTATO CELLAR; DOMESTIC/2 HOMES
A36-07921 Page 1

Date: 06/23/88

MICROFILMED

FEB 05 1993

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
10S	21E	16	NW		NW		DOMEST	
			SW		NW		INDUST	
			SW		NW		DOMEST	

11. Place of use in counties: JEROME

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: LICENSE
Water Right Number:

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s) Deannette Nelson Date: 6/23/88

Date: _____

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 23rd day

of June 19 88

Mary A. Baldwin
Notary Public

Seal

Residing at Gooding, ID
My Commission Expires 10/16/1992



Idaho Power Company

The attached statements reflect copies of Idaho Power Company records usage on the irrigation pump located at the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 9 T10S R21E BM.

S D Craven

S D Craven

Idaho Power Co.

Mini Cassia District

4/22/91

Submitted by Mrs Nelson
as proof of priority for the
well on claim A36-07921

Earliest priority evidenced
is 6/1/1959 ✓ B.V. 2K
5/29/63

Post-It™ brand fax transmittal memo 7671		# of pages ▶
To	Marsi Sterling	From Anna Adrian
Co.		Co. Southern
Dept.		Phone #
Fax #		Fax #

MICROFILMED
FEB 05 1993

Annual Guaranty & Customer's Advance for Construction Record

Customer

C. F. & B. Farms Co. C.F. Nelson
Ielan Black

Acct. No. 1060 5640

Contract Dated May 28, 1963 for 10 yr. Term to Begin June 1, 1963

Annual Guaranty \$180.00 to be Billed annually

Rate Schedule No. 24

Service Location SW 1/4 Sec 9 T10S R21E BM

Date of Connection ER or WO No. 52-6625

Town Hazelton

Remarks

ANNUAL GUARANTY						CASH ADVANCE		
Mo.	Service Billing	Cumulative Service Billings	Mo.	Service Billing	Cumulative Service Billings	Date and Ref.	**Additions or Refunds	Balance
1963						5-21-63		73.00
May						DEC-21		
June						12-17-63	73.00	
July	19.97	19.97				MAR-66		
Aug.	41.81	61.78						
Sept.	35.78	97.56						
Oct.	22.99	120.55						
Nov.	38.0	124.35						
Dec.	55.65	180.00						
1964								
June	29.12	29.12						
July	53.24	82.36						
Aug.	59.26	141.62						
Sept.	58.96	200.58						
1965								
May	17.30	17.30						
June	32.73	50.03						
July	47.27	97.32						
Aug.	72.00	169.32						
Sept.	40.61	209.93						
Oct.	81.0	218.03						
1966								
Sept.	20.663	20.663						
1967								
Oct.		242.48						
1968								
Oct.		230.39						
1969								
May	12.78	12.78						
June	32.59	45.37						
July	40.31	85.68						
Aug.	57.22	142.90						
Sept.	51.04	193.94						
Oct.	19.07	213.01						
1970								
Oct.		202.36						
1971								
Oct.		238.65						
1972								
Oct.		239.81						

1963-MAR 6077

MICROFILMED
FEB 03 1996

X

IDAHO POWER COMPANY
ELECTRIC SERVICE AGREEMENT

DISTRICT Hazelton RATE SCHEDULE No. 24 ACCT. No. 15 3640

Connected Load

20 H.P. 240 Volts 2 Phase 1 Wire
H.P. Volts Phase Wire
K.W. Volts Phase Wire

C. F. & R. Farms Co.
(Name)

(Mailing Address)

herein called Customer, agrees to receive and pay for, and IDAHO POWER COMPANY, herein called Company, agrees to supply electric service to the amount of 15 KW, in the form of 2 phase alternating current at approximately 60 cycles per second and 240 volts, for Customer's pumping operations, at or near Hazelton, in Jerome County, State of Idaho for a term of 10 year(s) from and after June 1, 1962, in accordance with and subject to the Company's rules and regulations and Schedule No. 24, as now or hereafter in effect at the time of delivery of service. The point of delivery of power shall be where the Company's wires or apparatus are connected with those of the Customer at or near East St. of Section 2 T. 10S R. 21E M. 2N

All payments shall be made at Company's office at..... The Customer agrees to pay, regardless of the amount of power actually consumed, the minimum charges as provided in the rate schedule, rules and regulations applicable to service hereunder. A copy of the rate schedule and the rules and regulations as now in effect are attached hereto as part of this agreement.

In consideration of the special investment to be made by the Company in extending its lines and facilities to supply the Customer's pumping power service requirements, Customer guarantees a minimum annual payment in the amount of \$133.00 to the Company during the term of this contract, such sum or minimum to run with the land and pumping power service hereinafter referred to and to be payable by the Customer's successors or assigns as a condition of service during the term of this agreement.

Customer will advance in cash to the Company the excess cost of the extension and facilities required to supply service to the Customer, which at this time, based on the guaranteed minimum annual payment agreed to in the above paragraph, is in the amount of \$73.00. Such cash payment is subject to adjustment or refund as provided in sections E and F of the Company's Line Extension Schedule No. 71.

I accept all agreements and conditions of this contract & make

May 28, 1962

Attest
Witness

Attest
Witness

W.O. No. 66-25

1010-2M-2-62

ACREAGE Supplemental 50

New 793

C. F. & R. FARMS CO.

By Morton Leuter

IDAHO POWER COMPANY

By B. B. Shook

Its DIVISION MANAGER

MICROFILMED Customer.

FEB 05 1993

IDAHO POWER COMPANY
ELECTRIC SERVICE AGREEMENT

DISTRICT Hazelton RATE SCHEDULE No. 24 ACCT. No. 1060 5650

Connected Load: 50 H.P. 440 Volts 3 Phase 4 Wire
H.P. Volts Phase Wire
K.W. Volts Phase Wire

Henry C. Jones Carl Nelson Eden, Idaho Hazelton
(Name) (Mailing Address)

herein called Customer, agrees to receive and pay for, and IDAHO POWER COMPANY, herein called Company, agrees to supply electric service to the amount of 50 HP, in the form of three (3) phase alternating current at approximately 60 cycles per second and 440 volts, for Customer's irrigation operations, at or near Hazelton, in Jerome County, State of Idaho for a term of ten (10) years(s) from and after May, 1966, in accordance with and subject to the Company's rules and regulations and Schedule No. 24, as now or hereafter in effect at the time of delivery of service. The point of delivery of power shall be where the Company's wires or apparatus are connected with those of the Customer at or near SE 1/4 SW 1/4 of Section 9 T. 10S R. 21E M. Boise

All payments shall be made at Company's office at Hazelton, Idaho. The Customer agrees to pay, regardless of the amount of power actually consumed, the minimum charges as provided in the rate schedule, rules and regulations applicable to service hereunder. A copy of the rate schedule and the rules and regulations as now in effect are attached hereto as part of this agreement.

In consideration of the special investment to be made by the Company in extending its lines and facilities to supply the Customer's pumping power service requirements, Customer guarantees a minimum annual payment in the amount of \$195 to the Company during the term of this contract, such annual minimum to run with the land and pumping power service hereinabove referred to and to be payable by the Customer's successors or assigns as a condition of service during the term of this agreement.

C.O. 80823

I ACCEPT ALL CONDITIONS AND AGREEMENTS
OF THE ABOVE CONTRACT.

Dated 5/19/66, 1966

Attest
Witness

Attest
Witness

W.O. No. 42-743-249

Carl Nelson
Henry C. Jones
Customer.

IDAHO POWER COMPANY
By [Signature]
DIVISION MANAGER
Its [Signature]

MICROFILMED
FEB 05 1966

Supersedes contract dated June 1, 1959.

IDAHO POWER COMPANY
ELECTRIC SERVICE AGREEMENT

DISTRICT Hazelton RATE SCHEDULE No. 24 ACCT. No. 1060 5650

Connected Load:

20 H.P. 240 Volts 3 Phase 3 Wire
H.P. Volts Phase Wire
K. W. Volts Phase Wire

Henry C. Jones
(Name)

Eden, Idaho
(Mailing Address)

herein called Customer, agrees to receive and pay for, and IDAHO POWER COMPANY, herein called Company, agrees to supply electric service to the amount of 15 KW, in the form of three phase alternating current at approximately 60 cycles per second and 240 volts, for Customer's farming operations, at or near Hazelton, in Jerome County, State of Idaho for a term of 10 year(s) from and after May 1, 1963, in accordance with and subject to the Company's rules and regulations and Schedule No. 24, as now or hereafter in effect at the time of delivery of service. The point of delivery of power shall be where the Company's wires or apparatus are connected with those of the Customer at or near SE 1 SW 1 of Section 2 T. 10S R. 21E M. BM

All payments shall be made at Company's office at Hazelton. The Customer agrees to pay, regardless of the amount of power actually consumed, the minimum charges as provided in the rate schedule, rules and regulations applicable to service hereunder. A copy of the rate schedule and the rules and regulations as now in effect are attached hereto as part of this agreement.

In consideration of the special investment to be made by the Company in extending its lines and facilities to supply the Customer's pumping power service requirements, Customer guarantees a minimum annual payment in the amount of \$250.00 to the Company during the term of this contract, such annual minimum to run with the land and pumping power service hereinabove referred to and to be payable by the Customer's successors or assigns as a condition of service during the term of this agreement.

Dated 4/15/63

Attest
Witness

Attest
Witness

E.R. or W.O. No. 52-6611

1010-2M-5-60

NOTED 90 Supplemental ✓

New

DATE 16/1/1964

Henry C. Jones
Customer.

IDAHO POWER COMPANY
By [Signature] **MICROFILMED**
Its DIVISION MANAGER **FEB 05 1993**

963

IDAHO POWER COMPANY
ELECTRIC SERVICE AGREEMENT

DISTRICT Hazelton RATE SCHEDULE No. 24 ACCT. No. 10605650

Connected Load: 10 H.P. 240 Volts 3 Phase 4 Wire
2 H.P. Volts Phase Wire
K.W. Volts Phase Wire

Steve Perkins

Elko, Nevada

Hazelton, Idaho

(Name)

% Charleston Waysack (Mailing Address)

herein called Customer, agrees to receive and pay for, and IDAHO POWER COMPANY, herein called Company, agrees to supply electric service to the amount of 8 KW, in the form of Three phase alternating current at approximately 60 cycles per second and 240 volts, for Customer's Farm operations, at or near Hazelton, in Jerome County, State of Idaho for a term of Ten (10) year(s) from and after June 1, 19 59, in accordance with and subject to the Company's rules and regulations and Schedule No. 24, as now or hereafter in effect at the time of delivery of service. The point of delivery of power shall be where the Company's wires or apparatus are connected with those of the Customer at or near SE 1/4 SE 1/4 of Section 9 T. 10 S R. 21 E M. B

All payments shall be made at Company's office at Hazelton, Idaho. The Customer agrees to pay, regardless of the amount of power actually consumed, the minimum charges as provided in the rate schedule, rules and regulations applicable to service hereunder. A copy of the rate schedule and the rules and regulations as now in effect are attached hereto as part of this agreement.

In consideration of the special investment to be made by the Company in extending its lines and facilities to supply the Customer's pumping power service requirements, Customer guarantees a minimum annual payment in the amount of \$210.00 to the Company during the term of this contract, such annual minimum to run with the land and pumping power service hereinabove referred to and to be payable by the Customers successors or assigns as a condition of service during the term of this agreement.

In the event Customer's installation for which service is to be supplied hereunder is not operated, or is abandoned for any reason whatsoever within five (5) years, from the date of this contract, the Customer shall pay to the Company the agreed amount of \$200.00, representing the non-salvable cost of the electric facilities removed.

Dated June 1, 19 59

Attest
Witness

Attest
Witness

E.R. or W.O. No.

1010-1500-5-58 ACREAGE 90 Supplemental

By

Its

IDAHO POWER COMPANY,


Division Manager

MICROFILMED
FEB 05 1993

R PROOF



CVR



MAPS



PHOTOS



MISC



MICROFILMED

1993

VERIFIED BY SCWater Right Number **R36-07921**

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
TRIPLE N FARMS

1 - 1142 S 2600 E

2 -

3 -

City- HAZELTON

State- ID Zip- 83335

Phone - 208-829-5223

NELSON

JEANETTE

1 - 1185 S 2600 E

2 -

3 -

City- HAZELTON

State- ID Zip- 83335

Phone - 208-000-0000

NELSON

CARL L

1 - 1185 S 2600 E

2 -

3 -

City- HAZELTON

State- ID Zip- 83335

Phone - 208-829-5506

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - - +
06/04/1980 17 SOUTHERN L - LICENSE+ - - - - Source - - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER+ - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County
10S 21E 16 NW SW NW (53) JEROME+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
07 - INDUSTRIAL 11/01 06/01 0.010
43 - DOMESTIC 01/01 12/31 0.080+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
0.090 0.0+ - - - - Place of Use - - - - - +
TwN Rng Sec Tract Lot Acres Code Description County
10S 21E 16 NW NW 07 INDUSTRIAL (53) JEROME
10S 21E 16 SW NW 43 DOMESTIC (53) JEROME

Total Acres:

+ - - Diversion Means - 6" X 300' WELL, 3 HP MOTOR

+ - - Non-Irrigation Use - INDUSTRIAL, POTATO CELLAR; DOMESTIC, 2 HOMES

MICROFILMED
FEB 05 1993
FEB 1

Court Report Filing	- 00/00/0000	Field Inspection Made	- 07/17/1991	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 09/22/1992	Old Judicial District	-
Claim Received Date	- 06/23/1988	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- S000516	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- AND/OR	Presumption Flag	-
				Notice of Error Flag	- D

MICROFILMED
FEB 05 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:01:09
12/21/90

PAGE: 12
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-07921

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE	N			N		R.V.-W		R.V.-W
POINT OF DIV	X N			N	6.	10/3/91	*Revised per legal staff	10/3/91
SOURCE	N			N			600 9-22-92	
PLACE OF USE	X N			N	5			
DIV. AMOUNT CFS/VOLUME	N			Y (Add Vol.)	6			
CONSUMPTIVE USE	-N			N				
PURPOSES	N			N	6.			
PERIOD OF USE	N			N				
BASIS OF CLAIM	N			N				
REMARKS	N			N				

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED
FEB 05 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:01:09
12/21/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-07921

MICROFILMED
FEB 05 1993

LAST: NELSON
ADDRESS: 1185 S. 2600 E.
CITY: HAZELTON
PHONE NUMBER: 208-829-5506

FIRST: CARL L.

STATE: ID ZIP: 83335

OWNER CODE: C

LAST: TRIPLE N FARMS
ADDRESS: 1142 S. 2600 E.
CITY: HAZELTON
PHONE NUMBER: 208-829-5223

FIRST:

STATE: ID ZIP: 83335

OWNER CODE: C

LAST: NELSON
ADDRESS: 1185 S. 2600 E.
CITY: HAZELTON
PHONE NUMBER: 208-000-0000

FIRST: JEANETTE

STATE: ID ZIP: 83335

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

DATABASE
N

FIELD
EXAMINER
N

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: ____/____/____

APPOINTMENT MADE: Y(____) N(____)

TIME: ____:____ A(____) P(____)

ACCOMPANIED BY: _____

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

MICROFILMED
FEB 05 1993

A. AJ CLAIM: # A36-07921 PRIORITY DATE: 06-04-1980 STAGE: L
B. WR RECORD: # 36-07921 PRIORITY DATE: 06-04-1980 STAGE: L

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE N FIELD EXAMINER N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(X)
IF YES EXPLAIN.

REMARKS:

*Priority date taken from ID Power Records submitted as
evidence of priority*

RVW

10/3/91

RECOMMENDED PRIORITY DATE:

~~06-04-1980~~

~~5-29-1983~~

~~RVW~~

REVIEWED BY

mjs

DATE

4/5/91

*claim is based on license and claimed the
licensed priority of 6-4-1980*

*change
Recommendations*

sc 9-22-92

MICROFILMED

FEB 05 1993

MICROFILMED
FEB 05 1993

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-07921	10S	21E	16	NW	SW	NW		JEROME

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
36-07921	10S	21E	16		SW	NW		JEROME

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX

NONE

NONE

NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER
N
N

REMARKS:

P/D described only to 40 acre tract - take to 10 acre description if
field examined.

P/D taken from field exam for license

R.V.W 10/3/91

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
<u>10S</u>	<u>21E</u>	<u>16</u>	<u>NW</u>	<u>SW</u>	<u>NW</u>	<u>-</u>	<u>Jerome</u>

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY: npb

DATE: 4/5/91

MICROFILMED
FEB 05 1993

A. ROOT WATER RIGHT NUMBERS: A36-07921

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
10S	21E	16	NW	NW		NELSON, CARL L.	A36-07921 /	36-07921 /	41.0		
						<i>Dom.</i>					
10S	21E	16	SW	NW		NELSON, CARL L.	A36-07921 /	36-07921 /	40.0		
						NORTH SIDE CANAL COMPANY LTD.	A01-00210Z0/19.7	- /			
						LARGE CLAIM	A01-00212Z5/19.7	- /			
						<i>Dom.</i>					
10S	21E	16	SW	NW		NELSON, CARL L.	A36-07921 /	36-07921 /	40.0		
						NORTH SIDE CANAL COMPANY LTD.	A01-00210Z0/19.7	- /			
						LARGE CLAIM	A01-00212Z5/19.7	- /			
						<i>Ind. Dom.</i>					
						<i>IND</i>					
TOTAL ACRES							A36-07921		121.00		

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N(*X*)
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER
N

PRESUMPTION FLAG:

REMARKS:

Data entry error in WR database. Licensing field exam shows 1 home in NW NW, 1 home & 1 cellar in SW NW. Claim agrees with exam. Recommend POU as claimed.

RECOMMENDATIONS:

TOTAL ACRES: *0*

REVIEWED BY: *ms*

DATE: *4/5/91*

MICROFILMED
FEB 05 1993

A. AJ CLAIMED USES:

	PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A36-07921	INDUSTRIAL	FROM 11-01 TO 06-01	.010 CFS
A36-07921	DOMESTIC	FROM 01-01 TO 12-31	.080 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED			.090 CFS 2.70 AF/A

B. WR RECORDED USES:

	PURPOSES	MONTH/DAY	DIVERSION QUANTITY
36-07921	INDUSTRIAL	FROM 11-01 TO 06-01	.010 CFS .30 AF/A
36-07921	DOMESTIC	FROM 01-01 TO 12-31	.080 CFS 2.40 AF/A
TOTAL DIVERSION RATE/VOLUME CLAIMED			.090 CFS 2.70 AF/A

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	<u>N</u>
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	<u>N</u>
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	<u>N</u>

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y(X) N()

RECOMMEND TO WR STANDARDS OR OTHER?

Y(X) N() Explain in remarks, below.

REMARKS:

Industrial use is for potato cellar - use is basically non-consumptive;
domestic uses - consumptive use is de minimus.

~~Recommend Cellar as Domestic use. - Less than 2500 gal/day~~

Recommend as licensed

9-22-92

R.V. W/ 10/3/91

SC
(* per LKH legal staff)

MICROFILMED
FEB 05 1993

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(X) N()

AJ TOTAL CLAIMED DIVERSION RATE: 0.090 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.090 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

FIELD
DATABASE EXAMINER

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

Y

N

MICROFILMED
FEB 05 1993

B.

FLOW MEASUREMENT

MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N(X) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A01-0021020	SNAKE RIVER	NORTH SIDE CANAL COMPANY LTD.	400.000	0.027		

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES 0 x 0.02 CFS/ACRE = 0 CFS
(Taken from p/u review)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(✓)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

1b. CALCULATIONS

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = AF/A

ACRES 0 x CONSUMPTIVE VOL. AF/A FOR AREA 3 =

TOTAL CONSUMPTIVE USE 0 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = 2.70 AF/A

ACRES 0 x DIVERSION VOL. AF/A FOR AREA 4 =

TOTAL DIVERSION VOLUME 3 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

Potato cellar - non-consumptive use
Domestics - assume non-consumptive use

MICROFILMED
FEB 05 1993

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD		REC. DIV		REC. DIV		REC. CONS.	
	FROM	TO	RATE	CFS	VOL.	AF/A	USE	
INDUSTRIAL	11-01	06-01	DATABASE	EXAMINER	DATABASE	EXAMINER	DATABASE	EXAMINER
DOMESTIC	01-01	12-31	0.010	<u>0.01</u>		<u>0.30</u>	0.0	<u>0.0</u>
			0.080	<u>0.08</u>		<u>2.40</u>		<u>0.0</u>
TOTAL FOR THIS RIGHT			0.090	0.09	2.70	2.70		0.0

REVIEWED BY: YMB

DATE: 4/8/91

MICROFILMED
FEB 05 1993

9-22-92 (No notice of error rec'd) Recommendation changed

— no reason to change this claim and license to 'Domestic' from industrial. Computer records indicate the legal staff attempted to change back to the industrial uses as licensed & claimed; I completed this revision.

MICROFILMED
FEB 05 1993

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP _____	(X)	()
FORFEIT/ABANDON _____	(X)	()
ADDITIONAL DIV. AMOUNT _____	(X)	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-07921

	DATABASE	EXAMINER	CFS
TOTAL DIVERSION RATE OF WR SPLITS	0.090	<u>0.09</u>	

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A36-07921	0.090	-		36-07921	0.090
TOTAL CFS		0.090				0.090

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE	FIELD EXAMINER
Y	<u>Y</u>

REMARKS:

AUTHENTICATION:

SIGNATURE: _____

DATE: _____

NAME OF FIELD EXAMINER: _____

TITLE: _____

R. V. Kerstell 10/3/91

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

36-1921
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	8-12-81	GLF	
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 9-3-81 Accompanied by Carl Nelson Total Q measured -
If source is surface water, estimate total flow of source -
Methods of measurement - Meets Permit requirements? ☒

Measurement calculations:

Allow 0.08 cfs domestic (see memo 9-25-81) ~~+ 0.02 cfs industrial~~ (amount filed on) OK
Industrial: $1 \text{ gal/hr} / 1000 \text{ cwt} \times 35000 \text{ cwt} = 35 \text{ gal/hr} / 60 \text{ min/hr} = 0.6 \text{ gpm} / 448.8 \text{ gpm/cfs} = 0.0013 \text{ cfs}$ Allow 0.01 cfs
Volume: Domestic 2 homes $\times 1.2 \text{ AFA/home} = 2.4 \text{ AFA}$ OK Industrial $- 12 \text{ gpd} \times 35000 \text{ cwt} \times 214 \text{ days} / 325900 \text{ gal/AFA} = 0.38 \text{ AFA}$
0.3 AFA

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
☒	3	Sta-Rite	A80J	-	-	-	-	

System Description submersible pump in well, motor, 1000-gallon storage tank, lines to 2 homes & a potato cellar

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement = <u>-</u> AFA/Acre			
	Q (cfs)	V (afa)	FROM	TO
<u>domestic</u>	<u>0.08</u>	<u>2.4</u>	<u>1-1</u>	<u>12-31</u>
<u>industrial</u>	<u>0.02.01</u>	<u>0.28</u>	<u>11-1</u>	<u>6-1</u>
Total	<u>0.09</u>	<u>2.68</u>		


Remarks Cellar capacity is 35,000 sacks (100 lbs each).
Two homes with hwns.

No overlapping rights

Jim
2/3/82

MICROFILMED
FEB 05 1993

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW 1/4 NW 1/4 Sec. 16 T. 10S R. 21E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	21E	16						X	X										

Recommended Amendments:

☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ None

☐ Change P.U. as reflected above
☒ Add P.U. as reflected above
☐ Other

Examiner's Signature J E Stanton
Date 9-10-81

Checked by Termy O Blou
Date 12-16-81

Approved by Jim
Date 2/3/82

m 219
/79

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

36-1921

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	8-12-81	GLF	
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 9-3-81 Accompanied by Carl Nelson Total Q measured -
If source is surface water, estimate total flow of source -
Methods of measurement - Meets Permit requirements? ✓

Measurement calculations:

Allow 0.08 cfs domestic (see memo 7-25-81) ~~+ 0.02 cfs industrial (amount filed on)~~ OK
Industrial: $1 \text{ gal/hr} / 1000 \text{ cwt} \times 35000 \text{ cwt} = 35 \text{ gal/hr} / 60 \text{ min/hr} = 0.6 \text{ gpm} / 448.8 \text{ gpm/cfs} = 0.0013 \text{ cfs}$ Allow 0.01 cfs
Volume: Domestic $2 \text{ homes} \times 1.2 \text{ AFA/home} = 2.4 \text{ AFA}$ OK Industrial - $12 \text{ gpd} \times 35000 \text{ cwt} \times 214 \text{ days} / 259000 \text{ gal/AFA} = 0.28 \text{ AFA}$
0.3 AFA

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
✓	3	Sta-Rite	A80J	-	-	-	-	

System Description submersible pump in well, motor, 1000-gallon storage tank, lines to 2 homes & a potato cellar

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
domestic	0.08	2.4	1-1	12-31
industrial	~~0.02~~ 0.01	0.28	11-1	6-1

MICROFILMED

FEB 05 1993

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

From Licensing Field Exam.

Point(s) of diversion: SW 1/4 NW 1/4 Sec. 16 T. 10S R. 21E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	21E	16						x	x										

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☒ Add P.U. as reflected above

- ☐ None
☐ Other

Examiner's Signature

ked by
by

James B. [Signature]

Date 7-10-81

Date 12-16-81

12/16/81

SD-34

Source: INDUSTRIAL

Basin: 36

STATE

Water Right No.	Current Owner Last, First	S T G	Priority Date	Tributary	# Records Total Diversion	1 Use Code Desc
R36-07921	TRIPLE N FARMS, NELSON, JEANETTE NELSON, CARL L	L	05/29/1963		0.090	43 DOMEST 43 DOMEST

— as listed in the proposed report.

changed to groundwater 9-22-92
sc

(Enter=Continue)

(GOLD7=This Query)

(Menu _____)

MICROFILMED

FEB 05 1993