

RECEIVED 06/10/2021

JUN 15 2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11823

JAMES MICHAEL KREMER
PO BOX 3004

MOSCOW ID 83843

Telephone Number: (208) 882-7546

DIANE BANCKE

PO BOX 3004

MOSCOW ID 83843

Telephone Number: (208) 882-7546

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity
Priority date
Purpose

2. Describe the changes you wish to make in the proposed recommendation:

Quantity: .040 CFS
Priority Date: 1968
Purpose: Irrigation, Domestic, + Stockwater

3. Give a brief explanation as to why you disagree with these portions:

Quantity: we have ran 30 gal/min to irrigate
Date: Home was built in 1968. It's on record with the State of ID
Purpose: We have use for irrigation for large yard, trees, lawn, garden
It is a back-up domestic water supply; potable but high iron. Also used for stockwater

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 6/10/21

SIGNATURE: James M. Kremer + Diane Bancke

Please print your name: James Michael Kremer + Diane Bancke