

RECEIVED

JUN 15 2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11824

JAMES MICHAEL KREMER

PO BOX 3004

MOSCOW ID 83843

Telephone Number: (208) 882-7546

DIANE BANCKE

PO BOX 3004

MOSCOW ID 83843

Telephone Number: (208) 882-7546

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

purpose

2. Describe the changes you wish to make in the proposed recommendation:

- Domestic use is for 1 home and guest quarters/apartment
- Stockwater

3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE:

6/10/21

SIGNATURE:

James Michael Kremer

Diane Bancke

Please print your name:

James Michael Kremer + Diane Bancke

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800