



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

March 8, 2002

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

JOE FRAZIER
JEANETTE FRAZIER
476 S 500 E
JEROME ID 83338

RE: Decreed Water Right 36-7745, 36-8049
Change of Address Notification

Dear Water Right Holder:

Thank you for notifying us of your change in address on the water
right referenced above. Our records have been updated accordingly.

If you have any questions, please feel free to contact this office.

Sincerely,

Trish Fawcett
Technical Records Specialist

/tf

RECEIVED

MAR 04 2002

Department of Water Resources
Southern Region

Sirs:

Would you please change
the mailing address for

Joe + Jewetta Frazier

water licenses 36-7745
36-8049

from 5438 Hwy 93

To:

476 S 500 E
Jerome Id 83338

Thank you

Joe Frazier
2/27/02



Joe L. Frazier
476 S 500 E
Jerome, ID 83338

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-08049
Date Received: 2/22/1990
Receipt No: M005987
Received By: [Signature]

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: JOE L. FRAZIER 208-324-3850
Address: 5438 HIGHWAY 93
JEROME, ID 83338

OR

Name: JEANETTE R. FRAZIER 208-324-3850
Address: 5438 HIGHWAY 93
JEROME, ID 83338

2. Date of Priority: DEC 21, 1981

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
09S	17E	12	NW	SW	SE		JEROME

5. Description of diverting works:
WELL, PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	2.000		

7. Total Quantity Appropriated is:
2.000 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 240.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
09S	17E	13	SW		NE		IRR	6.0
			SE		NE		IRR	12.0
			NE		SE		IRR	15.0
			NW		SE		IRR	15.0
			SW		SE		IRR	14.0
			SE		SE		IRR	18.0
							Section Acres	80.0
							Total Acres	80.0

11. Place of use in counties: JEROME

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A36-07745

14. Remarks:
MR. FRAZIER HAS BEEN WAITING FOR AN EXTENDED TIME FOR HIS COPY
OF THE LICENSE FOR THIS WATER RIGHT.

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Joe L. Zygm Date: 2/22/90
Date: _____

State of Idaho)
County of Jerome) SS.

Subscribed and sworn (or affirmed) before me this 22nd day
of February 1990

Robert L. Whistell
Notary Public

Seal

Residing at Twin Falls, Idaho
My Commission Expires January 16, 1993

Water Right Number - A36-08049

Adj. Flag Translation: Adjudication Temporary Work Area Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
FRAZIER

JOE L.

1 - 5438 ^{HWY} HIGHWAY 93

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-3850

1 - 5438 HIGHWAY 93

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-3850

FRAZIER

JEANETTE R.

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
12/21/1981 17 P - PERMIT+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Stream Index (Blank if no Index Code)
09S 17E 12 NW SW SE (53) JEROME+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
01 - IRRIGATION 03/15 11/15 2.000+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
2.000 240.0+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County
09S 17E 13 SW NE 6.0 01 IRRIGATION (53) JEROME
09S 17E 13 SE NE 12.0 01 IRRIGATION (53) JEROME
09S 17E 13 NE SE 15.0 01 IRRIGATION (53) JEROME
09S 17E 13 NW SE 15.0 01 IRRIGATION (53) JEROME
09S 17E 13 SW SE 14.0 01 IRRIGATION (53) JEROME
09S 17E 13 SE SE 18.0 01 IRRIGATION (53) JEROME

Total Acres 80.0

+ - - Diversion Means - WELL,PUMP

+ - - Non-Irrigation Use - NONE

+ - - Other Rights for Same Use - A36-07745

Water right number - A36-08049

Adj. flag translation: Adjudication Temporary Work Area

+ - - - - Remarks - - - - - +
MR. FRAZIER HAS BEEN WAITING FOR AN EXTENDED TIME FOR HIS COPY
OF THE LICENSE FOR THIS WATER RIGHT.

+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +
01C - A flow measurement port or other device as specified by the
- Department shall be installed by the permit holder to provide for
- the installation of measuring equipment and the determination of
- the rate of diversion by the Department.

+ - - - Decree Plaintiff - - - + + - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +
No Comments Found

+ - - Audit Fields - 02/22/90 MOBILE2

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000	Old Judicial District	-
Claim Received Date	- 02/22/1990	Last Amended Date	- 00/00/0000	Temporary Right	- P
Claims Tape Error Flg	-	Receipt Number	- M005987	Water District	-
Fee Exempt Flag	-	POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- OR	Presumption Flag	-

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT CLAIMS PROOF READING REPORT
(REGIONAL)

11/28/90 09:24:39
Page 1

Water Right Number - 36-08049

Adj. Flag Translation: Standard Water Right Number

Old (D) Number -

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - - +

*** C - CURRENT OWNER ***
FRAZIER

JOE L.

1 - RT. 4

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone -

FRAZIER

JEANETTE R.

1 - RT. 4

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone -

+ - - Priority Date - - +
12/21/1981

+ - - - Region - - - +
17

+ - - - Stage - - - +
P - PERMIT

+ - - - Status - - - +

+ - - - - Source - - - - - +
GROUNDWATER

+ - - - - Tributary - - - - - +

Tw	Rng	Sec	Tract	Lot	RFlg	County	Point of Diversion
09S	17E	12	SW SE			(53)	JEROME

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
01 - IRRIGATION		04/01	10/30	2.000	

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +
2.000

Tw	Rng	Sec	Tract	Lot	Acres	Code	Description	County
09S	17E	13	SW NE		6.0	01	IRRIGATION	(53) JEROME
			SE NE		12.0			(53) JEROME
			NE SE		15.0			(53) JEROME
			NW SE		15.0			(53) JEROME
			SW SE		14.0			(53) JEROME
			SE SE		18.0			(53) JEROME

Total Acres: 80.0

+ - - Diversion Means - WELL,PUMP

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - 36-7745

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT CLAIMS PROOF READING REPORT
(REGIONAL)

11/28/90 09:24:39
Page 2

Water right number - 36-08049

Adj. flag translation: Standard Water Right Number

+ - - - - Remarks - - - - - +
No Remarks found.

+ - - - - Conditions of Approval - - - - - +
01C - A flow measurement port or other device as specified by the
- Department shall be installed by the permit holder to provide for
- the installation of measuring equipment and the determination of
- the rate of diversion by the Department.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - Audit Fields -

+ - - - - Water Rights Dates and Flags Area - - - - - +

Proof Due Date	- 04/01/1983	Field Exam Made	- 00/00/0000	Field Exam Fee	- R
Approved/Denied	- 03/23/1982	Protested Date	- 00/00/0000	Swan Falls	- Y
Proof Made Date	- 02/01/1983	Hearing Date	- 00/00/0000	Temporary Right	- P
Start Work Date	- 00/00/0000	Verified Date	- 00/00/0000	DLE/Carey Act	- 1
Order Show Cause	- 00/00/0000	Receipt Number	-	Water District	-
Licensed Date	- 00/00/0000	Appl Received	- 00/00/0000	Transfer/Amended	-
Decree Date	- 00/00/0000				

Water Right Number - 36-08049

Prefix Translation: WATER RIGHT

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

FRAZIER

JOE L

1 - 5348 HWY 93

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-000-0000

FRAZIER

JEANETTE R

1 -

2 -

3 -

City-

State- ID Zip-

Phone - 208-000-0000

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
12/21/1981 17 SOUTHERN L - LICENSE

+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Stream Index (Blank if no Index Code)

09S 17E 12 SW SE (53) JEROME

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

01 - IRRIGATION 04/01 11/01 0.940 188.00

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +
0.940 188.00 4.740

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

09S	17E	13	SW NE	8.0	01	IRRIGATION	(53) JEROME
09S	17E	13	SE NE	13.0	01	IRRIGATION	(53) JEROME
09S	17E	13	NE SE	24.0	01	IRRIGATION	(53) JEROME
09S	17E	13	NW SE	2.0	01	IRRIGATION	(53) JEROME

Total Acres: 47.0

+ - - Diversion Means -

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use -

+ - - - - Remarks - - - - - +

The maximum combined rate of diversion under this right & Right
No. 36-7745 shall not exceed 4.74 cfs.

Water right number - 36-08049

Prefix Translation: WATER RIGHT

+ - - - - Old Water Right Numbers - - - - - +

+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +
R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

+ - - - Decree Plaintiff - - - + + - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +
No Comments Found

+ - - Audit Fields - 09/22/87 05/28/88 CONVERT 05/15/91 BALDWIN 10/24/91 AUSTIGUY 10/11/91 CURTIS
10/24/91 AUSTIGUY 10/28/91 CURTIS

+ - - - - Water Rights Dates and Flags Area - - - - - +

Proof Due Date - 04/01/1983	Field Exam Made - 06/13/1986	Field Exam Fee - R
Approved/Denied - 03/23/1982	Protested Date - 00/00/0000	Swan Falls - Y
Proof Made Date - 02/01/1983	Hearing Date - 00/00/0000	Temporary Right - P
Exam to S.O. Date - 00/00/0000	Verified Date - 00/00/0000	DLE/Carey Act -
Order Show Cause - 00/00/0000	Receipt Number -	Water District -
Licensed Date - 11/15/1991	Appl Received - 12/21/1981	Transfer/Amended -
Decree Date - 00/00/0000	Presumption Flag -	

Water Right Number - R36-08049

Adj. Flag Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

FRAZIER

JOE L.

1 - 5438 HWY. 93

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-3850

FRAZIER

JEANETTE R.

1 - 5438 HWY. 93

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-3850

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
12/21/1981 17 Error in Region L - LICENSE

+ - - - - Source - - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County (Blank if no Index Code)

09S 17E 12 NW SW SE (53) JEROME

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
01 - IRRIGATION 03/15 11/15 0.940 188.00

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
0.940 188.00 141.0

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County
09S 17E 13 SW NE 8.0- 01 IRRIGATION (53) JEROME
09S 17E 13 SE NE 13.0- 01 IRRIGATION (53) JEROME
09S 17E 13 NE SE 24.0- 01 IRRIGATION (53) JEROME
09S 17E 13 NW SE 2.0- 01 IRRIGATION (53) JEROME

Total Acres: 47.0

+ - - Diversion Means - WELL, PUMP, PIPELINES & SPRINKLERS

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

Water right number - R36-08049

Adj. flag translation: RESEARCH

*change
to standard
remark*

+ - - - - Remarks - - - - - +

THIS RIGHT IS USED IN COMBINATION WITH RIGHT NO. 36-07745, AND
USE OF THE TWO RIGHTS IS LIMITED TO A TOTAL COMBINED DIVERSION
RATE OF 4.74 CFS.

+ - - - - Old Water Right Numbers - - - - - +

No Old Water Right Numbers Found

+ - - - - Conditions of Approval - - - - - +

No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - +

+ - - - - Decree Defendant - - - +

+ - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +

Date: 05/22/1991 User Id: MERRITT Subject: RECOMMENDING AS LICENSE
THE EXAM HAS BEEN COMPLETED AND LICENSE IS PENDING ISSUANCE. TO EXPIDITE THIS RECORD IS BEING CREATED NOW TO SAVE TIME.

+ - - Audit Fields - - +

MERRITT

+ - - - - Water Rights Dates and Flags Area - - - - - +

Temporary Right -P

Receipt Number - M005987

Water District -

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:00:15
09/08/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-08049

LAST: FRAZIER
ADDRESS: 5438 HWY. 93
CITY: JEROME
PHONE NUMBER: 208-324-3850

FIRST: JOE L.
STATE: ID ZIP: 83338

OWNER CODE: C

LAST: FRAZIER
ADDRESS: 5438 HWY. 93
CITY: JEROME
PHONE NUMBER: 208-324-3850

FIRST: JEANETTE R.
STATE: ID ZIP: 83338

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

DATABASE
Y

FIELD
EXAMINER

CLAIM REMARKS: MR. FRAZIER HAS BEEN WAITING FOR AN EXTENDED TIME FOR HIS COPY
OF THE LICENSE FOR THIS WATER RIGHT.

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: ____/____/____

APPOINTMENT MADE: Y(____) N(____)

TIME: ____:____ A(____) P(____)

ACCOMPANIED BY: _____

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

A. AJ CLAIM: # A36-08049 PRIORITY DATE: 12-21-1981 STAGE: P
B. WR RECORD: # 36-08049 PRIORITY DATE: 12-21-1981 STAGE: P

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE FIELD
N EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y(__) N(__)
IF YES EXPLAIN.

REMARKS: _____

RECOMMENDED PRIORITY DATE:
12-21-1981

REVIEWED BY _____ DATE _____
=====

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-08049	09S	17E	12	NW	SW	SE		JEROME

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
A36-07745 NONE

WR RECORDS IN SAME 40 ACRE TRACT
36-07745

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
36-08049	09S	17E	12		SW	SE		JEROME

OTHER WR RECORDS WITH SAME WR POD

36-07745

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
A36-07745 NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER

REMARKS:

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
------	------	------	-----	-----	-----	-----	--------

---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY:

DATE:

A. ROOT WATER RIGHT NUMBERS: A36-08049

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
09S	17E	13	SW	NE		FRAZIER, JOE L.	A36-08049 7 6.0	36-08049 7 6.0			
09S	17E	13	SE	NE		FRAZIER, JOE L.	A36-08049 7 12.0	36-08049 7 12.0			
09S	17E	13	NE	SE		FRAZIER, JOE L.	A36-08049 7 15.0	36-08049 7 15.0			
09S	17E	13	NW	SE		FRAZIER, JOE L.	A36-08049 7 15.0	36-08049 7 15.0			
09S	17E	13	SW	SE		FRAZIER, JOE L. U.S. DEPT. OF INTERIOR	A36-08049 7 14.0	36-08049 7 14.0 36-02776 /			
09S	17E	13	SE	SE		FRAZIER, JOE L.	A36-08049 7 18.0	36-08049 7 18.0			
TOTAL ACRES							A36-08049 80.00	36-08049 80.00			

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

PRESUMPTION FLAG:

REMARKS:

RECOMMENDATIONS:

TOTAL ACRES: _____

REVIEWED BY: _____

DATE: _____

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A36-08049 IRRIGATION	FROM 03-15 TO 11-15	2.000 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		2.000 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
36-08049 IRRIGATION	FROM 04-01 TO 10-30	2.000 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		2.000 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	_____
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	_____
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	Y	_____

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y(____) N(____)

RECOMMEND TO WR STANDARDS OR OTHER?

Y(____) N(____) Explain in remarks, below.

REMARKS:

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y() N()

AJ TOTAL CLAIMED DIVERSION RATE: 2.000 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 2.000 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y

B. FLOW MEASUREMENT

MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y(Y) N() IF YES COMPLETE OVERLAY REVIEW.

OTHER RIGHTS LISTED IN CLAIM: A36-07745

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES _____ $\times$ 0.02 CFS/ACRE = _____ CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y(____) N(____)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y(____) N(____) ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 240.0 AF/A

ACRES _____ $\times$ CONSUMPTIVE VOL. AF/A FOR AREA _____ =

TOTAL CONSUMPTIVE USE _____ AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = _____ AF/A

ACRES _____ $\times$ DIVERSION VOL. AF/A FOR AREA _____ =

TOTAL DIVERSION VOLUME _____ AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y(____) N(____)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	03-15 11-15	DATABASE EXAMINER 2.000	DATABASE EXAMINER	DATABASE EXAMINER 240.0
TOTAL FOR THIS RIGHT		2.000		240.0

REVIEWED BY:

DATE:

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED	NEEDS REVIEW
()	()
()	()
()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-08049

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
2.000

EXAMINER

CFS

SPLITS:

OLD RIGHT
NUMBERS

CURRENT
CLAIM NUMBERS

DIVERSION
RATE

CURRENT "R"
CLAIM NUM.

"R" DIV.
RATE

WR RIGHT
NUMBERS

DIVERSION
RATE

-

A36-08049

2.000

-

36-08049

2.000

TOTAL CFS

2.000

2.000

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
Y

FIELD
EXAMINER

REMARKS:


AUTHENTICATION:

SIGNATURE: _____

DATE: _____

NAME OF FIELD EXAMINER: _____

TITLE: _____

An aerial photograph of a wetland or marshy area. The terrain is dark green and textured, suggesting dense vegetation. Two distinct areas are highlighted with green outlines. The upper area is a large, irregularly shaped patch of lighter green, with a yellow callout box pointing to it. The lower area is a large, irregularly shaped patch of lighter green, with a yellow callout box pointing to it. The background is a dark, textured green.

22.8 ac.

23.8 ac.

Log for claim 36-08049



Spatial Dynamics LTD

9/6/01

TR	SEC	QQ	Acres Recommended	Acres Found	COMMENT
09s17e	13	SWNE	8	9.1	
09s17e	13	SENE	13	13	
09s17e	13	NESE	24	24	
09s17e	13	NWSE	2	1.2	
Totals:			47	47.3	

Water Right Claim Number 36-08049
Townships , 9S17E, 9S18E

09/06/2001



R PROOF



CVR



MAPS



PHOTOS



MISC



Water Right Number - R36-08049

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - -

*** C - CURRENT OWNER ***
FRAZIER

JOE L.

1 - 5438 HWY. 93

2 -

3 -

City- JEROME

Phone - 208-324-3850

State- ID Zip- 83338

FRAZIER

JEANETTE R.

1 - 5438 HWY. 93

2 -

3 -

City- JEROME

Phone - 208-324-3850

State- ID Zip- 83338

+ - - Priority Date - - +
12/21/1981

+ - - Region - - - +
17 SOUTHERN

+ - - Stage - - - +
L - LICENSE

+ - - Status - - - +

+ - - Source - - - - - +
GROUNDWATER

+ - - Tributary - - - - - +

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County

09S 17E 12 NW SW SE (53) JEROME

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

01 - IRRIGATION 03/15 11/15 0.940 188.00

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
0.940 188.00 141.0

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

09S	17E	13	SW NE		8.0	01	IRRIGATION	(53) JEROME
09S	17E	13	SE NE		13.0	01	IRRIGATION	(53) JEROME
09S	17E	13	NE SE		24.0	01	IRRIGATION	(53) JEROME
09S	17E	13	NW SE		2.0	01	IRRIGATION	(53) JEROME

Total Acres: 47.0

+ - - Diversion Means - WELL, PUMP, PIPELINES & SPRINKLERS

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

MICROFILMED

FEB 09 1993

Water right number - R36-08049

Prefix Translation: RESEARCH

+ - - - - - Remarks - - - - - +

RIGHT NO. 36-07745 IS ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE, AND THE TOTAL COMBINED RATE OF DIVERSION OF
THESE RIGHTS IS LIMITED TO 4.74 CFS (capacity of
diversion system).

+ - - - - - Old Water Right Numbers - - - - - +

No Old Water Right Numbers Found

+ - - - - - Conditions of Approval - - - - - +

No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +

00/00/0000

+ - - - - - Comments - - - - - +

No Comments Found

+ - - Audit Fields - - +

12/04/91 CHRISTEN

+ - - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 12/04/1991	Old Judicial District	-
Claim Received Date	- 02/22/1990	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- M005987	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- OR	Presumption Flag	-
				Notice of Error Flag	-

MICROFILMED
FEB 09 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:00:15
09/08/90

PAGE: 12
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-08049

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE								
POINT OF DIV	Y							
SOURCE								
USE OF USE	Y							
DIV. AMOUNT CFS/VOLUME								
CONSUMPTIVE USE	-							
PURPOSES								
PERIOD OF USE	Y							
BASIS OF CLAIM								
REMARKS	Y							

*See Lic
Field
exz*

*adj re commutation
based upon license data
issued 11-15-1991
no changes
made*

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PH = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAIP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED

FEB 09 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

36-8049
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat
Check of P/D index UG 6/16/87 (Initial and date)
Overlap? ☒ yes ☐ no If yes: ☒ copy of exam(s) attached?
Type of Overlap? ☒ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____
Check of P/U index UG 6/16/87 (Initial and date)
Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____
Aerial Photo
Required? ☒ yes ☐ no If yes: ☒ copy attached?
Scheduling Letter sent? _____ (Initial and date)
☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed J. E. Stanton 5-14-91 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)
Exam Reviewed by Manager of Regional Office _____ (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

MICROFILMED
FEB 09 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Joe L. & Jeanette Frazier Permit No. 36-8049
Current Address: 5343 Hwy. 93, Jerome, ID 83338 Phone No. 324-3850
2. Accompanied by: Mr. Frazier & Clark Egbert EXAM. DATE: 6-13-86
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: 36-7745 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached See 36-7745 exam



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
FEB 09 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, mainline to two pivots & handlines. System developed under Permit 36-7745 was extended to cover additional ground under this permit.
42 5/32" nozzles & 100 9/64" nozzles at 25 psi water this ground.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	200	ANT126102	Layne	T 78098

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	SE	12	95	17E	Jerome	

6. **Place(s) of Use:**

Indicate Method of Determination *electronic planimeter*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
95	17E	12			8	13									24 ~~24~~	2			47

Do not use this space

MICROFILMED

FEB 09 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

System capacity was previously measured at 4.74 cfs under Lic. 36-7745.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

4.74 cfs x .02 cfs/4c = 0.94 cfs allowable,

2. Alternate Method for Checking Purposes:

42 5/32" nozzle/45 x 2.59 gpm/hd = 151 gpm 100' 8/4" nozzle/45 at 2.87 gpm = 287 gpm, 440 gpm

F. PUMP EFFICIENCY DATA (Optional)

or 0.98 cfs

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: 155 ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

70.74%

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 47 \times 4 = 188 \text{ AFA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 188.0 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

FEB 09 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Since the pumping plant was not changed to accommodate the additional ground, no measurement of system ^{capacity} was made under this permit. Therefore, right should not exceed 4.74 cfs when combined with Lic. 36-4745.

Field work was done by Terry Blau, but exam was written into final form by me

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	0.94	188
Totals:			0.94	188

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton Terry Blau
Signature J. E. Stanton - exam preparer
Certification Date _____
Field Report Preparation Date 5-14-91

CONSULTANT SEAL


- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED


FEB 09 1993

Planimeter for Jim

Section 13




MICROFILMED
FEB 09 1993




UNCLASSIFIED

FEB 9 1993


36-8049



MICROFILMED
FEB 09 1993



1 MILE
5000 7000 FEET
1 KILOMETER



QUADRANGLE LOCATION

CARDS
RESTON, VIRGINIA 22C92
LE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

FALLS CITY, IDAHO
N4237.5—W11422.5/7.5

1979

DMA 3169 III NW SERIES V895

FEB 09 1993

(KIMBERLY)
3169 III SE

BB

CLAIM

INIT

KKC

T. R. S. Q/Q

P/D 9S 17E 12 NW/SE

PHOTO BB23-SE

DT. & ID. 6-22-87

NAPP

PHOTO

ENLARGED

156%

P/D

33

40

40

40

33

33

33

40

13

8


13

23

24



= A36-7745



= A36-8049

MICROFILMED