

RECEIVED

JUN 23 2021

04/10/2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-10424

JAMES R CRATHORNE
3325 SCHAPER RD
MOSCOW ID 83843
Telephone Number: (208) 882-2393

CAROL SUE CRATHORNE
3325 SCHAPER RD
MOSCOW ID 83843
Telephone Number: (208) 882-2393

1. Describe the portion of the proposed recommendation with which you disagree (e.g., priority date, period of use, source):

The parcel number is incorrect.

2. Describe the changes you wish to make in the proposed recommendation:

We wish to correct the incorrect parcel number.
The correct parcel number is RPO1840001005AA

3. Give a brief explanation as to why you disagree with these portions:

Our parcel number was short an "A" at the end. It should have been RPO1840001005AA

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: June 15, 2021 SIGNATURE: James R. Crathorne
Please print your name: James R. Crathorne

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800