

RECEIVED 04/12/2021

NOTICE OF ERROR  
REPLY

JUN 23 2021  
DEPARTMENT OF  
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-10553

EVELYN J WELLBORN  
PO BOX 9567  
MOSCOW ID 83843  
Telephone Number: (208) 883-4209

ALAN WHITLOCK  
PO BOX 9567  
MOSCOW ID 83843  
Telephone Number: (208) 883-4209

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 6-13-2021

SIGNATURE:

Alan Whitlock

Evelyn J. Wellborn

Please print your name: ALAN WHITLOCK

EVELYN J. WELLBORN

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800