

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-08114
Date Received: 7/20/1989
Receipt No: 8008627
Received By: [Signature]

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: J. H. BURGOYNE 208-324-3770
Address: 145 VIEW DRIVE.
JEROME, ID 83338

AND/OR
Name: GLENDA BURGOYNE 208-324-3770
Address: 145 VIEW DRIVE.
JEROME, ID 83338

2. Date of Priority: JUN 16, 1982

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
09S	16E	11	NW	NW	NE		JEROME

5. Description of diverting works:
8" X 260' WELL, 5 HP PUMP.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	0.090		
DOMESTIC	01/01	12/31	0.020		

7. Total Quantity Appropriated is:
0.110 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
D/1 HOUSE.

MICROFILMED
FEB 05 1993

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
09S	16E	11	NW	NE		IRR	3.2
			NW	NE		DOMEST	

Section Acres 3.2

Total Acres 3.2

11. Place of use in counties: JEROME

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: PERMIT

MICROFILMED
FEB 05 1993

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): X J. H. Burgoyne Date: X 7-20-89
Date: _____

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 20th day
of July 19 89

Robert V. Horstell
Notary Public

Seal

Residing at Twin Falls, Idaho
My Commission Expires 1/16/1995

March 16, 2004

J H BURGOYNE
145 VIEW DR
JEROME ID 83338

RE: OWNERSHIP CHANGE FOR DECREED WATER RIGHT #36-8114

Dear Water Right Holder:

The Department has been notified that you wish to change the current owners of the property to which the above water right is appurtenant. In order for our records to be changed, however, it is necessary for you to complete the enclosed Notice of Change of Water Right Ownership form. Please complete it per the instructions (pages 3 and 4), include the required fees and documentation listed under item 2 and return everything in the enclosed self-addressed envelope. Once this packet is received, the changes will be made to our records, and you will be sent confirmation that the change has been completed.

Thank you for your prompt attention to this matter and should you have any questions please feel free to contact me.

Sincerely,

Carrie Hahn
Clerk

PLEASE DETACH THIS PORTION AND REMIT
PAYMENT ON OR BEFORE April 1, 2004

PAYABLE TO: WATER DISTRICT 130

1341 FILLMORE ST SUITE 200
TWIN FALLS ID 83301-3380

NR00018
J H & GLENDA BURGOYNE
145 VIEW DR
JEROME ID 83338

Total Assessment: \$25.00

RECEIVED

MAR 15 2004

Department of Water Resources
Southern Region

04-Mar-04

Please remove Glenda Burgoyne, who is deceased, and add the
names of Neil Burgoyne, son, and Pam Dilworth a daughter. Thanks!

36-8114

Pam Dilworth called
March 19 2004 - wants to leave
WR contacts their way they are
until father is gone.
No changes will be set

Came thru
3/19/04

Log for claim 36-08114



Spatial Dynamics LTD

12/28/01

TR	SEC	QQ	Acres Recommended	Acres Shaped	COMMENT
09s16e	11	NWNE	3	3	
Totals:			3	3	

Water Right Number 36-08114
Township , 9S16E

12/28/2001



R PROOF



CVR




MAPS



PHOTOS



MISC



MICROFILMED
FEB 05 1993

Water Right Number - R36-08114

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - - +

*** C - CURRENT OWNER ***
BURGOYNE

J.H.

1 - 145 VIEW DRIVE

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-3770

BURGOYNE

GLENDA

1 - 145 VIEW DRIVE

2 -

3 -

City- JEROME

State- ID Zip- 83338

Phone - 208-324-3770

+ - - Priority Date - - +
06/16/1982

+ - - Region - - - +
17 SOUTHERN

+ - - Stage - - - +
L - LICENSE

+ - - Status - - - +

+ - - Source - - - - +
GROUNDWATER

+ - - Tributary - - - - - +

+ - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County

09S 16E 11 NW NW NE (53) JEROME

+ - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

01 - IRRIGATION

03/15

11/15

0.040

12.00

43 - DOMESTIC

01/01

12/31

0.020

+ - Total Div. Rate - + + - Total Div. Volume - +
0.040 12.00

+ - Total Consumptive Use - + + - KW Usage - +
9.0

+ - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

09S

16E

11

NW NE

3.0

01

IRRIGATION

(53) JEROME

09S

16E

11

NW NE

43

DOMESTIC

(53) JEROME

Total Acres: 3.0

+ - - Diversion Means - 8" X 260' WELL, 5 HP PUMP.

+ - - Non-Irrigation Use - DOMESTIC/ 1 HOUSE

+ - - Other Rights for Same Use - NONE

+ - - Remarks - - - - - +
No Remarks found.

MICROFILMED
FEB 05 1993

Water right number - R36-08114

Prefix Translation: RESEARCH

+ - - - - Old Water Right Numbers - - - - +

+ - - - - Old Water Right Numbers - - - - +

No Old Water Right Numbers Found

+ - - - - Conditions of Approval - - - - +

No Conditions of Approval found.

+ - - - Decree Plaintiff - - - +

+ - - - Decree Defendant - - - +

+ - Decree Date - +
00/00/0000

+ - - - - Comments - - - - +

Date: 12/09/1991 User Id: WORSTELL Subject: REDUCTION OF CLAIM TO LICENSED AMOUNTS
CLAIM LICENCED 10/18/89 FOR .04 CFS DIVERSION RATE AND 3.0 ACRES IRRIGATED.

+ - - Audit Fields - - +

12/09/91 WORSTELL

+ - - - - Adjudication Rights Dates and Flags Area - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 12/09/1991	Old Judicial District	-
Claim Received Date	- 07/20/1989	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- S008627	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- AND/OR	Presumption Flag	-
				Notice of Error Flag	-

MICROFILMED
FEB 05 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

01:17:19
08/30/90

PAGE: 12
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-08114

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	^{Desk} FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE			R.V. 2/12/91			R.V. 2/12/91	R.V. 2/12/91	R.V. 2/12/91
POINT OF DIV	Y			N				
SOURCE				N				
PLACE OF USE	Y			N				
DIV. AMOUNT CFS/VOLUME	Y			N	License			
CONSUMPTIVE USE	-			Y	5			
PURPOSES				Y				
PERIOD OF USE				N				
BASIS OF CLAIM	Y			N				
REMARKS				N				

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAFF PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

RECEIVED
FEB 05 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

01:17:19
08/30/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-08114

LAST: BURGOYNE
ADDRESS: 145 VIEW DRIVE
CITY: JEROME
PHONE NUMBER: 208-324-3770

FIRST: GLENDA

STATE: ID ZIP: 83338

OWNER CODE: C

LAST: BURGOYNE
ADDRESS: 145 VIEW DRIVE
CITY: JEROME
PHONE NUMBER: 208-324-3770

FIRST: J.H.

STATE: ID ZIP: 83338

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

DATABASE
N

FIELD
EXAMINER

MICROFILMED
FEB 05 1993

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: ____/____/____

APPOINTMENT MADE: Y(____) N(____)

TIME: ____:____ A(____) P(____)

ACCOMPANIED BY: _____

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

Desk Review

A. AJ CLAIM: # A36-08114 PRIORITY DATE: 06-16-1982 STAGE: P

B. WR RECORD: # 36-08114 PRIORITY DATE: 06-16-1982 STAGE: L

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE N FIELD EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y(__) N(__)
IF YES EXPLAIN.

REMARKS:

RECOMMENDED PRIORITY DATE:
06-16-1982

REVIEWED BY *R.V. SK*

DATE *12/9/91*

MICROFILMED
FEB 05 1993

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-08114	09S	16E	11	NW	NW	NE		JEROME

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
A36-15124 NONE
A36-14481
A36-07357

WR RECORDS IN SAME 40 ACRE TRACT
36-07357

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
36-08114	09S	16E	11	NW	NE			JEROME

OTHER WR RECORDS WITH SAME WR POD
36-07357

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
A36-14838 NONE
A36-15124
A36-14481
A36-07357
A36-13898

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER

REMARKS:

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
9S	16E	11 (AS CLAIMED)	NW	NW	NE	---	---

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY:

R.V.W.

DATE:

12/9/91

MICROFILMED

FEB 05 1993

A. ROOT WATER RIGHT NUMBERS: A36-08114

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
09S	16E	11	NW	NE		BURGOYNE, GLENDA	A36-08114 / 3.2	36-08114 / 3.0	31.0		3
						SIREN, DEAN	A36-15124 /	- /			
						COOK, EUGENE N.	A36-14481 /	- /			
						PETERSON, WALTER F.	A36-14838 /	- /			
						LEDBETTER, GREG	A36-13898 /	- /			
						LARGE CLAIM	A01-00212Z3 / 9.5	- /			
						FUNDERBURG, DENISE K.	A36-07357 / 2.0	36-07357 / 2.0			
09S	16E	11	NW	NE		BURGOYNE, GLENDA	A36-08114 /	36-08114 / 3.0	31.0		
						SIREN, DEAN	A36-15124 /	- /			
						COOK, EUGENE N.	A36-14481 /	- /			
						PETERSON, WALTER F.	A36-14838 /	- /			
						LEDBETTER, GREG	A36-13898 /	- /			
						LARGE CLAIM	A01-00212Z3 / 9.5	- /			
						FUNDERBURG, DENISE K.	A36-07357 / 2.0	36-07357 / 2.0			
TOTAL ACRES						A36-08114	3.20	6.00	62.00		3

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

PRESUMPTION FLAG:

REMARKS:

Recommended as Licensed

RECOMMENDATIONS:

TOTAL ACRES: 3

REVIEWED BY: R. J. [Signature]

DATE: 12/9/91

A. AJ CLAIMED USES:

	PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A36-08114	IRRIGATION	FROM 03-15 TO 11-15	.090 CFS
A36-08114	DOMESTIC	FROM 01-01 TO 12-31	.020 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED			.110 CFS

B. WR RECORDED USES:

	PURPOSES	MONTH/DAY	DIVERSION QUANTITY
36-08114	IRRIGATION	FROM 03-15 TO 11-15	.040 CFS 12.00 AF/A
36-08114	DOMESTIC	FROM 01-01 TO 12-31	.020 CFS 1.20 AF/A
TOTAL DIVERSION RATE/VOLUME CLAIMED			.040 CFS 13.20 AF/A

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	<u> N </u>
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	Y	<u> </u>
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	<u> </u>

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y(✓) N()

RECOMMEND TO WR STANDARDS OR OTHER?

Y() N() Explain in remarks, below.

REMARKS:

MICROFILMED
FEB 05 1993

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS? Y() N(☒)

AJ TOTAL CLAIMED DIVERSION RATE: 0.110 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.040 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED? FIELD
DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N) DATABASE EXAMINER Y

B. FLOW MEASUREMENT
MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A36-08114	GROUNDWATER	BURGOYNE, GLENDA	0.110	0.034		
A01-0021223	LARGE CLAIM	LARGE CLAIM	9999999.000	303.196		

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A36-08114	DOMESTIC	BURGOYNE, GLENDA	FROM 01-01 TO 12-31	.020 CFS	
A36-15124	DOMESTIC	SIREN, DEAN	FROM 01-01 TO 12-31	.040 CFS	
A36-14481	DOMESTIC	COOK, EUGENE N.	FROM 01-01 TO 12-31	.040 CFS	
A36-14838	DOMESTIC	PETERSON, WALTER F.	FROM 01-01 TO 12-31	.040 CFS	
A36-13898	DOMESTIC	LEDBETTER, GREG	FROM 01-01 TO 12-31	.040 CFS	
A36-13898	STOCKWATER	LEDBETTER, GREG	FROM 01-01 TO 12-31	.020 CFS	
A36-07357	DOMESTIC	FUNDERBURG, DENISE K.	FROM 01-01 TO 12-31	.040 CFS	
A36-07357	COMMERCIAL	FUNDERBURG, DENISE K.	FROM 01-01 TO 12-31	.010 CFS	

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES 3 ^{1.03} x 0.02 CFS/ACRE = 0.09 CFS
(Taken from p/u review)

Licensed 0.04

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y(☒) N(☐)

OK - Less than 5 acres

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y(☐) N(☐) ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 9.6 AF/A

ACRES 3 x CONSUMPTIVE VOL. AF/A FOR AREA 3 =

TOTAL CONSUMPTIVE USE 9.0 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES 3 x DIVERSION VOL. AF/A FOR AREA 4 =

TOTAL DIVERSION VOLUME 12 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y(☐) N(☐)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

MICROFILMED
FEB 05 1993

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	03-15	0.090		
DOMESTIC	01-01	0.020		9.6
	11-15			
	12-31			
TOTAL FOR THIS RIGHT		0.110		

REVIEWED BY:

DATE:

Recommended as Licensed

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED	NEEDS REVIEW
()	()
()	()
()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-08114

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
0.040

EXAMINER

CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A36-08114	0.110	-		36-08114	0.040
TOTAL CFS		0.110				0.040

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
N

FIELD
EXAMINER

REMARKS:

AUTHENTICATION:

SIGNATURE: G. V. Kerstell

DATE: 12/9/91

NAME OF FIELD EXAMINER: _____

TITLE: Water Res Agent.

R. J. W. 12/9/91

MICROFILMED
FEB 05 1993



R/16E
Sonnickson
VABM Δ 3741
Butte

36-08114

P/D

P/U

T
09
5

MICROFILMED
FEB 05 1983

BB22 SE (1976)
NAPP 416-21 6/22/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR
BALLPOINT PEN

RECEIVED
JUN 22 1987
Department of Water Resources
Southern Region Office

1. WELL OWNER Name <u>J. H. Burgoyne</u> Address <u>Jerome</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>160</u> feet below ground surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of, Quality _____																																																																						
2. NATURE OF WORK ☐ New well ☒ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA NONE ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>0</td> <td>180</td> <td>Old Hole</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>180</td> <td>196</td> <td>Med Hard w/sm. breaks</td> <td></td> <td></td> </tr> <tr> <td>6</td> <td>196</td> <td>209</td> <td>Hard Gray Basalt</td> <td></td> <td></td> </tr> <tr> <td></td> <td>209</td> <td>213</td> <td>Med Hard Brown Basalt w/lg. breaks</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td>213</td> <td>220</td> <td>Med H. Gray Basalt w/lg. breaks</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td>220</td> <td>225</td> <td>Med Hard Brown Basalt w/lg. breaks</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td>225</td> <td>240</td> <td>Med Brown Basalt w/lg. breaks</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td>240</td> <td>246</td> <td>Med Hard Brown Basalt w/lg. breaks</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td>246</td> <td>253</td> <td>Med Hard Gray Basalt w/lg. breaks</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td>253</td> <td>260</td> <td>Med Brown Basalt w/lg. breaks</td> <td>X</td> <td></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	6	0	180	Old Hole		X		180	196	Med Hard w/sm. breaks			6	196	209	Hard Gray Basalt				209	213	Med Hard Brown Basalt w/lg. breaks	X			213	220	Med H. Gray Basalt w/lg. breaks	X			220	225	Med Hard Brown Basalt w/lg. breaks	X			225	240	Med Brown Basalt w/lg. breaks	X			240	246	Med Hard Brown Basalt w/lg. breaks	X			246	253	Med Hard Gray Basalt w/lg. breaks	X			253	260	Med Brown Basalt w/lg. breaks	X	
Hole Diam.	Depth		Material	Water																																																																			
	From	To		Yes	No																																																																		
6	0	180	Old Hole		X																																																																		
	180	196	Med Hard w/sm. breaks																																																																				
6	196	209	Hard Gray Basalt																																																																				
	209	213	Med Hard Brown Basalt w/lg. breaks	X																																																																			
	213	220	Med H. Gray Basalt w/lg. breaks	X																																																																			
	220	225	Med Hard Brown Basalt w/lg. breaks	X																																																																			
	225	240	Med Brown Basalt w/lg. breaks	X																																																																			
	240	246	Med Hard Brown Basalt w/lg. breaks	X																																																																			
	246	253	Med Hard Gray Basalt w/lg. breaks	X																																																																			
	253	260	Med Brown Basalt w/lg. breaks	X																																																																			
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>6/4/82</u> finished <u>6/10/82</u>																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☒ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>6 5/8 OD</td> <td>inches +2</td> <td>feet -196</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet -18</td> <td>feet -170</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	250 inches	6 5/8 OD	inches +2	feet -196	inches	inches	feet -18	feet -170	inches	inches	feet	feet	inches	inches	feet	feet	Number	From	To	perforations	feet	feet	perforations	feet	feet	perforations	feet	feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SMITH DRILLING & PUMP CO. INC.</u> Address <u>Jerome</u> Date <u>6/14/82</u> Signed by (Firm Official) _____ and _____ (Operator) <u>Wesley C. Hunt</u>																																						
Thickness	Diameter	From	To																																																																				
250 inches	6 5/8 OD	inches +2	feet -196																																																																				
inches	inches	feet -18	feet -170																																																																				
inches	inches	feet	feet																																																																				
inches	inches	feet	feet																																																																				
Number	From	To																																																																					
perforations	feet	feet																																																																					
perforations	feet	feet																																																																					
perforations	feet	feet																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">N</td> <td colspan="2"></td> <td style="text-align: center;">E</td> </tr> <tr> <td style="text-align: center;">W</td> <td style="text-align: center;"> </td> <td colspan="2" style="text-align: center;">S</td> </tr> </table> Subdivision Name _____ Sonnicksen Sub Division Lot No. <u>7</u> Block No. <u>2</u> County <u>Jerome</u> _____ X _____ Sec. <u>11</u>, T. <u>9S</u>, R. <u>16E</u> NW.	N			E	W		S		USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT																																																														
N			E																																																																				
W		S																																																																					

RECEIVED
JUL 08 1987
Department of Water Resources

NOT FILMED
FEB 05 1993

RECEIVED

MAY 01 1987

Form 219,
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 36-8114

1. Owner: J. H. Burgoyne Phone No. _____
Current Address: Rte 3, Jerome, Ida
2. Accompanied by: J. H. Burgoyne EXAM. DATE: 9-15-86
Address: _____ Phone No. _____

Relationship to Permit Holder: _____


3. Source: groundwater tributary to ✓

B. OVERLAP REVIEW

1. Other water rights with same place of use: NO ☐ Copies Attached
2. Other water rights with same point of diversion: NO ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
FEB 05 1993

System Description (continued)

- 3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" DIA well, Submersible Well, water is used for irrigation
(1) Single Family House Hold for the Domestic use.
Domestic use includes HWR.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Franklin 3/4	5	2821132201		

*Code to correspond with No. on map and aerial photo

- 5 Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		N	SW	NW	NE	11	9S	16E	Sevoma

- 6 Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	16E	11	3																3
			D																

Do not use this space

MICROFILMED
FEB 05 1993

Do not use this space

D FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	S. e	Calib. Date

2. Measurements: Pressure gage

measured SHds at 30 ft. 30 W 2 H Rainbirds, = 3.85 gal/ea/hr

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $(5)(3.85)(4.48) = 0.042 \text{ cfs} = 0.04 \text{ c.f.s.}$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (3)(4.0) = 12$

$V_{OR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (245)(0.04)(1.9835) = 19.4$

$V = \text{Smaller of } V_{IR} \text{ and } V_{OR} = 12 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

FEB 05 1993

RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (af)
	1-1 From	12-31 To		
<i>Domestic</i>	<i>8-15</i>	<i>11-15</i>	<i>0.04</i>	<i>12.0</i>
<i>Irrigation</i>	<i>3-15</i>	<i>11-15</i>	<i>0.04</i>	<i>12.0</i>
Totals:			<i>0.04</i>	<i>13.2</i>

Recommended Amendment:

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None
☐ Other

Field Examiner's Name GARY FUNDERBURG
Signature Gary Funderburg
Certification Date _____
Field Report Preparation Date 9-30-86

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FROM 5/3/89

MICROFILMED
FEB 05 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 36-08114

Priority: June 16, 1982

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 13.2 AF

This is to certify, that J. H. BURGOYNE
13 VIEW DR.
JEROME, ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 16, 1982; and has submitted Proof of Beneficial Use on October 14, 1985. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	12.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF
Totals		0.04 CFS	13.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE, Sec. 11, Township 09S, Range 16E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	16E	11	NWNE	3		3

Total number of acres irrigated:

3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

FEB 05 1993