

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-08265

Date Received: 5/28/1991

Receipt No: S013381

Received By: R. V. ZK

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CECIL HILT 208-536-6516
Address: RT. 1 BOX 160
WENDELL, ID 83355

Name: HENRIETTA HILT 208-536-6516
Address: RT. 1 BOX 160
WENDELL, ID 83355

Name: ARIE HILT
Address: XXXX, ID 0000

2. Date of Priority: MAR 7, 1985

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
07S	14E	25	SE	SW	SW		GOODING

5. Description of diverting works:
2 WELLS WITH PUMPS, INTERCONNECTED WITH SHUT-OFF VALVE

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
STOCKWATER	01/01	12/31	0.150		
COMMERCIAL	01/01	12/31	0.150		

7. Total Quantity Appropriated is:
0.150 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
S/300 DAIRY

MICROFILMED
FEB 05 1993

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	14E	25	SW	SW		STOCK	
			SW	SW		COMMER	

11. Place of use in counties: GOODING

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

2 WELLS ARE INTERCONNECTED BUT SEPARATED BY A CUT-OFF VALVE --
THIS NEEDED SO ONE CAN BE USED AS A BACK-UP WELL FOR THE OTHER.

IDWR NOTE: PROOF MADE 9/11/85, FIELD EXAM 2/5/87, FINALIZED
8/8/90 & 5/13/91. SEE LETTER OF AMENDED ORDER OF REINSTATEMENT
FROM L. G. SAXTON DATED 5/15/91

LATE FEE WAS EXCUSED BY PHONE CALL TO DAVE SHAW BY MERRITT.

RVW 5/28/91

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and
understand the form entitled "How you will receive notice in the Snake River
Basin Adjudication." (b.) I/We do ___ do not ___ wish to receive and pay
a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the
foregoing document are true and correct.

Signature of Claimant(s): X *Carl Hill* Date: X 5-28-91

Date: _____

MICROFILMED
FEB 05 1993

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 28th day
of May 1991

Robert V. Worstell
Notary Public

Seal

Residing at _____

My Commission Expires _____

Twin Falls, Idaho
January 16, 1992

MICROFILMED
FEB 05 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

MICROFILMED
FEB 0 5 1993

May 20, 1991

RE: Permit No. 36-8265

Cecil Hilt
Henrietta Hilt
Arie Hilt
Rt. 1, Box 160
Wendell, ID 83355

Dear Water Right Holder(s):

Enclosed is your copy of a Department of Water Resources AMENDED
ORDER OF REINSTATEMENT in connection with the above referenced
permit.

If you have any questions concerning this document, please feel
free to contact us.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 36-8265 IN THE NAME OF) AMENDED
CECIL &/OR HENRIETTA &/OR) ORDER OF REINSTATEMENT
ARIE HILT)
_____)

This matter having come before the Idaho Department of Water Resources (Department) the Department finds, concludes and orders as follows:

FINDINGS OF FACT

1. On January 4, 1990, the department issued an order of reinstatement for application No. 36-8265 which also advanced the priority date of the permit one day for each day the license examination fee was late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The license exam fee was due on June 16, 1986 and not received within one year of the date. The permit lapsed for failure to pay the license examination fee. The Examination Fee Information form and fee was received in the State Office file on December 21, 1989.

3. Review of the Examination Fee Information form determined the form and fee were actually received May 14, 1986 in the Southern Region office and that the permit was lapsed and the priority date advanced in error.

CONCLUSIONS OF LAW

1. The Department erred in lapsing the permit and advancing the priority date since the required Examination Fee Information form and fee had been submitted to the Department by the applicant


MICROFILMED
FEB 05 1993

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 36-8265 is reinstated.

IT IS HEREBY ORDERED that the priority date of Permit No. 36-8265 remain March 7, 1985.

Dated this 15th day of May, 1991.



L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED
FEB 05 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

13-May-1991

Mr. & Ms. Cecil Hilt
Rt. 1 box 160
Wendell, ID. 83355

Dear Mr. Hilt:

This is a computerized printout of your adjudication claim fashioned after your permit for this water use-as modified to match your recently finalized field examination.

Please examine this claim to see that it is to your satisfaction. If it is, please sign it on the second page where indicated, have your signature notarized and return it to our office with a check for \$115 to cover the \$65 fee and the \$50 late charge. We will then send you a copy for your files.

Thank you for your cooperation.

Respectfully

A handwritten signature in blue ink that reads "Robert V. Worstell".

Robert V. Worstell
Sr. Adjudication Agent

rvw/aa

MICROFILMED
FEB 05 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 3, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ARIE HILT
1626 E 2900 S
WENDELL ID 83355

3-29-02
response
-ss

RECEIVED

APR 04 2002

Department of Water Resources
Southern Region

RE: Snake River Basin Adjudication (SRBA)
Water Right #36-8265

Dear Water Right Holder:

The Postal Service has advised us your address has changed to the above address.

Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list **any other water rights you have**, and return this letter by **December 28, 2001**. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water rights referenced above, please call this office toll-free at 1/800-451-4129 to obtain a form to make this required change to the water right records.

Sincerely,

Sally Sherman
Technical Records Specialist
Adjudication Bureau

SS:region

#####

The address is correct as shown above or as otherwise changed.


Water Right Holder's Signature

Telephone No.

R PROOF



CVR



MAPS



PHOTOS



MISC



MICROFILMED
FEB 05 1993

1626 2nd 2900 South

HILT, ARIE 36-8265
RT 1 BOX 160
WENDELL ID 83355

DO NOT SCAM

Water Right Number - R36-08265

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

HILT

HENRIETTA

1 - RT 1 BOX 160

2 -

3 -

City- WENDELL

State- ID Zip- 83355

Phone - 208-536-6516

HILT

CECIL

1 - RT 1 BOX 160

2 -

3 -

City- WENDELL

State- ID Zip- 83355

Phone - 208-536-6516

HILT

ARIE

1 - RT 1 BOX 160

2 -

3 -

City- WENDELL

State- ID Zip- 83355

Phone - 208-000-0000

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
03/07/1985 17 SOUTHERN L - LICENSE+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County
07S 14E 25 SE SW SW (47) GOODING+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
04 - STOCKWATER 01/01 12/31 0.150 11.70
10 - COMMERCIAL 01/01 12/31 0.150 7.90+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
0.150 19.60 9.6+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County
07S 14E 25 SW SW 04 STOCKWATER (47) GOODING
07S 14E 25 SW SW 10 COMMERCIAL (47) GOODING

Total Acres:

+ - - Diversion Means - 2 WELLS WITH PUMPS, INTERCONNECTED WITH SHUT-OFF VALVE

+ - - Non-Irrigation Use - STOCKWATER/ 300 DAIRY; COMMERCIAL/ DAIRY BARN USE

MICROFILMED
FEB 0 5 1993

Water right number - R36-08265

Prefix Translation: RESEARCH

+ - - Other Rights for Same Use - NONE

+ - - - - - Remarks - - - - - +
TWO POINTS OF DIVERSION LOCATED IN SESWSW, S25, T07S, R14E.

+ - - - - - Old Water Right Numbers - - - - - +
3608265

+ - - - - - Conditions of Approval - - - - - +
No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - - Comments - - - - - +

Date: 03/30/1992 User Id: CLELLAND Subject: COPIED FROM REMARKS
2 WELLS ARE INTERCONNECTED BUT SEPARATED BY A CUT-OFF VALVE -- THIS NEEDED SO ONE CAN BE USED AS A BACK-UP WELL FOR THE OTHER.
IDWR NOTE: PROOF MADE 9/11/85, FIELD EXAM 2/5/87, FINALIZED 8/8/90 & 5/13/91. SEE LETTER OF AMENDED ORDER OF REINSTATEMENT
FROM L. G. SAXTON DATED 5/15/91 LATE FEE WAS EXCUSED BY PHONE CALL TO DAVE SHAW BY MERRITT.

RVW 5/28/91

Date: 04/06/1992 User Id: MERRITT Subject: DRY STOCK
DRY STOCK WATERED FROM SAME SYSTEM BUT WITH UNRECORDED WATER RIGHT OF LESS THAN 13,000 GAL/DAY. LICENCE ISSUED FOR MORE
DIV. VOL FOR COMMERCIAL THAN LOTUS PROGRAM CALCULATED. ALLOW WHAT WAS LICENSED.

+ - - Audit Fields - - +
05/07/92 MERRITT

+ - - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing - 00/00/0000	Field Inspection Made - 00/00/0000	Civil Case Number - 39576
Objection Filed Date - 00/00/0000	Field Inspection Flag -	Old Case Number -
Response Filed Date - 00/00/0000	Verified Date - 05/07/1992	Old Judicial District -
Claim Received Date - 05/28/1991	Last Amended Date - 00/00/0000	Temporary Right - P
	Receipt Number - S013381	Water District -
	POU Ownership Flag - Y	Federal/State Indicator - S
	Name Connector -	Presumption Flag -
		Notice of Error Flag -

MICROFILMED
FEB 0 5 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

09:44:49
03/30/92

PAGE: 10
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-08265

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE	-			N		3-30-92		
POINT OF DIV	Y			N				
SOURCE				N	6.			
PLACE OF USE	Y			N	6.			
DIV. AMOUNT CFS/VOLUME				(Y)	6.			
CONSUMPTIVE USE	-			(Y)				
PURPOSES				N				
PERIOD OF USE				N				
BASIS OF CLAIM				N				
REMARKS	-			(V)	6.			

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED
FEB 05 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

10:15:53
03/30/92

PAGE: 11
PROFILE REPORT

CLAIM NUMBER: A36-08265

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	HENRIETTA HILT	03/07/1985	STOCKWATER	01-01 12-31	0.15 CFS	
C	CECIL HILT		COMMERCIAL	01-01 12-31	0.15 CFS	
	RT. 1 BOX 160					
	WENDELL ID 83355					
	(208) 536-6516			TOTAL DIVERSION:	0.15 CFS	
C	ARIE HILT					
	XXXX ID 0000					

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T07S R14E S25 SESWSW

GOODING County

Place of use Legal Description for: STOCKWATER

NE				NW				SW				SE																				
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:									
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
07S	14E	25	:					:					:					:					:								:	

Place of use Legal Description for: COMMERCIAL

NE				NW				SW				SE											
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
07S	14E	25	:					:					:					:					:

POU County: GOODING

Non-Irrigation Uses: S/300 DAIRY

Other Rights: NONE

Non-Irrigation Use: S/300 DAIRY

Remarks: 2 WELLS ARE INTERCONNECTED BUT SEPARATED BY A CUT-OFF VALVE --
THIS NEEDED SO ONE CAN BE USED AS A BACK-UP WELL FOR THE OTHER.
IDWR NOTE: PROOF MADE 9/11/85, FIELD EXAM 2/5/87, FINALIZED
8/8/90 & 5/13/91. SEE LETTER OF AMENDED ORDER OF REINSTATEMENT
FROM L. G. SAXTON DATED 5/15/91
LATE FEE WAS EXCUSED BY PHONE CALL TO DAVE SHAW BY MERRITT.
RVW 5/28/91

Dates: Exam Made Date: Verified Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

MICROFILMED
FEB 05 1993

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: __/__/__

APPOINTMENT MADE: Y(____) N(____)

TIME: __:__ A(____) P(____)

ACCOMPANIED BY: _____

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

MICROFILMED
FEB 05 1993

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-08265	07S	14E	25	SE	SW	SW		GOODING

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
36-08265	07S	14E	25		SW	SW		GOODING

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX

NONE

NONE

NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER
N

REMARKS:

MICROFILMED
FEB 05 1993

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP. RGE. SEC. 1/4 1/4 1/4 LOT COUNTY

ok

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY: sw

DATE: 3-30-92

MICROFILMED
FEB 05 1993

A. ROOT WATER RIGHT NUMBERS: A36-08265

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
07S	14E	25	SW	SW		HILT, HENRIETTA	A36-08265 /	36-08265 /	40.0		
			SW	SW		NORTH SIDE CANAL COMPANY LTD.	A01-0021220/40.0	- /			
			SW	SW		HENDRIX, ALLEN E.		36-02532 /14.0			Stock
07S	14E	25	SW	SW		HILT, HENRIETTA	A36-08265 /	36-08265 /	40.0		
			SW	SW		NORTH SIDE CANAL COMPANY LTD.	A01-0021220/40.0	- /			
			SW	SW		HENDRIX, ALLEN E.		36-02532 /14.0			Comm.
TOTAL ACRES							A36-08265		80.00		

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N(~~X~~)
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

POU COUNTY: GOODING

PRESUMPTION FLAG:

REMARKS:

Commercial/Stock only

RECOMMENDATIONS:

TOTAL ACRES: ~~80~~

REVIEWED BY: su

DATE: 3-30-92

MICROFILMED
FEB 05 1993

A. AJ CLAIMED USES:

	PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A36-08265	STOCKWATER	FROM 01-01 TO 12-31	.150 CFS
A36-08265	COMMERCIAL	FROM 01-01 TO 12-31	.150 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED			.150 CFS

B. WR RECORDED USES:

	PURPOSES	MONTH/DAY	DIVERSION QUANTITY
36-08265	STOCKWATER	FROM 01-01 TO 12-31	.150 CFS 11.70 AF/A
36-08265	COMMERCIAL	FROM 01-01 TO 12-31	.150 CFS 7.90 AF/A
TOTAL DIVERSION RATE/VOLUME CLAIMED			.150 CFS 19.60 AF/A

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	<u> </u>
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	<u> </u>
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	<u> </u>

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y(~~X~~) N()

RECOMMEND TO WR STANDARDS OR OTHER?

Y() N(~~X~~) Explain in remarks, below.

REMARKS:

MICROFILMED
FEB 05 1993

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(☒) N(☐)

AJ TOTAL CLAIMED DIVERSION RATE: 0.150 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.150 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***

** If an amount smaller than the original diversion rate is **

** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

FIELD
DATABASE EXAMINER

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

Y

B.

FLOW MEASUREMENT

MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y(☐) N(☒) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM NO.	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A01-0021220	SNAKE RIVER	NORTH SIDE CANAL COMPANY LTD.	2250.000	0.081		

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

MICROFILMED
FEB 0 5 1993

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES _____ x 0.02 CFS/ACRE = _____ CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N()

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = _____ AF/A
ACRES _____ x CONSUMPTIVE VOL. AF/A FOR AREA _____ =
TOTAL CONSUMPTIVE USE _____ AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = _____ AF/A
ACRES _____ x DIVERSION VOL. AF/A FOR AREA _____ =
TOTAL DIVERSION VOLUME _____ AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

MICROFILMED
FEB 05 1993

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
STOCKWATER	01-01 12-31	DATABASE 0.150 EXAMINER 0.150	DATABASE 11.70 EXAMINER 7.90	DATABASE 0.0 EXAMINER
COMMERCIAL	01-01 12-31			
TOTAL FOR THIS RIGHT		0.150	19.60	

REVIEWED BY: SW

DATE: 3-30-92

MICROFILMED
FEB 05 1993

F02

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP _____	()	()
FORFEIT/ABANDON _____	()	()
ADDITIONAL DIV. AMOUNT _____	()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-08265

TOTAL DIVERSION RATE OF WR SPLITS	DATABASE	EXAMINER	CFS
	0.150	_____	

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A36-08265	0.150	-		36-08265	0.150
TOTAL CFS		0.150				0.150

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE	FIELD EXAMINER
Y	_____

REMARKS:

AUTHENTICATION:

SIGNATURE: _____

DATE: _____

NAME OF FIELD EXAMINER: _____

TITLE: _____

MICROFILMED
FEB 05 1993

A36-08265
H1LT

T
7
5

504

T7:

FILMED

45 1992

CONVERSATION MEMORANDUM

EMPLOYEE: Allen Mervitt FILE A36-08265RE: Dairy Use.DATE 4/6/92NAME OF PARTY Mr. Hilt 536-6516

This day I phoned Mr. Hilt to discuss his dairy use. He indicated the 300 cows licensed are all milking with dry stock weaned by other right. He milks 2 times a day and has automatic washing ^(sprinklers). He runs his waste into a low spot in the field which is 400' x 300' and stands about 5' deep.

MICROFILMED

FEB 05 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Pecil A. Hilt Permit No. 36-8265
 Current Address: Rt #1 Box 160 Wendell, ID 83255 Phone No. 536-6516
 2. Accompanied by: Pecil EXAM. DATE: 2/5/87
 Address: _____ Phone No. 536-6516
 Relationship to Permit Holder: _____
 3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none
 2. Other water rights with same point of diversion: none ☐ Copies Attached
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
 Showing location(s) of point(s) of diversion and
 place(s) of use (required). ☐ Aerial Photo Attached
 (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
FEB 05 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two wells
 ① house and two cult troughs
 ② 4 troughs, washing nozzles, milk cooler
 well heads, 1000-gal cistern; pumped from there
 cistern: 7' x 5 1/2' x 3 1/2' - fills 3 times/day water level
 300 head 110'

□ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
①	Sta-Rik	1 1/2			
②	no info				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW		25	7S	14E	Coaling	

6. Place(s) of Use:

			Indicate Method of Determination																
Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	14E	25																	

Do not use this space

MICROFILMED
 FEB 05 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

well (D) cistern fills in 25 min

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

well (D) $V = 7.5(3.5)(6.5) = 144 \text{ ft}^3$ $Q = \frac{144}{25(60)} = .1 \text{ cfs}$

2. Alternate Method for Checking Purposes:

well (D) theoretical: $Q = \frac{1.5(8.5)(.7)}{170 + 2.3(30)} = .05 \text{ cfs}$ (30 psi assumed)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7)

Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IA} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{DA} = (\text{Diversion Rate (cfs)}) \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{IA} \text{ and } V_{DA} =$ _____

2. Volume Calculations for Other Uses:

300 hd. dairy cattle (watering & servicing) @ 35 gpd/head
 $V = 10500 \text{ gpd}$
 $V = 11.8 \text{ ac/ann}$

commercial (see remarks)
 $V = 17.9 \text{ ac/ann}$

FEB 05 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Volumes for commercial use:

cistern 3000 gpd

washing 4000 gpd

cooling 50 gpd

~~irrigation 1000 gpd~~

~~stockwater 1000 gpd~~

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Commercial
Stockwater

Period of Use	
From	To
1/1	12/31
1/1	12/31

Rate of Diversion
Q (cfs)

.15

.15

Annual Volume
V (afa)

7.9

11.8

Totals:

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Charles Brockway for Terry

4/10/91

8/8/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
FEB 05 1993