

RECEIVED

JUL 01 2021

DEPARTMENT OF
WATER RESOURCESNOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11168

VAN G ZIEMANN
39 ALBERTA RD
WESTBROOK ME 04092
Telephone Number:ZIEMULZ FARMS LLC
510 W HIGHLAND VIEW DR
BOISE ID 83702
Telephone Number: (208) 344-7966JANICE GEYER
3814 NE 89TH ST
SEATTLE WA 98115
Telephone Number:JEZ RANCH LLC
5741 179 AVE SE
BELLEVUE WA 98006
Telephone Number:JOHN R ZIEMANN
1651 UNIONTOWN RD
GENESEE ID 83832
Telephone Number:

Source UNNAMED STREAM (Spring run-off)
Priority Date December 30, 1891 + underground H₂O
Right Id 693,331
Status Active
Basis Beneficial use
Overall Max Diversion Rate 0.01
- Stock water from 1/1 to 12/31 0.01 CFS
total Diversion 0.01 CFS
of stock 25
Legal Description - Stock water

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 6/24/2021 SIGNATURE:

Please print your name:

Jeanne Ziemann Schulz
Jeanne Ziemann Schulz
(Ziemulz Farms)