

BLINCOE FARMS

see file #'s

A36-04057

A36-04059

A36-04060

for original
claim

MICROFILMED
FEB 09 1993

From: DWR60::JROBERTS 16-DEC-1997 16:19:20.71
To: DWR01::AWARNTJE
CC: JROBERTS
Subj: COPY OF DON'S MESSAGE

ANITA, I THOUGHT YOU MIGHT WANT TO BE AWARE OF THIS MESSAGE ALSO...

From: DWR60::JROBERTS 16-DEC-1997 16:17:45.58
To: DWR03::DSHAFF
CC: JROBERTS
Subj: 36-02230B, 36-07413, 36-15362

I WANTED TO LET YOU KNOW THAT I CORRECTED THE POU ON THESE THREE CLAIMS FROM THE NW QUARTER OF SECTION 31 TO THE SE QUARTER OF SECTION 31 BASED ON MY GIS REVIEW. I DON'T THINK YOU HAVE SUBMITTED THESE TO THE COURT YET BUT YOU MIGHT WANT TO BE SURE THESE HAVE UPDATED BEFORE YOU DO. JEANIE

NO. OF CLAIMS IN POLYGON 3

CLAIM NUMBERS 36-02230B 36-07413 DATE 8/21/97

36-15362

AGENT R

TOTAL ACRES

FROM RECOMMENDATION 960

GEOGRAPHIC INFO SYSTEM 956

RIGHT NO				NE				NW				SW				SE			
	TNS	RNG	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
RECOM	07S	23E	31	39	42	42	40	40	43	42	39								
GIS				39.28	41.73	42.28	40.17	40.2	42.78	42.25	39.19					40.2	42.78	42.25	39.41
RECOM	07S	23E	32		15	36	25	39	39	40	40	40	40	39	39	39	40	39	39
GIS					12.6	36	24.7	39.21	39.31	40.06	40.01	40.03	40.06	38.81	38.9	39.16	39.96	39.00	38.63
RECOM	08S	23E	06	41	43														
GIS				40.58	41.14														
RECOM																			
GIS																			

UPDATED

POLYGON #

UPDATED

B36-DBPOU.DBF 155 ✓ 384 ✓

ATTRIBUTES OF B36-POU.SHP 155, 384

B36-DBPOD.DBF 54, 55, 56, 156 ✓

ATTRIBUTES OF B36-POD.SHP (54) 31-NWSWNE 5/27/9

(55) 32-NESE NW

(56) 32-SWSESE

(156) 6-NENENE

polygon #155 is for sections 31 & 32 in 7S, 23E = 874.28Ac
polygon #384 is for section 06 in 8S, 23E = 81.72Ac

rec. in Center
we called one!

From: DWR60::JROBERTS 16-DEC-1997 16:19:20.71
To: DWR01::AWARNTJE
CC: JROBERTS
Subj: COPY OF DON'S MESSAGE

ANITA, I THOUGHT YOU MIGHT WANT TO BE AWARE OF THIS MESSAGE ALSO...

From: DWR60::JROBERTS 16-DEC-1997 16:17:45.58
To: DWR03::DSHAFF
CC: JROBERTS
Subj: 36-02230B, 36-07413, 36-15362

I WANTED TO LET YOU KNOW THAT I CORRECTED THE POU ON THESE THREE CLAIMS FROM THE NW QUARTER OF SECTION 31 TO THE SE QUARTER OF SECTION 31 BASED ON MY GIS REVIEW. I DON'T THINK YOU HAVE SUBMITTED THESE TO THE COURT YET BUT YOU MIGHT WANT TO BE SURE THESE HAVE UPDATED BEFORE YOU DO. JEANIE

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 12/16/97
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BLINCOE FARMS INC RT 1 BOX 1339 HEYBURN ID 83336 (208) 678-4731	04/01/1981	IRRIGATION	04-01 10-31	2.80 CFS	
TOTAL DIVERSION:					2.80 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: BENEFICIAL USE

Point(s) of Diversion:

T07S R23E S31 NWSWNE
S32 NESENW SWESE
T08S R23E S06 NENENE

MINIDOKA County
MINIDOKA County
MINIDOKA County

Place of use Legal Description for: IRRIGATION

NE																								NW								SW								SE								SUM
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:																
07S	23E	31	:	39	01-42	02-42	40	:																																								
07S	23E	32	:		15	36	25	:	39	39	40	40	:																						327.0													
08S	23E	6	:	01-41	02-43			:																											549.0													
																				TOTAL ACRES				:	84.0																							
																								:	960.0																							

POU County: LINCOLN

Other Rights: SEE REMARKS

Conditions of Approval:

- C11 - THIS WATER RIGHT IS SUBORDINATE TO ALL WATER RIGHTS WITH A
- PRIORITY DATE EARLIER THAN APRIL 12, 1994, THAT ARE NOT DECREED
- AS ENLARGEMENTS PURSUANT TO SECTION 42-1426, IDAHO CODE. AS
- BETWEEN WATER RIGHTS DECREED AS ENLARGEMENTS PURSUANT TO SECTION
- 42-1426, IDAHO CODE, THE EARLIER PRIORITY RIGHT IS THE SUPERIOR
- RIGHT.

Remarks: QNT USE OF THIS RIGHT WITH RIGHT NOS.: 36-7413 AND 36-02230B
LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 15.18 CFS AND A
TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 3840 AF.

POU1 USE OF THIS RIGHT WITH RIGHT NOS.: 36-7413 AND 36-02230B
IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL OF 960 ACRES IN
A SINGLE IRRIGATION SEASON.

GEN THIS RIGHT IS BASED UPON AN ENLARGEMENT OF RIGHT
NOS.: 36-7413 AND 36-02230B PURSUANT TO SECTION 42-1426,
IDAHO CODE.

EXP RIGHT NOS. 36-7413, 36-02230B ARE ALSO DIVERTED THROUGH THE
PTS. OF DIVERSION DESCRIBED ABOVE.

"DO NOT FILM"

AJ0749NP
No. R36-15362

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 12/16/97
PAGE: 2

Remarks: THIS RIGHT IS A COMBINATION OF OLD RIGHT NOS. 36-04057,
36-04059 AND 36-04060
THIS RIGHT IS FOR AN ENLARGEMENT OF 177 ACRES WITHIN THE
PLACE OF USE DESCRIBED FOR THIS RIGHT.

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag: E

Comments: Date: 09/10/1997 User-ID: ENORQUES Subject: REFORMAT
REFORMATTED TO CURRENT STANDARDS.

Date: 12/16/1997 User-ID: JROBERTS Subject: POU CORRECTION
CHANGED RECOMMENDED ACRES IN T07S, R23E, SECTION 31 FROM NW TO SE
QUARTER AS DETERMINED IN GIS REVIEW.

Audit: 12/16/97 JROBERTS

"DO NOT FILM"

R PROOF



CVR



MAPS



PHOTOS



MISC



MICROFILMED
FEB 09 1982

Water Right Number - R36-15362

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - -

*** C - CURRENT OWNER ***
BLINCOE FARMS INC

1 - RT. 1 BOX 1339

2 -

3 -

City- HEYBURN

Phone - 208-678-4731

State- ID Zip- 83336

+ - - Priority Date - - +
04/01/1981+ - - Region - - - +
17 SOUTHERN+ - - Stage - - - +
J - BENEFICIAL USE

+ - - Status - - - +

+ - - Source - - - - - +
GROUNDWATER

+ - - Tributary - - - - - +

Tw	Rng	Sec	Tract	Lot	RFlg	County
07S	23E	31	NW SW NE		(67)	MINIDOKA
		32	NE SE NW		(67)	MINIDOKA
			SW SE SE		(67)	MINIDOKA
08S	23E	6	NE NE NE		(67)	MINIDOKA

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
01 - IRRIGATION		04/01	10/31	2.800	

+ - Total Div. Rate - +	+ - Total Div. Volume - +	+ - Total Consumptive Use - +	+ - KW Usage - +
2.800		0.0	

Tw	Rng	Sec	Tract	Lot	Acres	Code	Description	County
07S	23E	31	NE NE		39.0	01	IRRIGATION	(63) LINCOLN
07S	23E	31	NW NE	1	42.0	01	IRRIGATION	(63) LINCOLN
07S	23E	31	SW NE	2	42.0	01	IRRIGATION	(63) LINCOLN
07S	23E	31	SE NE		40.0	01	IRRIGATION	(63) LINCOLN
07S	23E	31	NE NW		40.0	01	IRRIGATION	(63) LINCOLN
07S	23E	31	NW NW	3	43.0	01	IRRIGATION	(63) LINCOLN
07S	23E	31	SW NW	4	42.0	01	IRRIGATION	(63) LINCOLN
07S	23E	31	SE NW		39.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	NW NE		15.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	SW NE		36.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	SE NE		25.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	NE NW		39.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	NW NW		39.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	SW NW		40.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	SE NW		40.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	NE SW		40.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	NW SW		40.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	SW SW		39.0	01	IRRIGATION	(63) LINCOLN

MICROFILMED
FEB 09 1993

Water right number - R36-15362

Prefix Translation: RESEARCH

Twn	Rng	Sec	Tract	Lot	Acres	Code	Description	County
07S	23E	32	SE SW		39.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	NE SE		39.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	NW SE		40.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	SW SE		39.0	01	IRRIGATION	(63) LINCOLN
07S	23E	32	SE SE		39.0	01	IRRIGATION	(63) LINCOLN
08S	23E	6	NE NE	1	41.0	01	IRRIGATION	(63) LINCOLN
08S	23E	6	NW NE	2	43.0	01	IRRIGATION	(63) LINCOLN

Total Acres: 960.0

+ - - Diversion Means - FOUR WELLS

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - SEE REMARKS

Remarks

USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 15.18 CFS, A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 3840 AF, A TOTAL COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 2880 AF, AND TO THE IRRIGATION OF A COMBINED TOTAL OF 960 ACRES IN A SINGLE IRRIGATION SEASON.

THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH PTS. OF DIVERSION DESCRIBED ABOVE: 36-7413, 36-02230B.

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 177 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

THIS RIGHT IS AN EXPANSION OF RIGHT NOS. 36-02230B AND 36-07413 PURSUANT TO IDAHO CODE 42-1416(2).

THIS RIGHT IS A COMBINATION OF OLD RIGHT NOS. 36-04057, 36-04059, AND 36-04060.

Old Water Right Numbers

No Old Water Right Numbers Found

Conditions of Approval

No Conditions of Approval found.

Decree Plaintiff

Decree Defendant

Decree Date

00/00/0000

Comments

No Comments Found

Audit Fields

05/21/92 MERRITT

MICROFILMED
FEB 09 1993

Water right number - R36-15362

Prefix Translation: RESEARCH

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 05/21/1992	Old Judicial District	-
Claim Received Date	- 04/13/1992	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- C001839	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	-	Presumption Flag	- E
				Notice of Error Flag	-

MICROFILMED
FEB 09 1993

TO FILES

A36-2230B

A36-7413

A36-15362

A36-4057

A36-4059

A36-4060

5-14-92

I do not recognize claims A36-4057, A36-4059, & A36-4060 as being disallowed. Rather I recommend that they be "Zed" as combined rights recommended under A36-15362.

Per the 5th paragraph of Helen Harrington Thornton's memo dated Apr 13, 1992, A36-15362 is recommended based upon the combination of the three statutory claims.

If the three statutory claims were to be disallowed, there would be no valid claim to support the recommendation for A36-15362.

I accept the P/U, P/D, and rates of div. recommended for A36-2230B, A36-7413, AND A36-15362.

MICROFILMED
FEB 09 1993

SYSTEM CLAIM NUMBERS

36 2230B36 741336 15362

AGENT

INITIALS

DATE

KAC

CLAIM NO. OR ENTRY ORDER	REMARK CODE	ENTRY DATA	CONDITION CODE	STAGE OR STATUS	PRESUMPTION CODE
36-2230B	KØ6	524			
	FØ6	36-7413 & 36-15362	CØ3		C
	EØ3	15.18 CFS	CØ5		
		3840 AFA			
		2880 AFS			
		960 ACRES			
	KØ1	36-15362			
36-7413	KØ6	259 ACRES			
	FØ6	36-2230B & 36-15362	CØ3		C
	EØ3	15.18 CFS	CØ5		
		3840 AFA			
		2880 AFA			
		960 ACRES			
	KØ1	36-15362			
36-15362	P15	36-4057, 36-4059, & 36-4060			E
	KØ6	177			
	EØ3	15.18 CFS			
		3840 AFA			
		2880 AFA			
		960 ACRES			
	KØ2	36-2230B AND 36-7413			

div rate for 36-15362

$$\text{sys cap} = 15.18 / 960 (\text{sys acres}) = .0158 \text{ CFS/ACRE}$$

$$\text{Rec Acres} = 177$$

$$2.798 \approx \underline{\underline{2.80 \text{ CFS}}}$$

MICROFILMED
FEB 09 1993

MEMORANDUM

To: FILES A36-02230B
A36-07413
A36-15362
A36-04057, A36-04059, A36-04060

From: HELEN HARRINGTON THORNTON ^{HHT}

Date: April 13, 1992

Subject: DISCUSSION OF RECOMMENDATIONS

=====

The above claims are for water used in one common system. Burke Scholer conducted field work during the 1991 and identified the points of diversion, place of use and system design.

In essence, he found 960 acres irrigated with a common system, utilizing 4 points of diversion. Additionally, through his findings, he determined a total flow rate of 13.42 cfs. (This is based on number of nozzles; see calculations in file A36-02230B, which also contains the original maps and notes from his field work.)

Evidence of priority was submitted in the form of statements from Mack Neibaur supporting the years claimed on the statutory claims. However, Mr. Blincoe's submitted a statement describing the "additional land over and above permit" were put into irrigation when the system changed from gravity to sprinkler in 1979, 1980n and 1981.

Therefore, it appears that an expansion of acres, over and above the licenses occurred by 4/1/1981. The three statutory claims have been disallowed and an expansion claim for the acres over and above the licenses has been recommended with a 1981 priority. Specifically:

36-02230B	524 acres	7-15-53	10.0 cfs
36-07413	259 acres	11-30-73	5.18 cfs
36-15362	177 acres	4-1-81	2.80 cfs
36-04057, 04049, 04060 - DISALLOWAL (see 36-015362)			

The expansion claim developed as a recommendation combining the three statutory claims, which adequately cover fees and intent of claimant.

The expansion is also recommended based on the finding that no additional water was diverted, but rather increase in acres was a result of conversion to sprinklers.

Permissible place of use is recommended based on Burke's notes and contact with claimant.

Quantity calculation (See IDWR ADJ Memo 16 B, pg. 17)

total rate ÷ total acres x expanded acres = expansion rate of flow

15.18 ÷ 960 x 177 = 2.80 cfs.

MICROFILMED
FEB 09 1993

See Original maps & field notes in
A36-02230B

Recommend AGES - Blincoe Farms
- Permissible Place of Use

CLAIM IDENTIFICATION NO.


A 36-022305
A 36-07413
A 36-15362

PLACE OF USE OVERLAP REVIEW

[illegible]

327 TOTAL

MICROFILMED
FEB 09 1993



BLINCOE FARMS INC
SRBA PERMISSABLE
PLACE OF USE MAP

7-9-91

B. SCHOLER

960 AC
FOUND ACRES

LIC#	AC	PRIORITY
2230B	524	7-15-53
7413	259	11-30-73
4057	177	6-1-54
	<u>960</u>	

Blincoe Farms

A36-02230B	524 acres	7-15-53	10.0
A36-07413	259 acres	11-30-73	5.18
A36-15362	177 acres	4-1-81	2.80 cfs

all claims

960 acres

TTS R 23E

4 Pts. Div - Sec 31 NW SW NE

Sec 32 NE SE NW

SW SE SE

T8S 23E

Sec. 6 NE NE NE

Total Diversion 15.18 cfs

Total Volume 3840.0 AFA

Consumptive Use 2880.0 AFA

Standard
Remarks:

K06 - This rt. limited to --- acres

orig. rts.

K01 - Rt. No. 36-15362 is an expansion of this rt

exp. rt.

K02 - This rt an expansion of 36-02230B, 36-07413

F06 - Following rts diverted thru pts. of diversion

E03 - cfs/div. vol./cons./total acres.

Disallow

A36-04057

A36-04059

A36-04060

MICROFILMED
FEB 09 1993

A36-15362

RECEIVED
OCT 11 1991

10-10-91

IDAHO DEPTMENT OF WATER RESOURCES
JOHN CARLSON
1301 NORTH ORCHARD
BOISE, IDAHO 83706

Department of Water Resources

DEAR SIR:

IN REGARDS TO WATER PERMIT NO. A36-04060, A36-04059, AND A36-04057. THIS LAND WAS ALL ORIGINALLY WATERED BY GRAVITY IRRIGATION. IN 1979, 1980 AND 1981 THE IRRIGATION WAS CHANGED FROM GRAVITY TO SPRINKLER. WHEN IT WAS CHANGED TO SPRINKLER ADDITIONAL LAND OVER AND ABOVE PERMIT WAS PUT UNDER IRRIGATION.

ENCLOSED IS THE VERIFICATION OF UPGRADING OF THE EXISTING PUMPS TO PRESSURIZE BOWLES. LICENSE NO. A36-04057 WOULD BE INVOICE NO. 1, NO. A36-04060 IS INVOICE NO. 2 AND NO. A36-04059 IS NO.3.

PERMIT A36-02230A WHICH IS A DEEP WELL AND PUMP, AND A36-02354 WHICH WAS A WASTE WATER RE-LIFT PUMP. IN REGARD TO A36-02354 WHICH IS A RE-LIFT PUMP THAT PRESSURIZED DRAINAGE WATER FROM LAND OF HIGHER ELEVATION THAT DERIVED FROM THE GROUND WATER BEING PUMPED AND WASTED FROM N. 1/2 SECTION 32 ALL OF SECTION 29 ALL OF SECTION 28 E 1/2 SECTION 20. OF TOWNSHIP 7 SOUTH, RANGE 23.

SOMETIME IN THE LATE 1960'S EARLY 1970'S THE FARMS IN THOSE PARTICULAR SECTIONS WERE CONVERTED OVER TO SPRINKLER IRRIGATION. THEREFORE THE WASTE WATER DISCONTINUED TO FLOW SO LICENSE NO. A36-02230A WAS UPGRADED TO ACCOMODATE THE LOSS OF WASTE WATER, BUT THIS WATER WOULD STILL BE COMING FROM THE SAME SOURCE AS THE WASTE WATER PREVIOUSLY USED.

THE PROPERTY THAT WE ARE DISCUSSING WAS FIRST PURCHASED 2 YEARS AGO BY BLINCOE FARMS, INC. I, RICHARD D. BLINCOE, HAVE BEEN FARMING IN THE SAME VACINITY ALL THE YEARS PERTAINING TO THESE PERMITS WERE BEING OPERATED AND HAVE WATCHED ALL THE CHANGES MADE. SO I FEEL A36-02354 SHOULD BE TRANSFERRED OVER AND INCLUDED IN A36-02230A WITH PRIORITY DATE JUNE 10, 1958.

MR. BURKE SHCOELER HAS RESEARCHED THESE PERMITS AND LAND, IF YOU HAVE ANY QUESTIONS YOU MIGHT CONTACT MR. SHCOELER.

YOURS TRULY,

Richard D. Blincoe
RICHARD D. BLINCOE

MICROFILMED
FEB 09 1993

State of Idaho)
) SS.
County of Minidoka)

Subscribed and sworn (or affirmed) before me this 10th day
of October 19 91

John L. Lada
Notary Public

Seal

Residing at Paul, Ida

My Commission Expires 4/22/97

MICROFILMED
FEB 09 1993

LAYNE PUMPS

Division of Layne & Bowler, Inc.

Box 640, Twin Falls, Idaho 83301
Phone No. 733-3284

ORDER NO

DATE 12/9 1973

DEALER

PUMP ESTIMATE AND ORDER

CUSTOMER

Route _____ Date Desired _____

Blissie Lamm
Worthington 9/N
700N T-1332137

PUMPING CONDITIONS

Inside Dia. of Well 20"

Lift In Well 220

Capacity 2400 GPM

Depth of Well 256

Lift Above 162 Lbs.

Speed of Pump 1770 RPM

Static Water Level 210

Column Friction _____

HP Required 300

Drawdown. _____

Total Dynm. Head 382

Allowable Shaft HP _____

Number	DESCRIPTION	LIST PRICE	NET PRICE
1	300 HP MOTOR Phase Volt Yaskawa Make RPM With Ratchet S/N 907338702 Without		
	HP STARTER { Across Line } Volt Make Auto Start }		
	AMP SAFETY SWITCH Volt Phase Make		
	GEAR DRIVE Ratio { With } Ratchet Make Without }		
	WL SPICER SHAFT " Long		
	W DRIVE FLANGE Bore Key		
	W ENGINE FLANGE Bore Key		
	HEAD " Outlet { Water Lub } Oil Lub }		
	OILER Volt Solenoid		
	"X DISCHARGE NIPPLE { TOE } TBE }		
	SETTING OF "X "X " in Length		
14	BOWLS TMC Type 4 Stage { Open } Ports { Bronze } Wear Rings Close } Cast Iron }		
	{ Bronze } Impellers { Oversize } Shaft Fitted X X X Cast Iron Standard }		
	"X SUCTION { TOE } Couplings TBE }		
	" STRAINER { Bronze } Screwed } Basket Galvanized } Welded } Cone }		
	TOTAL		

MICROFILMED
FEB 09 1993

Quoted By _____

TF-127

PUMPS, Inc.
TWIN FALLS, IDAHO

INSTALLER'S WORK ORDER FIELD REPORT and TIME SHEET

BRANCH T-F
INSTALLER A. Carey
DATE 12-4 19 79

CUSTOMER Blince Farms Pump No. _____
Who to See _____ Phone _____ Job No. _____ Well No. _____
Job Location 700 N Well Dia _____ " Stated Depth _____ Ft.
Well Reduced to _____ " at _____ Ft.
Power Co. Transformer Location No. _____ and to _____ " at _____ Ft.

WORK TO BE DONE: (Always bring in old bowls unless instructed otherwise)

(install - Pull _____ Make Pump _____ Head w/ _____ HP _____ Motor _____ RPM _____ Volts _____ Ph. _____
Gear: Size _____ Ratio _____ Flex Shaft _____ Column _____ Feet
Pipe _____ Tube _____ Shaft _____ Enclosed - Open. Suction _____ Feet _____ Size w/Strainer
Stage _____ Bowls. Adjust Impellers _____ " Off Bottom. Discharge _____ Feet _____ Size

OTHER WORK: _____

Supervisor _____

WORK PERFORMED: (Fill in spaces and answer all questions)

Well: Sounded Well 254 Ft. Deep. Well I.D. 20 " Well Crooked? yes
Did Pump Bind? yes Sand Pumped ☐ Clean to _____ Ft. Fish for Parts? _____
(install - Pull Pump Make Warington Serial No. T-1272137 Type Drive _____
Install - Pull Motor Make _____ HP _____ RPM _____ Frame _____
Serial No. _____ R & S - VHS - VSS Volts _____ Phase _____
Install - Pull Gear Make _____ Size _____ Ratio _____ Serial _____
Install - Pull 230 Ft. Column 12 Pipe 3 Tube 2 Shaft _____
Section Lengths 10 With - Without Air Line. Exact Length New Air Line _____ Ft.
Air Line Hold? _____ Reading _____ Pump Have Column Valve? _____ Valve Bleed Hole? _____
Install - Pull 4 Stage 14 Bowls. Did Bowl Shaft Turn Freely? _____
Bowl Shaft Projection From Tubing Shoulder (Measure) _____ "
Install - Pull 1 Ft. Suction Size 10 Thd. std Strainer Type cone
Connect Motor Leads ☐ Gear to Driver ☐ Wire Switchboard ☐
Align Shaft in Head ☐ Check Rotation ☐ Adjust Impeller _____ " Off Bottom
Fill Oil Reservoirs ☐ Used _____ Quarts Layne - Customer Oil
Did Shaft Line Up OK? _____ Does Shaft Run True? _____ Does Shaft Seal Hold? _____
After Adjustment, Did Pump Turn Freely? _____ Is Pump Properly Adjusted? _____
Does Column Valve Hold? _____ Does Pump Discharge Sand? _____ Much? _____
Ran Pump _____ Hrs. Pump Runs - Smooth - Fair - Vibrates
Standing Water Level 20 Running Water Level _____ Discharge Pressure _____
Customer's Comments: _____
What Extra Material Was Used? 5- 12"x3" spiders - 1- 3" TBX

Other Work: 14 3/4" Tap at shaft - Top of head
no - meter - meter balls - & m.p. shaft
Pump is tight - in well last 15'

THIS BLOCK FOR OFFICE USE ONLY

Job Complete: Yes ☐ No ☐
Charge: Regular ☐
Contract ☐
Service ☐
Guar. Repair ☐

TIME OTHER THAN
ON PUMP CREW
HRS.

Special Rigging _____
Move House _____
Install Foundation _____
Load & Unload Pump _____
Move Pump _____
Wire Switchboard _____
Sand Pump Well _____
Fish for Parts _____
Install Tank & Fittings _____
Travel _____
Lost Time: _____
Wait for Operator _____
Wait for Mat'l _____
Fix Defect. Mat'l _____
Truck Breakdown _____
Equip. Breakdown _____
Clear Site _____
Bad Road _____

Total Col. Lgth. _____
Truck No. _____
Start Time _____
Return Time _____
Total Miles _____

EMPLOYEE

HOURS

EXPENSE

Hotel

Gas

FEB 09 1993

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: **A36-04057**
Date Received: 7/13/1988
Receipt No: C001839
Received By: _____

COPY

FOR YOUR FILES
DO NOT RETURN

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name: BLINCOE FARMS INC. 208-678-4731
Address: RT. 1 BOX 1339
HEYBURN, ID 83336

2. Date of Priority: JUN 1, 1954

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
07S	23E	31	NW	NE		1	LINCOLN

5. Description of diverting works:
WELL AND PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/15	11/15	4.550		

7. Total Quantity Appropriated is:
4.550 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 684.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	23E	31	NE	NE		IRR	40.0
			NW	NE	1	IRR	43.0
			SW	NE	2	IRR	43.0
			SE	NE		IRR	40.0
			NE	SE		IRR	40.0

MICROFILMED
FEB 09 1993

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
					Section Acres	170.0
		32	NW	NW	IRR	34.0
			SW	NW	IRR	20.0
			SE	NW	IRR	4.0
					Section Acres	58.0
					Total Acres	228.0

11. Place of use in counties: LINCOLN

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:
AC. IRRIG. = 227.5.

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): _____ Date: _____
_____ Date: _____

MICROFILMED
FEB 09 1992

Transferred to
A36-15362

Claim Identification No. A36-04059

5-14-91

B. Scholer



MICROFILMED
FEB 09 1993

A36-15362
RECEIVED
APR 19 1991

Department of Water Resources

Paul, Idaho
Apr. 15, 1991

State of Idaho
Department of Water Resources

Dear Sirs:

Re: A36-04057.

This water right is on approximately 300 acres located in Sec 31, 7-23, with aprox. 287 acres irrigated beginning in 1954.

Re: A36-04060

This water right is located in the center of Sec. 32, 7-23 and irrigates approx. 176+ acres and was started in 1956.

Re: A36-04059

This water right is also located in Sec. 32, 7-23 and was used beginning in 1957.

I was involved with these land transactions from Julion Clawson Farms to Blincoe's and was very interested in the development and progress made from this irrigation. I observed the usage on a daily basis during this time as it was important to our own future.

This was a first class operation and the water was beneficially used beginning as stated above.

Sincerely,



Mack W. Neibaur
Rt 1 Box 1478
Paul Idaho 83347

The 15th day of April 1991
Renewal, Bartley

MICROFILMED
FEB 09 1993

commission ends 11-20-93

Transferred to
A36-15362

Claim Identification No. A36-04057

5-14-91

B. H. Scholer



MICROFILMED
FEB 09 1993

Transferred to
A36-15362

Claim Identification No. A36-04057

5-14-91

B.H. Scholler



1

1



MICROFILMED
FEB 09 1993



LAYNE PUMPS
Division of Layne & Bowler, Inc.
Box 640, Twin Falls, Idaho 83301
Phone No. 733-3284

ORDER NO

DATE 1-20-1981

DEALER

PUMP ESTIMATE AND ORDER

CUSTOMER

Route _____ Date Desired _____

Blunice Farms
#2 150 HP Worthington
S/N T1530832
Station #195 650W 1050N

PUMPING CONDITIONS

Inside Dia. of Well 20"
Depth of Well 322
Static Water Level 241
Drawdown 9'0"

Lift in Well 250
Lift Above 162 lbs.
Column Friction
Total Dynm. Head 412

Capacity 1250 GPM
Speed of Pump 1770 RPM
HP Required 150
Allowable Shaft HP _____

Number	DESCRIPTION	LIST PRICE	NET PRICE
150	HP MOTOR Phase Volt US Make RPM		
{ With } { Without }	Ratchet Changed from 100 HP to 150 HP Same SA you requested		
	HP STARTER { Across Line } { Auto Start } Volt Make		
	AMP SAFETY SWITCH Volt Phase Make		
	GEAR DRIVE Ratio { With } { Without } Ratchet Make		
WL	SPICER SHAFT " Long		
W	DRIVE FLANGE Bore Key		
W	ENGINE FLANGE Bore Key		
	HEAD " Outlet { Water Lub } { Oil Lub }		
	OILER Volt Solenoid		
"X"	"DISCHARGE NIPPLE { TOE } { TBE }		
	SETTING OF "X" "X" in Length		
13	"BOWLS CL Type 7 Stage { Open } { Close } Ports { Bronze } { Cast Iron } Wear Rings		
{ Bronze } { Cast Iron }	{ Impellers } { Oversize } { Standard } Shaft Fitted X X X		
"X"	' SUCTION { TOE } { TBE } Couplings		
"	STRAINER { Bronze } { Galvanized } { Screwed } { Welded } { Basket } { Cone }		
	TOTAL		

MICROFILMED
FEB 09 1983

Quoted By _____

TF-127

AYNE PUMPS, Inc.
TWIN FALLS, IDAHO

INSTALLER'S WORK ORDER FIELD REPORT and TIME SHEET

BRANCH T-F
INSTALLER B. Choy
DATE 10-9 1981

CUSTOMER Almora #2 Pump No. _____
Who to See _____ Phone _____ Job No. _____ Well No. _____
Job Location _____ Well Dia. _____ " Stated Depth _____ Ft.
Well Reduced to _____ " at _____ Ft.
and to _____ " at _____ Ft.
Power Co. Transformer Location No. _____

WORK TO BE DONE: (Always bring in old bowls unless instructed otherwise)

Install - Pull _____ Make Pump _____ Head w/ _____ HP _____ Motor _____ RPM _____ Volts _____ Ph. _____
Gear: Size _____ Ratio _____ Flex Shaft _____ Column _____ Feet _____
Pipe _____ Tube _____ Shaft _____ Enclosed - Open. Suction _____ Feet _____ Size w/Strainer _____
Stage _____ Bowls. Adjust Impellers _____ " Off Bottom. Discharge _____ Feet _____ Size _____

OTHER WORK:

Supervisor _____

WORK PERFORMED: (Fill in spaces and answer all questions)

Well: Sounded Well 322 Ft. Deep. Well I.D. 4.0 " Well Crooked? _____

Did Pump Bind? no Sand Pumped ☐ Clean to _____ Ft. Fish for Parts? _____

Install - Pull Pump Make Worthington Serial No. T1580832 Type Drive _____

Install - Pull Motor Make WGS HP 150 RPM _____ Frame 587-1

Serial No. none R & S - VHS - VSS Volts _____ Phase _____

Install - Pull Gear Make _____ Size _____ Ratio _____ Serial _____

Install - Pull 280 Ft. Column 10 Pipe 2 1/2 Tube 1 3/4 Shaft _____

Section Lengths 10 With - Without Air Line. Exact Length New Air Line _____ Ft.

Air Line Hold? _____ Reading _____ Pump Have Column Valve? _____ Valve Bleed Hole? _____

Install - Pull 7 Stage 130 Bowls. Did Bowl Shaft Turn Freely? _____

Bowl Shaft Projection From Tubing Shoulder (Measure) _____ "

Install - Pull 1 Ft. Suction Size 10 Thd. 5/8 Strainer Type cone

Connect Motor Leads ☐ Gear to Driver ☐ Wire Switchboard ☐

Align Shaft in Head ☐ Check Rotation ☐ Adjust Impeller _____ " Off Bottom

Fill Oil Reservoirs ☐ Used _____ Quarts Layne - Customer Oil

Did Shaft Line Up OK? _____ Does Shaft Run True? _____ Does Shaft Seal Hold? _____

After Adjustment, Did Pump Turn Freely? _____ Is Pump Properly Adjusted? _____

Does Column Valve Hold? _____ Does Pump Discharge Sand? _____ Much? _____

Ran Pump _____ Hrs. Pump Runs - Smooth - Fair - Vibrates

Standing Water Level 243 Running Water Level _____ Discharge Pressure _____

Customer's Comments: _____

What Extra Material Was Used? 30' out - Bands - 2-10' x 10" pipe & couplings

2-10" taper couplings - 1' x 10" suction + 10" down suction

Other Work: 21" Tap Tube 1- 7' pipe 10" x 2 1/2"

Need 71 1/2" M. D. shaft

resub - 10-9-81

THIS BLOCK FOR OFFICE USE ONLY

Job Complete: Yes ☐ No ☐
Charge: Regular ☐
Contract ☐
Service ☐
Guar. Repair ☐

TIME OTHER THAN ON PUMP	CREW HRS.
Special Rigging	
Move House	
Install Foundation	
Load & Unload Pump	
Move Pump	
Wire Switchboard	
Sand Pump Well	
Fish for Parts	
Install Tank & Fittings	
Travel	
Lost Time:	
Wait for Operator	
Wait for Mat'l	
Fix Defect. Mat'l	
Truck Breakdown	
Equip. Breakdown	
Clear Site	
Bad Road	

Total Col. Lgth. _____
Truck No. _____
Start Time _____
Return Time _____
Total Miles _____

EMPLOYEE	HOURS	EXPENSE
Installer <u>B. Choy</u>	<u>12 1/2</u>	Hotel _____
Helper <u>Paul</u>	<u>12 1/2</u>	Meals _____
Helper <u>Vern</u>	<u>12 1/2</u>	Gas - _____
Helper _____		Miscellaneous _____

IF MORE SPACE IS REQUIRED - WRITE ON REVERSE SIDE

Approved _____

Total _____



LAYNE PUMPS

Division of Layne & Bowler, Inc.

Box 640, Twin Falls, Idaho 83301
Phone No. 733-3284

ORDER NO

DATE 12-23 1980

DEALER

PUMP ESTIMATE AND ORDER

CUSTOMER

Route _____ Date Desired _____

PUMPING CONDITIONS

Inside Dia. of Well 20"

Life In Well 250

Capacity 1550 GPM

Depth of Well 320

Lift Above 162 lbs.

Speed of Pump 1770 RPM

Static Water Level 239

Column Friction_____

HP Required 200

Drawdown: _____

Total Dynm. Head 412

Allowable Shaft HP _____

Number	DESCRIPTION	LIST PRICE	NET PRICE
1	200 HP MOTOR Phase Volt 45 Make RPM { With } Ratchet Motor 3/N 985115 { Without } HP STARTER { Across Line } Volt Make { Auto Start } AMP SAFETY SWITCH Volt Phase Make GEAR DRIVE Ratio { With } Ratchet Make { Without } WL SPICER SHAFT " Long W DRIVE FLANGE Bore Key W ENGINE FLANGE Bore Key HEAD " Outlet { Water Lub } { Oil Lub } OILER Volt Solenoid "X "DISCHARGE NIPPLE { TOE } { TBE } SETTING OF "X "X " in Length 13 "BOWLS CM, CEK Type 6 Stage { Open } Ports { Bronze } Wear Rings { Cast Iron } { Close } { Cast Iron } { Bronze } Impellers { Oversize } Shaft Fitted X X X { Cast Iron } { Standard } "X ' SUCTION { TOE } Couplings { TBE } " STRAINER { Bronze } { Screwed } { Basket } { Galvanized } { Welded } { Cone } Impellers 5 130M, 1-13CEH		
	TOTAL		

MICROFILMED
FEB 09 1992

TF-127

Quoted By _____

LAYNE PUMPS, Inc.

TWIN FALLS, IDAHO

INSTALLER'S WORK ORDER
FIELD REPORT and TIME SHEETBRANCH T.F.
INSTALLER D. Carey
DATE 12-27 1980

CUSTOMER Blincoe Farms #1 Pump No. _____
 Who to See _____ Phone _____ Job No. _____ Well No. _____
 Job Location _____ Well Dia. _____ " Stated Depth _____ Ft.
 Well Reduced to _____ " at _____ Ft.
 and to _____ " at _____ Ft.
 Power Co. Transformer Location No. _____

WORK TO BE DONE: (Always bring in old bowls unless instructed otherwise)

Install - Pull _____ Make Pump _____ Head w/ _____ HP _____ Motor _____ RPM _____ Volts _____ Ph. _____
 Gear: Size _____ Ratio _____ Flex Shaft _____ Column _____ Feet _____
 Pipe _____ Tube _____ Shaft _____ Enclosed - Open. Suction _____ Feet _____ Size w/Strainer _____
 Stage _____ Bowls. Adjust Impellers _____ " Off Bottom. Discharge _____ Feet _____ Size _____

OTHER WORK:

Supervisor _____

WORK PERFORMED: (Fill in spaces and answer all questions)

Well: Sounded Well 320 Ft. Deep. Well I.D. 20 " Well Crooked? _____Did Pump Bind? no Sand Pumped ☐ Clean to _____ Ft. Fish for Parts? _____Install - Pull Pump Make Warrington Serial No. _____ Type Drive _____Install - Pull Motor Make M-S HP 200 RPM _____ Frame 587-8Serial No. 985115 R & S - VHS - VSS Volts _____ Phase _____

Install - Pull Gear Make _____ Size _____ Ratio _____ Serial _____

Install - Pull 280 Ft. Column 10 Pipe 2 1/2 Tube 1 3/4 Shaft _____Section Lengths 10 With - Without Air Line. Exact Length New Air Line _____ Ft.

Air Line Hold? _____ Reading _____ Pump Have Column Valve? _____ Valve Bleed Hole? _____

Install - Pull 6 Stage 13C Bowls. Did Bowl Shaft Turn Freely? _____

Bowl Shaft Projection From Tubing Shoulder (Measure) _____ "

Install - Pull 1 Ft. Suction Size 10 Thd. std Strainer Type ConeConnect Motor Leads ☐ Gear to Driver ☐ Wire Switchboard ☐Align Shaft in Head ☐ Check Rotation ☐ Adjust Impeller _____ " Off BottomFill Oil Reservoirs ☐ Used _____ Quarts Layne - Customer Oil

Did Shaft Line Up OK? _____ Does Shaft Run True? _____ Does Shaft Seal Hold? _____

After Adjustment, Did Pump Turn Freely? _____ Is Pump Properly Adjusted? _____

Does Column Valve Hold? _____ Does Pump Discharge Sand? _____ Much? _____

Ran Pump _____ Hrs. Pump Runs - Smooth - Fair - Vibrates

Standing Water Level 240 Running Water Level _____ Discharge Pressure _____

Customer's Comments:

What Extra Material Was Used? Bowls - 1' x 10" suction - 10" cone strainer5-10" Taper pipe coupling - 1 spider

Other Work:

need 73" m.d. shaft - adj. nut
key + lock screwTHIS BLOCK FOR
OFFICE USE ONLYJob Complete: Yes ☐ No ☐Charge: Regular ☐Contract ☐Service ☐Guar. Repair ☐TIME OTHER THAN
ON PUMP CREW
HRS.

Special Rigging

Move House

Install Foundation

Load & Unload Pump

Move Pump

Wire Switchboard

Sand Pump Well

Fish for Parts

Install Tank & Fittings

Travel

Lost Time:

Wait for Operator

Wait for Mat'l

Fix Defect. Mat'l

Truck Breakdown

Equip. Breakdown

Clear Site

Bad Road

Total Col. Lgth. _____

Truck No. _____

Start Time _____

Return Time _____

Total Miles _____

NOT RECORDED
FILED
DEC 29 1980

EMPLOYEE	HOURS	EXPENSE
Installer <u>John</u>	<u>12 1/2</u>	Hotel \$ _____
Helper <u>Dave</u>	<u>17 1/2</u>	Meals <u>12 1/2 hrs.</u>
Helper <u>Paul</u>	<u>17 1/2</u>	Gas - <u>12 1/2 hrs.</u>
Helper <u>Boyd</u>	<u>5</u>	Miscellaneous _____
Total		Total _____

IF MORE SPACE IS REQUIRED - WRITE ON REVERSE SIDE

Approved _____

Total _____

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-04059
Date Received: 7/13/1988
Receipt No: C001839
Received By: _____

COPY

FOR YOUR FILES
DO NOT RETURN

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: BLINCOE FARMS INC.
Address: RT. 1 BOX 1339
HEYBURN, ID

208-678-4731

83336

2. Date of Priority: JUN 1, 1957

3. Source: GROUNDWATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
07S	23E	32	SE	SE	SE		LINCOLN

5. Description of diverting works:
WELL, PUMP, SPRINKLERS.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	2.400		

7. Total Quantity Appropriated is:
2.400 C.F.S. (and/or)

A.F.A.

8. Total consumptive use is 360.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	23E	32	SE	SW		IRR	11.0
			NE	SE		IRR	20.0
			NW	SE		IRR	13.0
			SW	SE		IRR	40.0
			SE	SE		IRR	36.0

MICROFILMED
FEB 09 1993

10. Place of Use: Continued

Section Acres 120.0

Total Acres 120.0

11. Place of use in counties: LINCOLN

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A36-02230B, A36-04060

14. Remarks:

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): _____ Date: _____
_____ Date: _____

State of Idaho)
County of _____) SS.

Subscribed and sworn (or affirmed) before me this _____ day
of _____ 19 _____

Notary Public

Seal

Residing at _____

My Commission Expires _____

MICROFILMED
FEB 09 1993