

RECEIVED 4/12/2021

JUL 13 2021

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 6/25/2021

Water right number: 87-11769

ROGER ROWLEY

1647 DAVES AVE

MOSCOW ID 83843

Telephone Number: (208) 882-5954

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source): *Some place it describes the well as being located in the SW corner of the property.*
2. Describe the changes you wish to make in the proposed recommendation: *In case there is a need to be more accurate in specifying the exact location, the enclosed image shows the precise location*
3. Give a brief explanation as to why you disagree with these portions: *Not a disagreement, just a clarification.*

____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7/9/21 SIGNATURE: *Roger H.D. Rowley*
Please print your name: Roger H. D. Rowley

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

