

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: **A37-02698**
Date Received: 10/26/1988
Receipt No: M001759
Received By: _____

AMENDED

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

AMENDED

1. Name: CITY OF HAILEY 208-788-4221
Address: PO BOX 945
HAILEY ID 83333

2. Date of Priority: OCT 29, 1964

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
02N	18E	4		SE	SW		BLAINE
		9		SE	NW		BLAINE
				SE	SE		BLAINE
		10		SW	SE		BLAINE

5. Description of diverting works:

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
MUNICIPAL	01/01	12/31	2.560		

7. Total Quantity Appropriated is:
2.560 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
MUNICIPAL FOR CITY OF HAILEY

10. Place of Use:

Township	Range	Section	1/4 of	1/4 of	Lot	Use	Acres
02N	18E	4				MUNI	

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
02N	18E	9			MUNI	
		10			MUNI	
		14			MUNI	
		15			MUNI	
		16			MUNI	
		22			MUNI	
		23			MUNI	
03N	18E	33			MUNI	

11. Place of use in counties: BLAINE

12. Do you own the property listed above as place of use? NO

13. Other Water Rights Used:

37-02699, 37-07305, 37-00296, 37-00577, 37-07854, 37-00906

14. Remarks:

P/U WITHIN CITY LIMITS OF HAILEY & SURROUNDING AREAS.

CLAIM AMENDED PURSUANT TO APPROVED TRANSFER 4508:

1. RIGHT HOLDER SHALL COMPLY WITH THE DRILLING PERMIT REQUIREMENTS OF SECTION 42-235, IDAHO CODE.

2. APPROVAL OF THIS TRANSFER IN NO WAY GRANTS ANY RIGHT-OF-WAY OR EASEMENT FOR USE OF A DELIVERY SYSTEM OWNED BY PERSON(S) OTHER THAN THE RIGHT OWNER.

3. THE CHANGE AUTHORIZED BY THIS TRANSFER SHALL BE ACCOMPLISHED WITHIN ONE (1) YEAR OF THE DATE OF THIS APPROVAL.

4. FAILURE TO COMPLY WITH THE CONDITIONS OF THIS TRANSFER IS CAUSE FOR THE DIRECTOR TO ISSUE AN ORDER TO SHOW CAUSE WHY THE APPROVAL OF THE TRANSFER SHOULD NOT BE RESCINDED.

5. APPROVAL OF THIS TRANSFER DOES NOT PRECLUDE THE OPPORTUNITY FOR REVIEW OF THE VALIDITY OF THE WATER RIGHT(S) IN THE ONGOING SNAKE RIVER BASIN ADJUDICATION.

6. PRIOR TO DIVERSION OF WATER UNDER THIS APPROVAL, THE RIGHT HOLDER SHALL PROVIDE A MEANS OF MEASUREMENT ACCEPTABLE TO THE DEPARTMENT FROM ALL AUTHORIZED POINTS OF DIVERSION WHICH WILL ALLOW DETERMINATION OF THE TOTAL RATE OF DIVERSION.

7. THE TOTAL INSTANTANEOUS DIVERSION OF WATER FROM ALL POINTS OF DIVERSION UNDER TRANSFER NO. 4508 SHALL NOT EXCEED 7.18 CFS.

8. PLACE OF USE IS LOCATED WITHIN THE CITY LIMITS OF HAILEY AND THE SURROUNDING SERVICE AREA.

15. Basis of Claim: LICENSE

Water Right Number: 32018

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A37-02698
Date Received: ~~7/27/1988~~ 10/26/88
Receipt No: M001759
Received By: JP JP

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CITY OF HAILEY 208-788-4221
Address: P.O. BOX 945
HAILEY, ID 83333

2. Date of Priority: OCT 29, 1964

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
02N	18E	9	NE	SE	SE		BLAINE

5. Description of diverting works:

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
MUNICIPAL	01/01	12/31	2.560		

7. Total Quantity Appropriated is:
2.560 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
MUNICIPAL FOR CITY OF HAILEY

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
02N	18E	4				MUNI	
		9				MUNI	
		10				MUNI	

A37-02698

Page 1

Date: 10/25/88

MICROFILMED
MAR 01 1993

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
02N	18E	14			MUNI	
		15			MUNI	
		16			MUNI	
		22			MUNI	
		23			MUNI	
03N	18E	33			MUNI	

11. Place of use in counties: BLAINE

12. Do you own the property listed above as place of use? NO

13. Other Water Rights Used:

37-02699, 37-07305, 37-00296, 37-00577, 37-07854, 37-00906

14. Remarks:

P/U WITHIN CITY LIMITS OF HAILEY & SURROUNDING AREAS.

15. Basis of Claim: LICENSE

Water Right Number: 32018

17. Notice of Appearance:

Notice is hereby given that I, JAMES P. ORECK will be
Print Name

acting as attorney at law on behalf of the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above should be mailed to me at the address listed below.

Signature James P. Oreck

Address Box 987, Ketchikan Id 99901

Date 10/25/88

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not / wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Organizations:

I do solemnly swear or affirm that I am Mayor of Hailey, that I have signed the foregoing document in the space below as Mayor of Hailey and that the statements contained in the foregoing document are true and correct.

Rosalee Drake
Signature of Authorized Agent
Mayor of Hailey
Title and Organization
10/25/88
Date

State of Idaho)
County of Blaine) SS.

Subscribed and sworn (or affirmed) before me this 25 day
of Oct 19 88

Brother Schumelle
Notary Public

Seal

Residing at Hailey
My Commission Expires 5/1991

Questions for Steve:

1. Measurement of 00296? (Decree shows "all of Creek")
2. POD for 296?
3. Flow rate for 717 - Basis?

Anita - P/L prepare draft recommendations

Steve - Can this right co-exist with part B?

10/23/2006

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 37-2698
NAME AND ADDRESS: CITY OF HAILEY
115 S MAIN ST # H
HAILEY ID 83333
SOURCE: GROUND WATER
QUANTITY: 2.560 CFS
The total instantaneous diversion of water from all points of diversion under transfer no. 4508 shall not exceed 7.18 cfs.
PRIORITY DATE: 10/29/1964
POINT OF DIVERSION:
T02N R18E S4 SESW Within BLAINE County
T02N R18E S9 SENW Within BLAINE County
T02N R18E S9 SESE Within BLAINE County
T02N R18E S10 SWSE Within BLAINE County
This right does not grant any right-of-way or easement across the land of another.

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
MUNICIPAL	1/01 12/31	2.560 CFS

PLACE OF USE:

Place of use is within the service area of the City of Hailey municipal water supply system as provided for under Idaho Law.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the department from all authorized points of diversion which will allow determination of the total rate of diversion.

The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.

Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the department from all authorized points of diversion which will allow determination of the total rate of diversion.




City Of Hailey

SRBA Recommendations: 37-2698, 37-2699, 37-7305


Service Area Boundary
GIS Place of Use Illustration

Legend

-  Service Area
-  Townships
-  PLS Sections
-  Quarter Quarters



Blaine County
IDWR Basin 37



Prepared by A. Warntjes
On Monday, October 23, 2006
1987/88 Aerial Photography




City Of Hailey

SRBA Recommendations: 37-296, 37-717, 37-906, 37-1216, 37-2698, 37-2699, 37-7305, 37-10717


Service Area Boundary
GIS Place of Use Illustration

Legend

-  Service Area
-  Townships
-  PLS Sections
-  Quarter Quarters



Blaine County
IDWR Basin 37



Prepared by A. Warntjes
On Saturday, November 4, 2006
1987/88 Aerial Photography

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 4508
WATER RIGHT NO(S). 37-02698/37-02699/37-07305

This is to certify that: CITY OF HAILEY
PO BOX 945
HAILEY ID 83333

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
Right No. 37-02698 : MUNICIPAL	01/01 to 12/31	2.56 CFS
Right No. 37-02699 : MUNICIPAL	01/01 to 12/31	2.00 CFS
Right No. 37-07305 : MUNICIPAL	01/01 to 12/31	2.62 CFS
TOTAL:		* 7.18 CFS

DATE OF PRIORITY:

Right No. 37-02698 : 10/29/1964
Right No. 37-02699 : 08/11/1964
Right No. 37-07305 : 11/04/1973

SOURCE

GROUNDWATER

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 4, Township 02N, Range 18E
SESW , Sec. 9, Township 02N, Range 18E
SESE , Sec. 9, Township 02N, Range 18E
SWSE , Sec. 10, Township 02N, Range 18E
BLAINE County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.


NOV 28 1996

TRANSFER NO. 4508
WATER RIGHT NO(S). 37-02698/37-02699/37-07305

CONDITIONS/REMARKS:

2. Approval of this transfer in no way grants any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
3. The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.
4. Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.
5. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
6. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
- *7. The total instantaneous diversion of water from all points of diversion under Transfer No. 4508 shall not exceed 7.18 cfs.
- *8. Place of use is located within the city limits of Hailey and the surrounding service area.

Dated this 9th day of June, 1995.



Chief, Water Alloc. Bureau

NOV 28 1996

FROM: Allen Merritt

DATE: May 26, 1995

TO: Files: Application for Permit 37-08837
Application for Transfer #4508
Both in the name of the City of Hailey

SUBJECT: Analysis and recommendation

These applications should be reviewed together since they involve the same delivery system. The transfer proposes to tie the points of diversion of three licensed rights together and be diverted from three existing wells and one new proposed well. The application for permit proposes to divert more water from this same system.

I recommend that the transfer be approved with the following conditions:

- All rights are subject to SRBA review.

- Measuring devices with totalizing meters to be maintained at all points of diversion.

- The new well to be constructed must be approved under a separate drilling permit.

Review of the application for permit and the associated material which is included in the file leads me to believe that specific conditions need to be placed on approval of this permit.

In reading the "Development Agreement" I believe it demonstrates that it is the intent of the City to supply water to 12 acres of athletic fields and recreation facilities associated with the development on the School Districts property in the Northridge Project from the well system. This intent is contrary to the intent expressed by the city's attorney regarding this application. I recommend the following condition:

The only authorized use to be developed under this permit is uses which individually meet the "domestic use" definition under 42-111. Use for irrigation of large tracts of land such as athletic fields, parks or recreation facilities are specifically not authorized under this water right since mitigation has not been provided.

Another item of concern gleaned from the file is the contradiction in that the permit is requested for 8.31 cfs however interpretation of the information provided to support Rule 4,5,3 tends to indicate that the water to be developed will be in the new well and that its capacity will be 2100 gpm or 4.67 cfs. No other information is provided which would support development of more than 4.67 cfs other than the application itself. I recommend that the permit be

NOV 28 1995

Page 2
5/26/95
City of Hailey

approved for 4.67 cfs. I further recommend that the permit be conditioned with the other standard conditions such as:

- measuring device with totalizing meters for the points of diversion.
- drilling permit required for drilling the new well.
- other conditions as appropriate.

NOV 28 1996

MEMO TO FILE

FROM: MEL SCHULTE

DATE: JANUARY 16, 1995 

RE: CITY OF HAILEY
APPLICATION FOR PERMIT 37-08837
TRANSFER APPLICATION #4508

I MET THIS DATE WITH JAKE LEMMON TO DISCUSS THE ABOVE REFERENCED APPLICATIONS. MR LEMMON LIVES A SHORT DISTANCE FROM THE SITE OF THE NEW WELL PROPOSED BY THE CITY OF HAILEY. HE AND SEVERAL NEIGHBORS ARE CONSIDERING PROTESTS BECAUSE OF CONCERNS ABOUT THE IMPACT THE NEW WELL MAY HAVE ON THEIR DOMESTIC WELLS. MR. LEMMON EXPRESSED TWO THINGS WORTH NOTING AS WE PROCESS THE APPLICATIONS.

MR. LEMMON STATED THE CITY HAS HIRED DR. CHUCK BROCKWAY TO STUDY THE HYDROLOGIC IMPACT THEIR NEW WELL MAY HAVE ON THE AREA ADJACENT TO THE NEW WELL. INFORMATION IN DR. BROCKWAY'S REPORT COULD BE BENEFICIAL TO THE DEPARTMENT IN ITS REVIEW OF THE APPLICATIONS.

MR. LEMMON ALSO INDICATED THAT TO HIS KNOWLEDGE THE CITY AND SCHOOL DISTRICT HAVE AGREED THE MUNICIPAL SYSTEM IS AVAILABLE TO SERVICE THE BALL FIELDS AND GROUNDS AROUND THE NEW PROPOSED SCHOOL NEAR THE NEW WELL SITE. HE THINKS THE IRRIGATION SYSTEMS FOR THE FIELDS HAVE ALREADY BEEN HOOKED UP TO THE CITY. THIS IS CONTRARY TO INFORMATION PREVIOUSLY PROVIDED BY REPRESENTATIVES OF THE CITY AND THE SCHOOL DISTRICT.

MTS

NOV 28 1995

MEMORANDUM TO FILE

FROM: MEL SCHULTE *MTS*

DATE: NOVEMBER 23, 1994

RE: FIELD INSPECTION
CITY OF HAILEY WELL SITES

ON NOVEMBER 22, 1994 I CONFIRMED THE LOCATION OF THE CITY OF HAILEY'S THREE CURRENT WELLS AND A PROPOSED NEW WELL. I WAS ASSISTED AND ACCOMPANIED BY STEVE TOZIER, THE HEAD OF THE CITY'S WATER AND SEWER DEPARTMENT. THE INSPECTION COINCIDED WITH AN APPLICATION FOR PERMIT AND AN APPLICATION FOR TRANSFER FILED BY THE CITY.

AT EACH WELL WE IDENTIFIED THE SITE ON A COPY OF THE CITY OF HAILEY'S OFFICIAL MAP DATED 1983 AND ON AN ENLARGED COPY OF AN OPQ MAP. WE FOUND A TEN ACRE DISCREPANCY IN THE LEGAL DESCRIPTION USED FOR THE WOODSIDE WELL IN THE APPLICATIONS. WE ALSO FOUND A SECTION AND QUARTER/QUARTER SECTION DISCREPANCY FOR THE LICENSED P/D RELATING TO THE 3RD AVENUE WELL.

STEVE TOZIER INDICATED THAT HAILEY WAS THE FASTEST GROWING CITY IN THE WOOD RIVER VALLEY. THEY PROJECT THE CITY'S POPULATION TO GROW FROM THE CURRENT LEVEL OF ABOUT 6,000 TO 7-8,000 BY THE YEAR 2000. THE NEW WELL TO BE ADDED IS EXPECTED TO HANDLE THEIR NEAR TERM PROJECTED GROWTH. HE SAID THE NEW WELL IS TO BE CONSTRUCTED BY THE BLAINE COUNTY SCHOOL DISTRICT AND MR CAPLO, THE OWNER OF NORTHRIDGE SUBDIVISION, BUT TIED IN TO THE CITY'S SYSTEM. THE SUBDIVISION IS CURRENTLY BEING EXPANDED AND IS SERVICED BY THE CITY SYSTEM. THE SCHOOL DISTRICT IS PLANNING TO BUILD A NEW MIDDLE SCHOOL IN THE SUBDIVISION AND PLANS TO USE CITY WATER FOR ITS INTERNAL USE.

TO MEET THE SCHOOL DISTRICT'S PLANS THE NEW WELL MUST BE DRILLED AND ON LINE BY AUGUST 1996. THE SPECIFIC SITE OF THE WELL IS NOT DEFINITE AT THIS TIME AND WILL NOT BE UNTIL DEQ COMPLETES ITS SITE INSPECTION. IF THE WELL LOCATION CHANGES FROM THAT CURRENTLY PROPOSED, STEVE TOZIER WILL LET US KNOW.


IF THE APPLICATION FOR PERMIT TO EXPAND THE CITY'S DIVERSION RATE IS NOT APPROVED, I AM CONCERNED WITH APPROVAL OF THE TRANSFER APPLICATION. IT DOES NOT APPEAR JUSTIFIED TO ADD A FOURTH WELL TO THE CITY'S SYSTEM WITHOUT A COMPANION WATER RIGHT FOR ADDITIONAL WATER. THE CITY SYSTEM IS SUPPOSEDLY NOW AT ITS MAXIMUM CAPACITY WHICH IS ASSUMED TO BE THEIR LICENSED CAPACITY. ANOTHER WELL PROVIDES THE OPPORTUNITY TO INCREASE THEIR DIVERSION WITHOUT THE LEGAL RIGHT TO EXPAND.

RULE 4,5,3 CRITERIA NEEDS TO BE ADDRESSED BEFORE APPROVAL OF THE APPLICATION FOR PERMIT.

MTS

NOV 28 1996

T # 4508



NOV 23 1996

T # 4508

Form 222
7/92

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 1

NOV 04 1994

Department of Water Resources
Boise Region OfficeName of applicant: City of HaileyPhone: 1-208-788-4221Post Office address: P.O. Box 945, Hailey, Idaho 83333**PURPOSE OF TRANSFER**

1. ☐ Change point of diversion ☒ Add diversion point(s) ☐ Change place of use
☐ Change nature of use ☐ Change period of use ☐ Other

2. Describe the reason for the proposed changes: Applicant's existing municipal water system ties together three (3) existing wells and a surface water source into the same delivery system. A fourth well is about to be added. Applicant's three (3) existing ground water rights for this system each have only one (1) well as a point of diversion. This Application seeks to add all of the other wells as additional points of diversion for each water right.

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1.

Right Number	Priority	Amount	Nature	Period of Use	Volume
37-02698	10/29/1964	2.56 cfs	municipal	January 1 to December 31	
37-02699	8/11/1964	2.00 cfs	municipal	January 1 to December 31	
37-07305	11/4/1973	2.62 cfs	municipal	January 1 to December 31	
				to	

2. Total amount of water being transferred: 7.18 cubic feet/second and/or _____ acre-feet per annum.

3. Source of water: groundwater tributary to _____

4. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion
		NE	SE	SE	9	2N	18E	Blaine	Third Avenue Well
		SE	SE	NW	9	2N	18E	18E	River Street Well
		~~SE~~ NW	SW	SE	10	2N	18E	Blaine	Woodside Well
		SW	SE	SW	4	2N	18E	Blaine	Northridge Well

5. Lands irrigated or Place(s) of Use: Within corporate limits of City of Hailey and surrounding service area.

TWP	RGE	SEC	N E				N W				S W				S E				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total acres: _____

NOV 28 1996

6. General Information:

a. Are the lands from which you propose to transfer the water right subject to any liens, deeds of trust, mortgages, or contracts? Yes X No If yes, provide a notarized statement from the holder of the lien, deed of trust, mortgage or contract agreeing to the proposed changes.

b. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer: Not applicable.

c. Remarks: The City water system is not "zoned". Instead, each of the three (3) existing wells and the one (1) new well can deliver water to anywhere within the City's service area. Therefore, each well is capable of delivering water pursuant to each of the City's ground water rights and the additional points of diversion sought by this Application will make the water rights conform to actual functioning of the system.

C. DESCRIPTION OF UNCHANGED PORTION OF RIGHT

1. amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)

2. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Local name for diversion

3. Lands irrigated or Place(s) of Use:

TWP	RGE	SEC	N E				N W				S W				S E				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total acres: _____

NOV 28 1996

PART 2

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 37-02698

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
MUNICIPAL	01/01 to 12/31	2.56 CFS

SOURCE

GROUNDWATER

Priority: 10/29/1964

LOCATION OF POINT(S) OF DIVERSION:SWSW , Sec. 10, Township 02N, Range 18E
BLAINE CountyPLACE OF USE: See RemarksCONDITIONS/REMARKS:

1. P/U WITHIN CITY LIMITS OF HAILEY & SURROUNDING AREAS.

NOV 28 1996

PART 2

TRANS NO. 4508

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 37-02699

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
MUNICIPAL	to	2.00 CFS

SOURCE

GROUNDWATER

Priority: 08/11/1964

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 9, Township 02N, Range 18E
BLAINE County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. P/U WITHIN CITY LIMITS OF HAILEY & SURROUNDING AREA.

NOV 28 1996

PART 2

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 37-07305

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
MUNICIPAL	01/01 to 12/31	2.62 CFS

SOURCE


GROUNDWATER

Priority: 11/04/1973

LOCATION OF POINT(S) OF DIVERSION:SWSE , Sec. 10, Township 02N, Range 18E
BLAINE CountyPLACE OF USE: See RemarksCONDITIONS/REMARKS:


1. P/U WITHIN CITY LIMITS OF HAILEY; WOODSIDE SUBD.
2. REINSTATED 04/17/1980.

NOV 28 1996




410 000 FEET 20' 716 (BELLEVUE 1:62 500) 718 17'30"

SCALE 1:24 000



CONTOUR INTERVAL 40 FEET

NOV 28 1926



PART 3

A. CHANGES IN NATURE OF USE

1.

New Nature of Use	Amount (cfs/AF)	Hours/Days/Year	Period Of Use
			to
			to
			to

2. Quantity and quality of return flows and location of discharge:

3. Describe effects on other water uses resulting from the proposed change:

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willful misrepresentations made in this application may result in voiding its approval.

CITY OF HAILEY

By: _____, Mayor

Subscribed and sworn to before me this 2nd day of November, 1994.

Notary Public for Idaho

Residing at 5007 Park, ID

My commission expires 1/29/97

FOR DEPARTMENT USE ONLY

Received by MBaldwin Date 11/4/94Prelim. check by MTS Fee \$100.Receipted GS # SD17526Published in Good River JournalPub. dates 1/4 & 1/11/95 Recommend: ☒ approve ☐ denyWatermaster recommendation requested N/A rec'd _____

Field exam conducted (required for statutory claims) _____

Protest filed by: _____

Hearing held by: _____

NOV 28 1994

MEMORANDUM TO FILE

FROM: MEL SCHULTE *MTS*

37-02698, 2699, 7305

DATE: NOVEMBER 23, 1994

RE: FIELD INSPECTION
CITY OF HAILEY WELL SITES

ON NOVEMBER 22, 1994 I CONFIRMED THE LOCATION OF THE CITY OF HAILEY'S THREE CURRENT WELLS AND A PROPOSED NEW WELL. I WAS ASSISTED AND ACCOMPANIED BY STEVE TOZIER, THE HEAD OF THE CITY'S WATER AND SEWER DEPARTMENT. THE INSPECTION COINCIDED WITH AN APPLICATION FOR PERMIT AND AN APPLICATION FOR TRANSFER FILED BY THE CITY.

AT EACH WELL WE IDENTIFIED THE SITE ON A COPY OF THE CITY OF HAILEY'S OFFICIAL MAP DATED 1983 AND ON AN ENLARGED COPY OF AN OPQ MAP. WE FOUND A TEN ACRE DISCREPANCY IN THE LEGAL DESCRIPTION USED FOR THE WOODSIDE WELL IN THE APPLICATIONS. WE ALSO FOUND A SECTION AND QUARTER/QUARTER SECTION DISCREPANCY FOR THE LICENSED P/D RELATING TO THE 3RD AVENUE WELL.

STEVE TOZIER INDICATED THAT HAILEY WAS THE FASTEST GROWING CITY IN THE WOOD RIVER VALLEY. THEY PROJECT THE CITY'S POPULATION TO GROW FROM THE CURRENT LEVEL OF ABOUT 6,000 TO 7-8,000 BY THE YEAR 2000. THE NEW WELL TO BE ADDED IS EXPECTED TO HANDLE THEIR NEAR TERM PROJECTED GROWTH. HE SAID THE NEW WELL IS TO BE CONSTRUCTED BY THE BLAINE COUNTY SCHOOL DISTRICT AND MR CAPLO, THE OWNER OF NORTHRIDGE SUBDIVISION, BUT TIED IN TO THE CITY'S SYSTEM. THE SUBDIVISION IS CURRENTLY BEING EXPANDED AND IS SERVICED BY THE CITY SYSTEM. THE SCHOOL DISTRICT IS PLANNING TO BUILD A NEW MIDDLE SCHOOL IN THE SUBDIVISION AND PLANS TO USE CITY WATER FOR ITS INTERNAL USE.


TO MEET THE SCHOOL DISTRICT'S PLANS THE NEW WELL MUST BE DRILLED AND ON LINE BY AUGUST 1996. THE SPECIFIC SITE OF THE WELL IS NOT DEFINITE AT THIS TIME AND WILL NOT BE UNTIL DEQ COMPLETES ITS SITE INSPECTION. IF THE WELL LOCATION CHANGES FROM THAT CURRENTLY PROPOSED, STEVE TOZIER WILL LET US KNOW.

IF THE APPLICATION FOR PERMIT TO EXPAND THE CITY'S DIVERSION RATE IS NOT APPROVED, I AM CONCERNED WITH APPROVAL OF THE TRANSFER APPLICATION. IT DOES NOT APPEAR JUSTIFIED TO ADD A FOURTH WELL TO THE CITY'S SYSTEM WITHOUT A COMPANION WATER RIGHT FOR ADDITIONAL WATER. THE CITY SYSTEM IS SUPPOSEDLY NOW AT ITS MAXIMUM CAPACITY WHICH IS ASSUMED TO BE THEIR LICENSED CAPACITY. ANOTHER WELL PROVIDES THE OPPORTUNITY TO INCREASE THEIR DIVERSION WITHOUT THE LEGAL RIGHT TO EXPAND.

RULE 4,5,3 CRITERIA NEEDS TO BE ADDRESSED BEFORE APPROVAL OF THE APPLICATION FOR PERMIT.

MTS

NOV 28 1996



NOV 28 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301-6105 (208) 736-3033
Fax (208) 736-3037

October 13, 1995

PHILIP E. BATT
Governor

KARL J. DREHER
Director

MR JAMES P SPECK ESQ
HOGUE SPECK AND AANESTAD PA
PO BOX 987
KETCHUM ID 83340

RE: Amendment of SRBA Claims A37-02698, A37-02699, A37-07305
CITY OF HAILEY

Dear Mr. Speck:

Pursuant to the approval of Transfer No. 4508, the above referenced Notice(s) of Claim in the Snake River Basin Adjudication have been amended to conform with the transfer. Please find enclosed a printout of the way your client's claim records have been modified. Please check these modified records over carefully to verify they correctly reflect the intended change. If you have questions please feel free to contact this office.

Sincerely,

A handwritten signature in cursive script, reading 'Trish Fawcett'.

Trish Fawcett
Technical Records Specialist

Enc.

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIMS PROOF READING REPORT
(REGIONAL)

Water Right Number - R37-02698

Prefix Translation: RESEARCH

Old (D) Number - 32018

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** A - ATTORNEY ***

SPECK ESQ

JAMES P

1 - HOGUE SPECK & AANESTAD

2 - PO BOX 987

3 -

City- KETCHUM

State- ID Zip- 83340

Phone - 208-000-0000

*** C - CURRENT OWNER ***

CITY OF HAILEY

1 - PO BOX 945

2 -

3 -

City- HAILEY

State- ID Zip- 83333

Phone - 208-788-4221

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
10/29/1964 17 SOUTHERN L - LICENSE

+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County

02N	18E	4	SE SW		(13)	BLAINE
		9	SE NW		(13)	BLAINE
			SE SE		(13)	BLAINE
		10	SW SE		(13)	BLAINE

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

40 - MUNICIPAL	01/01	12/31	2.560
----------------	-------	-------	-------

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
2.560 0.0

+ - - - - Place of Use - - - - - +
TwN Rng Sec Tract Lot Acres Code Description County

02N	18E	4			40	MUNICIPAL	(13)	BLAINE
02N	18E	9			40	MUNICIPAL	(13)	BLAINE
02N	18E	10			40	MUNICIPAL	(13)	BLAINE
02N	18E	14			40	MUNICIPAL	(13)	BLAINE
02N	18E	15			40	MUNICIPAL	(13)	BLAINE
02N	18E	16			40	MUNICIPAL	(13)	BLAINE
02N	18E	22			40	MUNICIPAL	(13)	BLAINE
02N	18E	23			40	MUNICIPAL	(13)	BLAINE
03N	18E	33			40	MUNICIPAL	(13)	BLAINE

Total Acres:

+ - - Audit Fields - - +
10/13/95 TFAWCETT

AJ0743NP
(00-124)

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIMS PROOF READING REPORT
(REGIONAL)

10/13/95 10:25:06
Page 3

Water right number - R37-02698

Prefix Translation: RESEARCH

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000	Old Judicial District	-
Claim Received Date	- 10/26/1988	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- F000000	Water District	-
		POU Ownership Flag	- N	Federal/State Indicator	- S
		Name Connector	-	Presumption Flag	-
				Notice of Error Flag	-

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:00:47
05/28/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A37-02698

LAST: CITY OF HAILEY FIRST:
ADDRESS: P.O. BOX 945
CITY: HAILEY STATE: ID ZIP: 83333
PHONE NUMBER: 208-788-4221

OWNER CODE: C

FIELD EXAM REQUIRED? FIELD
VERIFICATION REQUIRED DUE TO REMARKS? DATABASE EXAMINER
Y

CLAIM REMARKS: P/U WITHIN CITY LIMITS OF HAILEY & SURROUNDING AREAS.

FIELD EXAMINATION INFORMATION

CONTACT PERSON: _____ PHONE NUMBER: (____) ____-____
DATE OF FIELD EXAM: ____/____/____ APPOINTMENT MADE: Y(____) N(____) TIME: ____:____ A(____) P(____)
ACCOMPANIED BY: _____ PHONE NUMBER: (____) ____-____
RELATIONSHIP TO CLAIMANT: _____
DIRECTIONS TO PROPERTY / REMARKS:

MICROFILMED
OCT 26 1994

A. AJ CLAIM: # A37-02698 PRIORITY DATE: 10-29-1964 STAGE: L
B. WR RECORD: # 37-02698 PRIORITY DATE: 10-29-1964 STAGE: L

C. FIELD EXAM REQUIRED? DATABASE FIELD
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) N EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N()
IF YES EXPLAIN.

REMARKS:

RECOMMENDED PRIORITY DATE:
10-29-1964

REVIEWED BY DATE

MICROFILMED
OCT 26 1994

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A37-02698	02N	18E	9	NE	SE	SE		BLAINE

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
37-02698	02N	18E	10		SW	SW		BLAINE

OTHER WR RECORDS WITH SAME WR POD

NONE

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
A37-10663 A37-10663
A37-10663 A37-10663

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

	DUE TO POD DISCREPANCY? (Y/N)	DUE TO SOURCE DISCREPANCY? (Y/N)	DATABASE	FIELD EXAMINER
	Y	N		

REMARKS:

MICROFILMED
OCT 26 1994

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP. RGE. SEC. 1/4 1/4 1/4 LOT COUNTY

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY: DATE:

MICROFILMED
OCT 26 1994

A. ROOT WATER RIGHT NUMBERS: A37-02698
R37-02698

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
03N	18E	33				CITY OF HAILEY	A37-02698 /	- /			
						CITY OF HAILEY	A37-00717 /	- /			
						CITY OF HAILEY	A37-00906 /	- /			
						CITY OF HAILEY	A37-01216 /	- /			
						CITY OF HAILEY	A37-02699 /	- /			
						CITY OF HAILEY	A37-07305 /	- /			
						CITY OF HAILEY	A37-10717 /	- /			
						HAILEY , CITY OF	R37-00717 /	- /			
						HAILEY , CITY OF	R37-00906 /	- /			
						HAILEY , CITY OF	R37-01216 /	- /			
						HAILEY , CITY OF	R37-02698 /	- /			
						HAILEY , CITY OF	R37-02699 /	- /			
						HAILEY , CITY OF	R37-07305 /	- /			
						HAILEY , CITY OF	R37-10717 /	- /			
						WOOD RIVER LAND CO.		37-00577BN/			
02N	18E	4				CITY OF HAILEY	A37-02698 /	- /			
						CITY OF HAILEY	A37-00717 /	- /			
						CITY OF HAILEY	A37-00906 /	- /			
						CITY OF HAILEY	A37-01216 /	- /			
						CITY OF HAILEY	A37-02699 /	- /			
						CITY OF HAILEY	A37-07305 /	- /			
						CITY OF HAILEY	A37-10717 /	- /			
						HAILEY , CITY OF	R37-00717 /	- /			
						HAILEY , CITY OF	R37-00906 /	- /			
						HAILEY , CITY OF	R37-01216 /	- /			
						HAILEY , CITY OF	R37-02698 /	- /			
						HAILEY , CITY OF	R37-02699 /	- /			
						HAILEY , CITY OF	R37-07305 /	- /			
						HAILEY , CITY OF	R37-10717 /	- /			
						FERIS , JAY C.	R37-12637 /	- /			
						WOOD RIVER LAND CO.		37-00577BN/			
02N	18E	9				CITY OF HAILEY	A37-02698 /	- /			
						JEPPSEN , V. K.	A37-02530 /	37-02530 /			
						CITY OF HAILEY	A37-00717 /	- /			
						CITY OF HAILEY	A37-00906 /	- /			
						CITY OF HAILEY	A37-01216 /	- /			
						CITY OF HAILEY	A37-02699 /	- /			
						CITY OF HAILEY	A37-07305 /	- /			
						CITY OF HAILEY	A37-10717 /	- /			
						HAILEY , CITY OF	R37-02699 /	- /			
						HAILEY , CITY OF	R37-00717 /	- /			
						HAILEY , CITY OF	R37-00906 /	- /			
						HAILEY , CITY OF	R37-01216 /	- /			
						HAILEY , CITY OF	R37-02698 /	- /			
						HAILEY , CITY OF	R37-07305 /	- /			

MICROFILMED
OCT 26 1994

	HAILEY , CITY OF	R37-10717 /	- /
	WOOD RIVER LAND CO.		37-00577BN/
02N 18E 10	CITY OF HAILEY	A37-02698 /	- /
	CITY OF HAILEY	A37-00717 /	- /
	CITY OF HAILEY	A37-00906 /	- /
	CITY OF HAILEY	A37-01216 /	- /
	CITY OF HAILEY	A37-02699 /	- /
	CITY OF HAILEY	A37-07305 /	- /
	CITY OF HAILEY	A37-10717 /	- /
	HAILEY , CITY OF	R37-02698 /	- /
	HAILEY , CITY OF	R37-00717 /	- /
	HAILEY , CITY OF	R37-00906 /	- /
	HAILEY , CITY OF	R37-01216 /	- /
	HAILEY , CITY OF	R37-02699 /	- /
	HAILEY , CITY OF	R37-07305 /	- /
	HAILEY , CITY OF	R37-10717 /	- /
02N 18E 14	CITY OF HAILEY	A37-02698 /	- /
	CITY OF HAILEY	A37-00717 /	- /
	CITY OF HAILEY	A37-00906 /	- /
	CITY OF HAILEY	A37-01216 /	- /
	CITY OF HAILEY	A37-02699 /	- /
	CITY OF HAILEY	A37-07305 /	- /
	CITY OF HAILEY	A37-10717 /	- /
	HAILEY , CITY OF	R37-02698 /	- /
	HAILEY , CITY OF	R37-00717 /	- /
	HAILEY , CITY OF	R37-00906 /	- /
	HAILEY , CITY OF	R37-01216 /	- /
	HAILEY , CITY OF	R37-02699 /	- /
	HAILEY , CITY OF	R37-07305 /	- /
	HAILEY , CITY OF	R37-10717 /	- /
02N 18E 15	CITY OF HAILEY	A37-02698 /	- /
	CITY OF HAILEY	A37-00717 /	- /
	CITY OF HAILEY	A37-00906 /	- /
	CITY OF HAILEY	A37-01216 /	- /
	CITY OF HAILEY	A37-02699 /	- /
	CITY OF HAILEY	A37-07305 /	- /
	CITY OF HAILEY	A37-10717 /	- /
	HAILEY , CITY OF	R37-02698 /	- /
	HAILEY , CITY OF	R37-00717 /	- /
	HAILEY , CITY OF	R37-00906 /	- /
	HAILEY , CITY OF	R37-01216 /	- /
	HAILEY , CITY OF	R37-02699 /	- /
	HAILEY , CITY OF	R37-07305 /	- /
	HAILEY , CITY OF	R37-10717 /	- /
	WOOD RIVER LAND CO.		37-00577BN/
02N 18E 16	CITY OF HAILEY	A37-02698 /	- /
	CITY OF HAILEY	A37-00717 /	- /
	CITY OF HAILEY	A37-00906 /	- /
	CITY OF HAILEY	A37-01216 /	- /
	CITY OF HAILEY	A37-02699 /	- /
	CITY OF HAILEY	A37-07305 /	- /
	CITY OF HAILEY	A37-10717 /	- /
	HAILEY , CITY OF	R37-02698 /	- /
	HAILEY , CITY OF	R37-00717 /	- /
	HAILEY , CITY OF	R37-00906 /	- /

MICROFILMED
OCT 26 1994

HAILEY , CITY OF	R37-01216	/	-	/
HAILEY , CITY OF	R37-02699	/	-	/
HAILEY , CITY OF	R37-07305	/	-	/
HAILEY , CITY OF	R37-10717	/	-	/
WOOD RIVER LAND CO.			37-00577BN	/

02N 18E 22	CITY OF HAILEY	A37-02698	/	-	/
	ODERMATT , ELSA I.	A37-07253	/	-	/
	DUININCK , STEVEN P.	A37-11649	/	-	/
	CITY OF HAILEY	A37-00717	/	-	/
	CITY OF HAILEY	A37-00906	/	-	/
	CITY OF HAILEY	A37-01216	/	-	/
	CITY OF HAILEY	A37-02699	/	-	/
	CITY OF HAILEY	A37-07305	/	-	/
	CITY OF HAILEY	A37-10717	/	-	/
	SPECK , JAMES P.	A37-04184	/	-	/
	HAILEY , CITY OF	R37-00717	/	-	/
	HAILEY , CITY OF	R37-00906	/	-	/
	HAILEY , CITY OF	R37-01216	/	-	/
	HAILEY , CITY OF	R37-02698	/	-	/
	HAILEY , CITY OF	R37-02699	/	-	/
	HAILEY , CITY OF	R37-07305	/	-	/
	HAILEY , CITY OF	R37-10717	/	-	/
	DUININCK , STEVEN P.	R37-11649	/	-	/
	WOOD RIVER LAND CO.			37-00577BN	/

02N 18E 23	CITY OF HAILEY	A37-02698	/	-	/
	CITY OF HAILEY	A37-00717	/	-	/
	CITY OF HAILEY	A37-00906	/	-	/
	CITY OF HAILEY	A37-01216	/	-	/
	CITY OF HAILEY	A37-02699	/	-	/
	CITY OF HAILEY	A37-07305	/	-	/
	CITY OF HAILEY	A37-10717	/	-	/
	HAILEY , CITY OF	R37-02698	/	-	/
	HAILEY , CITY OF	R37-00717	/	-	/
	HAILEY , CITY OF	R37-00906	/	-	/
	HAILEY , CITY OF	R37-01216	/	-	/
	HAILEY , CITY OF	R37-02699	/	-	/
	HAILEY , CITY OF	R37-07305	/	-	/
	HAILEY , CITY OF	R37-10717	/	-	/
	WOOD RIVER LAND CO.			37-00577BN	/

TOTAL ACRES	A37-02698
-------------	-----------

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
N

FIELD
EXAMINER

MICROFILMED
OCT 26 1994

PRESUMPTION FLAG:

REMARKS:

RECOMMENDATIONS:

TOTAL ACRES: _____

REVIEWED BY: _____

DATE: _____

MICROFILMED
OCT 26 1994

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A37-02698 MUNICIPAL	FROM 01-01 TO 12-31	2.560 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		2.560 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
37-02698 MUNICIPAL	FROM 01-01 TO 12-31	2.560 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		2.560 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	_____
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	_____
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	_____

D. PERIOD OF USE:

RECOMMEND AS CLAIMED? Y(____) N(____)

RECOMMEND TO WR STANDARDS OR OTHER? Y(____) N(____) Explain in remarks, below.

REMARKS:

MICROFILMED
OCT 26 1994

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y() N()

AJ TOTAL CLAIMED DIVERSION RATE: 2.560 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 2.560 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***

** If an amount smaller than the original diversion rate is **

** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

FIELD

DATABASE EXAMINER

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

Y

B.

FLOW MEASUREMENT

MEASUREMENT METHOD , SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y(Y) N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: 37-02699, 37-07305, 37-00296, 37-00577, 37-07854, 37-00906

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A37-02698	MUNICIPAL	CITY OF HAILEY	FROM 01-01 TO 12-31	2.560 CFS	
A37-00717	MUNICIPAL	CITY OF HAILEY	FROM 01-01 TO 12-31	1.830 CFS	
A37-00906	MUNICIPAL	CITY OF HAILEY	FROM 01-01 TO 12-31	1.039 CFS	
A37-01216	MUNICIPAL	CITY OF HAILEY	FROM 11-01 TO 03-31	.900 CFS	
A37-02699	MUNICIPAL	CITY OF HAILEY	FROM 01-01 TO 12-31	2.000 CFS	
A37-07305	MUNICIPAL	CITY OF HAILEY	FROM 01-01 TO 12-31	2.620 CFS	
A37-10717	MUNICIPAL	CITY OF HAILEY	FROM 01-01 TO 12-31	2.860 CFS	
R37-00717	MUNICIPAL	HAILEY , CITY OF	FROM 01-01 TO 12-31	1.830 CFS	
R37-00906	MUNICIPAL	HAILEY , CITY OF	FROM 01-01 TO 12-31	1.039 CFS	
R37-01216	MUNICIPAL	HAILEY , CITY OF	FROM 11-01 TO 03-31	.900 CFS	
R37-02698	MUNICIPAL	HAILEY , CITY OF	FROM 01-01 TO 12-31	2.560 CFS	
R37-02699	MUNICIPAL	HAILEY , CITY OF	FROM 01-01 TO 12-31	2.000 CFS	
R37-07305	MUNICIPAL	HAILEY , CITY OF	FROM 01-01 TO 12-31	2.620 CFS	
R37-10717	MUNICIPAL	HAILEY , CITY OF	FROM 01-01 TO 12-31	2.860 CFS	
R37-12637	DOMESTIC	FERIS , JAY C.	FROM 01-01 TO 12-31	.040 CFS	
R37-12637	STOCKWATER	FERIS , JAY C.	FROM 01-01 TO 12-31	.020 CFS	
A37-02530	DOMESTIC	JEPPSEN , V. K.	FROM 01-01 TO 12-31	.040 CFS	
A37-07253	DOMESTIC	ODERMATT , ELSA I.	FROM 01-01 TO 12-31	.040 CFS	
A37-11649	DOMESTIC	DUININCK , STEVEN P.	FROM 01-01 TO 12-31	.040 CFS	
A37-11649	STOCKWATER	DUININCK , STEVEN P.	FROM 01-01 TO 12-31	.020 CFS	
A37-04184	AESTHETIC	SPECK , JAMES P.	FROM 01-01 TO 12-31	2.000 CFS	
A37-04184	AESTHETIC STORAGE	SPECK , JAMES P.	FROM 01-01 TO 12-31		

MICROFILMED
1.00 AF/A
OCT 26 1994

R37-11649
R37-11649

DOMESTIC
STOCKWATER

DUININCK , STEVEN P.
DUININCK , STEVEN P.

FROM 01-01 TO 12-31 .040 CFS
FROM 01-01 TO 12-31 .020 CFS

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES _____ x 0.02 CFS/ACRE = _____ CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y(____) N(____)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y(____) N(____) ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = _____ AF/A

ACRES _____ x CONSUMPTIVE VOL. AF/A FOR AREA _____ =

TOTAL CONSUMPTIVE USE _____ AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = _____ AF/A

ACRES _____ x DIVERSION VOL. AF/A FOR AREA _____ =

TOTAL DIVERSION VOLUME _____ AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y(____) N(____)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

MICROFILMED
OCT 26 1994

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
MUNICIPAL	01-01 12-31	DATABASE EXAMINER 2.560	DATABASE EXAMINER	DATABASE EXAMINER 0.0
TOTAL FOR THIS RIGHT		2.560		0.0

REVIEWED BY: _____ DATE: _____

MICROFILMED
OCT 26 1994

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP _____	()	()
FORFEIT/ABANDON _____	()	()
ADDITIONAL DIV. AMOUNT _____	()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 37-02698

TOTAL DIVERSION RATE OF WR SPLITS	DATABASE 2.560	EXAMINER _____	CFS
-----------------------------------	-------------------	-------------------	-----

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A37-02698	2.560	R37-02698	2.560	37-02698	2.560
A37-02698	R37-02698	2.560	R37-02698	2.560	37-02698	2.560
TOTAL CFS		5.120	5.120		2.560	

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
N

FIELD
EXAMINER

REMARKS:

AUTHENTICATION:

SIGNATURE: _____

DATE: _____

NAME OF FIELD EXAMINER: _____

TITLE: _____

MICROFILMED
OCT 26 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:00:47
05/28/90

PAGE: 14
QUICKLOOK INFORMATION

CLAIM NUMBER: A37-02698

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE								
POINT OF DIV	Y							
SOURCE								
PLACE OF USE								
DIV. AMOUNT CFS/VOLUME								
CONSUMPTIVE USE								
PURPOSES								
PERIOD OF USE								
BASIS OF CLAIM	Y							
REMARKS	Y							

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED
OCT 26 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

RECEIVED

MAR 1 1990

Department of Water Resources
Southern Region Office

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 22, 1990

Hailey Water & Sewer
C/O Daryle James
P. O. Box 945
Hailey, ID 83333

Gentlemen:

Our records show you have filed your adjudication claim(s) in the Snake River Basin Adjudication. Our records do not, however, include a clear map of your service area. Would it be possible for us to get a map of your customer service area for your municipal water system, both to supplement the record of your claim(s) and for use as described below?

In our review and investigation phase of the Snake River Basin Adjudication, the map would be helpful for us to have this information in verifying individual claims to water rights for domestic purposes. We will be happy to discuss with you the most convenient way for you to provide this information to us. I can be reached at 327-7931 or you may contact my assistant, Anita Warntjes at 327-7986.

Your assistance in this matter is greatly appreciated.

Sincerely,

DAVID B. SHAW
Adjudication Bureau Chief

DBS:alw

#37-60296

00717

00906

01216

02698

02699

67305


07854

10717

00297

MICROFILMED

MAR 01 1993



OFFICIAL MAP
OF
CITY OF HAILEY
BLAINE COUNTY, IDAHO

300 0 300 600 900 1200 1500 1800
SCALE IN FEET

1983

BUCKHORN
SUB.

BUTTERCUP
SUB.

Blaine County School
District No. 61

MICROFILMED
MAR 01 1993

REVISION	DATE
4-24-74	
5-6-79	
12-1-83	

#A37-02698

City of HAILEY

Muni. Use

MICROFILMED

MAR 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SNAKE RIVER BASIN ADJUDICATION CLAIM VERIFICATION REPORT

FIELD REPORT LOGCLAIM NUMBER: **A37-02698**

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT RECEIVED	COMPLETED REVIEW	COMPLETED DATA ENTRY
------------	-------------------	---------------------------------	---------------------	-------------------------

PRIORITY DATE	N		SCC 3-5-90	
POINT OF DIV.	YES <i>verify</i>			
SOURCE	N			
PLACE OF USE	YES <i>OR</i> LIMITED CITY LIMITS			
DIV. AMOUNT	N			
CONSUMPTIVE USE	N			
USES	N		SCC 3-5-90	
PERIOD OF USE	N		SCC 3-5-90	
BASIS OF CLAIM	N			

REMARKS: **SEE A37-00296**

MICROFILMED

MAR 01 1993

GENERAL INFORMATION

Claim number: 437-02698

LAST: CITY OF HAILEY

FIRST: _____

ADDRESS: P.O. BOX 945

CITY: HAILEY

STATE: ID

ZIP: 83333

PHONE: (208) 788 - 4221

OWNER CODE: C

OWNER CONNECTOR: _____

LAST: _____

FIRST: _____

ADDRESS: _____

CITY: _____

STATE: _____

ZIP: _____

PHONE: (____) ____ - ____

OWNER CODE: _____

FIELD EXAMINATION INFORMATION

CONTACT PERSON: _____ PHONE NUMBER (____) ____ - ____

DATE OF FIELD EXAM: ____ / ____ / ____ APPOINTMENT MADE? Y(____) N(____), TIME: _____

ACCOMPANIED BY: _____ PHONE NUMBER (____) ____ - ____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS: _____

MICROFILMED
MAR 01 1993

PAGE 3.
PRIORITY DATE REVIEW SHEET

CLAIM NUMBER: A37-02698

A. SRBA CLAIM # A37-02698 PRIORITY DATE: 10/29/1964 STAGE L

B. IDWR RECORD # 37-02698 PRIORITY DATE: 10/29/1964 STAGE L

C. REVIEW - FIELD EXAM NEEDED? Y() N(X)

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(X)
IF YES EXPLAIN.

REMARKS: _____

RECOMMENDED PRIORITY DATE: 10/29/1964

REVIEWED BY Sec DATE 3-5-90

RECORDED
MAR 01 1993

A. SRBA CLAIM POINT OF DIVERSION AND SOURCE:

SOURCE: GROUNDWATER TRIB: _____

B. IDWR RECORD POINT OF DIVERSION RECORD AND SOURCE:

SOURCE: G.W. TRIB: _____

C. REVIEW - FIELD EXAM NEEDED? Y(~~X~~) N()

REMARKS:

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

SOURCE: GW. TRIB: _____

REVIEWED BY SH DATE 5-17-90

MAR 01 1993

PAGE 5.

PLACE OF USE REVIEW SHEET (IRRIGATION)

CLAIM # A37-02698

FIELD EXAM REQUIRED: Y(☒) N(☐)

PRESUMPTION FLAG: Y(☒) N(☐)

ROOT WATER RIGHT NUMBERS 37-02698

TWP	RGE	SEC	1/4	1/4	S.R.B.A. #/ACRES	I.D.W.R #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
---	---	---	---	---	---/---	---/---	---	---	---
---	---	---	---	---	---/---	---/---	---	---	---
---	---	---	---	---	---/---	---/---	---	---	---
---	---	---	---	---	---/---	---/---	---	---	---
---	---	---	---	---	---/---	---/---	---	---	---
---	---	---	---	---	---/---	---/---	---	---	---
---	---	---	---	---	---/---	---/---	---	---	---
---	---	---	---	---	---/---	---/---	---	---	---
TOTAL ACRES					---	---	---	---	---

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y(☐) N(☐)
IF YES SEE ATTACHED SHEET:

REMARKS: MUNICIPAL USE - NO ACRES LISTED
SEE A37-00296

REVIEWED BY _____

DATE _____

MICROFILMED
MAR 01 1993

A. S.R.B.A CLAIMED USES:

PURPOSES	MONTH/DAY	RATE
FOR <u>MUNICIPAL</u>	FROM <u>1-1</u> TO <u>12-31</u>	<u>2.56</u> CFS
FOR _____	FROM ____ TO ____	____ CFS
FOR _____	FROM ____ TO ____	____ CFS

B. I.D.W.R. RECORDED USES:

PURPOSES	MONTH/DAY	RATE
FOR <u>MUNICIPAL</u>	FROM <u>1-1</u> TO <u>12-31</u>	<u>2.56</u> CFS
FOR _____	FROM ____ TO ____	____ CFS
FOR _____	FROM ____ TO ____	____ CFS

PRESUMPTION FLAG: _____

PERIOD OF USE:

IS PERIOD OF USE WITHIN THE RECOMMENDED SEASON?

Y(~~X~~) N()

RECOMMENDED AS CLAIMED?

Y(~~X~~) N()

RECOMMEND TO IDWR STANDARDS OR OTHER?

Y() N(~~X~~)

REMARKS:

RECOMMENDED USES:

PURPOSES	MONTH/DAY	RATE
FOR <u>MUNICIPAL</u>	FROM <u>1-1</u> TO <u>12-31</u>	<u>2.56</u> CFS
FOR _____	FROM ____ TO ____	____ CFS
FOR _____	FROM ____ TO ____	____ CFS

REVIEWED BY SCC

DATE 3-5-90

MICROFILMED
MAR 01 1993

DIVERSION AMOUNT REVIEW SHEET

CLAIM # A37-02698A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS? Y(☒) N(☐)SRBA CLAIMED RATE: 2.56 CFS IDWR ROOT RIGHT RATE: 2.56 CFS
IF NO or IF STATUTORY CLAIM or BENEFICIAL USE field exam required.IS FLOW MEASUREMENT REQUIRED? Y(☐) N(☒)B. FLOW MEASUREMENTS

MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS

C. ARE OTHER WATER RIGHTS USED? Y(☐) N(☐) If YES complete overlap review.OTHER RIGHTS LISTED IN CLAIM: _____

_____D. RATE/VOLUME CALCULATIONS: (IRRIGATION)

1. IRRIGATION RATE.

ACRES _____ X 0.02 CFS/ACRE = _____ CFS.
(Taken from p/u review)DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y(☐) N(☐)***IF YES EXCESSIVE WATER USE FORM FILED AND ATTACHED? Y(☐) N(☐)***

2. ANNUAL IRRIGATION CONSUMPTIVE USE & FIELD HEADGATE DIVERSION VOLUME.

ACRES _____ X CONSUMPTIVE RATE FOR AREA _____ A.F./ACRE =

TOTAL CONSUMPTIVE USE _____ ACRE FEET/ANNUM

ACRES _____ X FIELD APPLIC. RATE FOR AREA _____ A.F./ACRE =

TOTAL FIELD APPLIC. _____ ACRE FEET/ANNUM

E. RATE/VOLUME CALCULATIONS: (OTHER USES)CONTACT OWNER? Y(☐) N(☐) SEE ATTACHED SHEET? Y(☐) N(☐)
=====

RECOMMENDED DIVERSION RATE: _____ CFS

RECOMMENDED CONSUMPTIVE USE: _____ AF/ANNUM

RECOMMENDED FIELD HEADGATE APPLICATION: _____ AF/ANNUM

REVIEWED BY _____ DATE _____
=====

MAR 01 1993

BASIS OF CLAIM ISSUES REVIEW SHEET

CLAIM # 137-02698

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	<u>ACCEPTED AS CLAIMED</u>	<u>NEEDS REVIEW</u>
OWNERSHIP _____	(/)	()
FORFEIT/ABANDON _____	(/)	()
EXCESSIVE AMOUNT _____	(/)	()

THIS SRBA CLAIM CFS/ACRE _____

OTHER SRBA CLAIMS CFS/ACRE _____

**Excessive water use form filed and ATTACHED? Y(E) N(E)

B. SPLIT WATER RIGHT REVIEW

ROOT RIGHT # _____	SPLITS # _____	_____ CFS
_____ CFS	# _____	_____ CFS
	# _____	_____ CFS
	# _____	_____ CFS
	# _____	_____ CFS
	TOTAL CFS	_____

**Do the sum of the parts equal the whole?

Y() N()

**IF NO is the written review sheet ATTACHED?

Y() N()

REMARKS: _____

AUTHENTICATION:

SIGNATURE: _____

DATE: _____

NAME OF FIELD EXAMINER: _____

TITLE: _____

MICROFILMED
MAR 01 1993

ADDITIONAL ACREAGE FORMClaim number: A37-02698

TWN.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	18E	4	M																
		9	M																
		10	M																
		14	M																
		15	M																
		16	M																
		22	M																
		23	M																
		33	M																


TOTAL NUMBER OF ACRES _____

REMARKS: P/u Limited to CITY LIMITS ONLY!

REVIEWED BY _____

DATE _____

MICROFILMED
MAR 01 1993



SD-33		LAST NAME: CI OF HAILEY				STATE	
S	FIRST	O	WATER	PRIORITY		TOTAL	USE
E	NAME	N	RIGHT NO.	DATE	SOURCE	DIVERSION	CODE DESC
L							
	CITY OF HAILEY						
1		C	A37-00296	04/01/1880	INDIAN SPRI	2.620	40 MUNI
2		C	A37-00717	08/01/1907	INDIAN SPRI	1.830	40 MUNI
3		C	A37-00906	04/01/1940	BIG WOOD RI	1.039	40 MUNI
4		C	A37-01216	04/01/1880	INDIAN SPRI	0.900	40 MUNI
5		C	A37-02698	10/29/1964	GROUNDWATER	2.560	40 MUNI
6		C	A37-02699	08/11/1964	GROUNDWATER	2.000	40 MUNI
7		C	A37-07305	11/04/1973	GROUNDWATER	2.620	40 MUNI
8		C	A37-07854	07/23/1980	INDIAN CREE	5.000	28 POWER
9		C	A37-10717	03/24/1883	BIG WOOD RI	2.860	40 MUNI

(ENTER=CONTINUE)

(GOLD 7=THIS QUERY)

(MENU _____)

ARCHIVED
MAR 01 1993

SD-33		LAST NAME: CI OF HAILEY				STATE	
S		O					
E	FIRST	W	WATER	PRIORITY		TOTAL	USE
L	NAME	N	RIGHT NO.	DATE	SOURCE	DIVERSION	CODE DESC
	CITY OF HAILEY						
1		C	A37-00296	04/01/1880	INDIAN SPRI	2.620	40 MUNI
2		C	A37-00717	08/01/1907	INDIAN SPRI	1.830	40 MUNI
3		C	A37-00906	04/01/1940	BIG WOOD RI	1.039	40 MUNI
4		C	A37-01216	04/01/1880	INDIAN SPRI	0.900	40 MUNI
5		C	A37-02698	10/29/1964	GROUNDWATER	2.560	40 MUNI
6		C	A37-02699	08/11/1964	GROUNDWATER	2.000	40 MUNI
7		C	A37-07305	11/04/1973	GROUNDWATER	2.620	40 MUNI
8		C	A37-07854	07/23/1980	INDIAN CREE	5.000	28 POWER
9		C	A37-10717	03/24/1883	BIG WOOD RI	2.860	40 MUNI

(ENTER=CONTINUE)

(GOLD 7=THIS QUERY)

(MENU _____)

MICROFILMED
MAR 01 1993

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A37-02698	02N	18E	9	NE	SE	SE		BLAINE

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
37-02698	02N	18E	10		SW	SW		BLAINE

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX

NONE

A37-10663 R37-10663
A37-11584 R37-11584

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER

REMARKS:

UNRECORDED
MAR 01 1993

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
------	------	------	-----	-----	-----	-----	--------

---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY: _____ DATE: _____

RECEIVED
MAR 01 1993

Water Right Number - A37-02698

Adj. Flag Translation: Adjudication Temporary Work Area Old (D) Number - 32018

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
CITY OF HAILEY

1 - P.O. BOX 945

2 -

3 -

City- HAILEY

State- ID Zip- 83333

Phone - 208-788-4221

+ - - Priority Date - - +
10/29/1964+ - - Region - - - +
17+ - - Stage - - - +
L - LICENSE

+ - - Status - - - +

+ - - - - Source - - - - - +
GROUNDWATER

+ - - - - Tributary - - - - - +

+ - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County (Blank if no Index Code)

02N 18E 9 NE SE SE (13) BLAINE

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

40 - MUNICIPAL

01/01

12/31

2.560

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
2.560+ - - - - Place of Use - - - - - +
TwN Rng Sec Tract Lot Acres Code Description County

02N	18E	4				40	MUNICIPAL	(13) BLAINE
02N	18E	9				40	MUNICIPAL	(13) BLAINE
02N	18E	10				40	MUNICIPAL	(13) BLAINE
02N	18E	14				40	MUNICIPAL	(13) BLAINE
02N	18E	15				40	MUNICIPAL	(13) BLAINE
02N	18E	16				40	MUNICIPAL	(13) BLAINE
02N	18E	22				40	MUNICIPAL	(13) BLAINE
02N	18E	23				40	MUNICIPAL	(13) BLAINE
03N	18E	33				40	MUNICIPAL	(13) BLAINE

Total Acres:

+ - - Diversion Means -

+ - - Non-Irrigation Use - MUNICIPAL FOR CITY OF HAILEY

+ - - Other Rights for Same Use - 37-02699, 37-07305, 37-00296, 37-00577, 37-07854, 37-00906

MAR 01 1993

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 05/06/1985	Old Judicial District	-
Claim Received Date	- 10/26/1988	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- M001759	Water District	-
		POU Ownership Flag	- N	Federal/State Indicator	- S
		Name Connector	-		

Date - 0000
 MAR 01 1993

Water Right Number - 37-02698

Adj. Flag Translation: Standard Water Right Number

Old (D) Number - 32018

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - - +

*** C - CURRENT OWNER ***
CITY OF HAILEY

1 - P.O. BOX 945

2 -

3 -

City- HAILEY

State- ID Zip- 83333

Phone -

+ - - Priority Date - - +
10/29/1964+ - - Region - - - +
17+ - - Stage - - - +
L - LICENSE

+ - - Status - - - +

+ - - Source - - - +
GROUNDWATER

+ - - Tributary - - - - - +

Twn	Rng	Sec	Tract	Lot	RFlg	County	Point of Diversion	Stream Index (Blank if no Index Code)
-----	-----	-----	-------	-----	------	--------	--------------------	---------------------------------------

02N	18E	10	SW SW			(13)	BLAINE	
-----	-----	----	-------	--	--	------	--------	--

Code	Description	Period From	Period To	Water Use	Diversion Rate	Diversion Volume
------	-------------	-------------	-----------	-----------	----------------	------------------

40 - MUNICIPAL		01/01	12/31		2.560	
----------------	--	-------	-------	--	-------	--

+ - Total Div. Rate - +	+ - Total Div. Volume - +	+ - Total Div. Capacity - +	+ - Total Consumptive Use - +	+ - KW Usage - +
2.560				

Twn	Rng	Sec	Tract	Lot	Acres	Place of Use	Code	Description	County
-----	-----	-----	-------	-----	-------	--------------	------	-------------	--------

Total Acres:

+ - - Diversion Means -

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use -

Remarks
P/U WITHIN CITY LIMITS OF HAILEY & SURROUNDING AREAS.

Conditions of Approval
No Conditions of Approval found.

+ - - Decree Plaintiff - - - +

+ - - Decree Defendant - - - +

+ - Decree Date - +
00/00/0000

+ - - Audit Fields - 05/06/85

05/28/88 CONVERT

MAR 01 1993

Water right number - 37-02698

Adj. flag translation: Standard Water Right Number

+ - - - - Water Rights Dates and Flags Area - - - - - +

Proof Due Date	- 00/00/0000	Field Exam Made	- 00/00/0000	Field Exam Fee	-
Approved/Denied	- 00/00/0000	Protested Date	- 00/00/0000	Swan Falls	-
Proof Made Date	- 00/00/0000	Hearing Date	- 00/00/0000	Temporary Right	- P
Start Work Date	- 00/00/0000	Verified Date	- 05/06/1985	DLE/Carey Act	-
Order Show Cause	- 00/00/0000	Receipt Number	-	Water District	-
Licensed Date	- 05/15/1979	Appl Received	- 00/00/0000	Transfer/Amended	-
Decree Date	- 00/00/0000				

MICROFILMED
MAR 0 1 1993