

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A37-12137

Date Received:

Receipt No: 5003696

Received By: ADH

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: FRIEDMAN MEMORIAL AIRPORT 208-788-4956
Address: P.O. BOX 929
HAILEY, ID 83333

2. Date of Priority: DEC 31, 1945

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
02N	18E	15	SW	SW	NE		BLAINE

5. Description of diverting works:
WELL & PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
DOMESTIC	01/01	12/31	0.040		

7. Total Quantity Appropriated is:
0.040 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
D/ WATER USED IN HANGER FACILITY AT AIRPORT (TOILET, DRINKING)

10. Place of Use:

Township	Range	Section	1/4 of	1/4 of	Lot	Use	Acres
02N	18E	15	SW	NE		DOMEST	

11. Place of use in counties: BLAINE

A37-12137

Page 1

Date: 11/09/88

MICROFILMED
FEB 26 1993

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: BENEFICIAL USE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Organizations:

I do solemnly swear or affirm that I am AIRPORT MANAGER of
Title
FRIEDMAN MEMORIAL AIRPORT, that I have signed the foregoing
Organization
document in the space below as AIRPORT MANAGER of
Title
FRIEDMAN MEMORIAL AIRPORT and that the statements contained in the
Organization
foregoing document are true and correct.

Paul D. Drake
Signature of Authorized Agent

MGR - FRIEDMAN MEMORIAL AIRPORT
Title and Organization

11-9-88
Date

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 9th day
of Nov. 19 88

John D. Menitt
Notary Public

Seal

Residing at Kimberly, Id

My Commission Expires 6/30/94
2 Date: 11/09/88

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

T02N R18E S15 SWNE T02N R18E S15 NWSE

EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use

Adjudication Claim Notes

Claim(s): 37-12137

Background Data

- Beneficial Use Claim
- Source is Groundwater
- Claimed for 0.04 cfs for domestic

Place Of Use Data

Yellow line is the draft Place of Use created by IDWR based on historical data and records.

Yellow dot is draft Point of Diversion created by IDWR based on historical data and records.

Green line is decreed/licensed POU (this may only represent the Quarter-Quarter sections of the decree/license)

1987 Aerial Photo





Photograph of POD taken by Lee Peterson during field exam.

Location: 2475995 1367355

Plate: A0016283

Photo #: 1060676

Notes

T2N R18E Section 15

- A field exam in 1987 show indicates that at that time water from this well was used for a glider ride office, but they mentioned a proposed air traffic control tower. In 2005 a field exam was conducted for this right and 37-7109. The claimant stated that the water is now used in an air traffic control tower (in background of POD photo above).
- This should be a Domestic Part B (0.04 cfs). Mandatory statute for the start of groundwater use (1963) does not apply.
- 10/24/05 talked with Rick Baird, airport manager, on the telephone. This well was originally installed in about 1965 for the glider ride office. The office was a trailer and this water was used in the office and on a small lawn area in front of the trailer (west side?). Mr. Baird did not think this water was commonly used for glider operations such as equipment cleaning. The air traffic control tower was built in 1989 and the water for this well is now used there for toilets, drinking, cleaning, etc.
- 10/24/05 talked with Rick Baird, airport manager, on the telephone. I told him this will be recommend as domestic on the glider ride office (the use in 1987) and they will need to file a transfer the water right to the air traffic control tower after the SRBA.
- Data used for review: 1987, 1992, & 2004 aerial photos, Blaine Co Tax Records, Idaho Ownership (idown.shp), & USGS 1:24,000 Topo

File No.
A37-12137 =7109

Friedman Memorial Airport
P.O. Box 929
Hailey

Rick Baird Mgr.

8/9/05

I met with Rick this afternoon and looked over both water files and he advised me that the POD is not in the runway it is just on the south side of an old hanger building which has been torn down for some time but they do not want to give up the well or the right due to future growth and the need of water for a future building and these rights for domestic purposes should be changed to Commercial and Industrial, the place of use for this 7109

right was the white hanger marked on 2004 photo. They want to retain the .08 CFS as on License.

W R 12137 =is a well just south of the tower building on East side of runway, for the use in the tower. The yellow area on photo is approx. the location of the tower. This water should also be changed to commercial and industrial.

Description	GPS Name & No.	Position No.	USR No.	Plate No.	Photo No.
Airport Hanger	Air 1	2475621	1367461	A0016282	1060675
" Tower	" 2	2475995	1367355	283	676

Lee R. Peterson

Adjudication Claim Notes

Claim(s): 37-12137

Background Data

- Beneficial Use Claim
- Source is Groundwater
- Claimed for 0.04 cfs for domestic

Place Of Use Data

Yellow line is the draft Place of Use created by IDWR based on historical data and records.

Yellow dot is draft Point of Diversion created by IDWR based on historical data and records.

Green line is decreed/licensed POU (this may only represent the Quarter-Quarter sections of the decree/license)


1987 Aerial Photo



what is yellow line & where is water used

1992 Photo


nominal
POD –
Need to
GPS



Claimed
POU?

Outline
the POU

2004 Aerial Photo



Notes

T2N R18E Section 15

- Claiming 0.04 cfs for domestic. This is an office for an airport, possibly need to change this to ~~commercial or industrial?~~ *no*
- Outline the POU *yes*
- GPS the POD

SRBA CLAIM REVIEW ANALYSIS SHEET (D & S CLAIMS)

Rept # 5003696b54.00 Fee
paidITEM
NO.CHANGED ?
YES NO

1. Friedman Memorial Airport (208) 788 - 4956 () (X)
P.O. Box 929 Hailey
2. 12-31-1945 () ()
3. (X) GROUNDWATER OR _____ 3B. _____ () (X)
4. T 2N R 18E SEC 15, SW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$, LOT _____ CO. Blaine () (X)
5. Submersible () ()
6. Com.
Dom. 1-1 to 12-31 0.04 () ()
7. _____ () ()
8. 9. Commercial
Domestic, 1 Home office building () ()
9. D/water used in hanger facility at airport (Toilet, drinking) (X) ()
10. T 2N R 18E SEC 15, SW $\frac{1}{4}$ NE $\frac{1}{4}$, LOT _____ USE Com.
Dom. () (X)
 T _____ R _____ SEC _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, LOT _____ USE _____ () ()
11. _____ () ()
12. _____ () ()
13. _____ () ()
14. _____ () ()
15. _____ () ()

FIELD INSPECTED BY A. Kenneth DunnDATE 12/7/1989

COMMENTS:

Supplies water for trailer + future control tower
Recommend as Domestic with 2500 gpd
maximum volume.

IDWR REVIEW AND DATA BASE MODIFICATION BY CFDATE 1/3/1990

CF MICROFILMED

FEB 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Friedman Memorial Airport Permit No. A37 12137
Current Address: Box 929 Hailey Id 83333 Phone No. 208 788 4956
2. Accompanied by: _____ EXAM. DATE: 12-16-89
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

~~Domestic~~
Commercial AED 5-15-90

A37-12137

Recommend as
Domestic, 1 Home?

Used to Glider
ride office not
dwelling

Commercial use? yes
was trailer present at time
of exam? yes
Permit required for
future control not present
tower?
Decision for IDWR
on use;

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

FEB 26 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	NE	15	2N	18E	Blaine	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	18E	15			X														

Do not use this space



al No.	Size	Calib. Date



_____ ft (2)
 Flow rate: _____ cfs (4)
 _____ N/ _____ T = _____ (6)
 = _____ (6)

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED
OCT 26 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~Hanger & Forest Service Facilities~~
Well is located in well house.
Supplies water for trailer & future use for control tower
— Trailer or Mobile home is used as office for glider
rides. RD 5-15-90 —

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

A. Kenneth Dunn
12-7-89
12-17-89



CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.