

RECEIVED
FORM 202 Rev. 09/16

AUG 25 2022

IDWR/NORTH

86694
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 83-11995

1. Name of applicant(s) SHAYNE AND/OR NORMA SKIPWORTH Phone 208-476-0458
Name connector (check one): ☐ and ☐ or ☒ and/or
Mailing address 3688 CANYON CREEK RD City OROFINO
State ID ZIP 83544 Email CAYMANSHAYNE@AOL.COM
2. Name of representative, if any _____ Phone _____
Mailing address _____ City _____
State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply UNNAMED STREAM which is a tributary of TIE CREEK

4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
37N	02E	17	2		NW	SW	CLEARWATER	UNNAMED STREAM	

5. Water will be used for the following purposes:

Amount 0.20 CFS for DIVERSION TO STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)

Amount 2.1 AF for FIRE PROTECTION STRG purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)

Amount 2.1 AF for AESTHETIC STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)

Amount 0.20 CFS for AESTHETIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)

6. Total quantity to be appropriated is (a) 0.20 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

7. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source. APPLICANT HAS EXISTING PONDS AND PLANS TO INSTALL PIPE FROM UNNAMED STREAM TO KEEP PONDS FULL
- b. Height of storage dam 5 feet; active reservoir capacity 1.1 acre-feet; total reservoir capacity 1.1 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____;
well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by Jca Date 8-25-22 Time _____ Preliminary check by _____
Fee \$ 10000 Received by Jca Receipt No. N040907 Date 8-25-22

Shayne Skipworth 8/23/2022

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. _____
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
37N	02E	17										J							
												JS							
												FS							

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____
11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. APPLICANT HAS EXISTING PONDS AND PLANS TO INSTALL PIPELINE FROM UNNAMED STREAM TO PONDS. ONCE WATER FLOWS THROUGH PONDS, IT WILL BE RETURNED TO UNNAMED STREAM.
13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Shayne Skipworth
 Signature of Applicant
SHAYNE SKIPWORTH
 Print Name (and title, if applicable)


x Norma Skipworth
 Signature of Applicant
Norma Skipworth
 Print Name (and title, if applicable)

APPLICATION MAP



Legend

-  Parcels
-  Township/Range
-  Sections
-  QQ



Created By: Adam Frederick

Pond 1

Total Storage Calculations		
FILE NUMBER	SKIPWORTH	This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.
REVIEWER	AFREDERICK	
DATE	8/23/2022	
		Print Page to PDF
Surface Area (AC.)	0.2	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	3.2	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	0.6	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: if pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.2	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.3	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	1.1	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Pond 2

Total Storage Calculations		
FILE NUMBER	SKIPWORTH	This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.
REVIEWER	AFREDERICK	
DATE	8/23/2022	
		Print Page to PDF
Surface Area (AC.)	0.2	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	2.4	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	0.5	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: if pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.2	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.3	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	1.0	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

August 30, 2022

SHAYNE SKIPWORTH
NORMA SKIPWORTH
3688 CANYON CREEK RD
OROFINO, ID 83544-6099

RE: Application for Permit No. 83-11995

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the CLEARWATER TRIBUNE on 9/7/2022 and 9/14/2022. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Tuesday, August 30, 2022 2:26 PM
To: Sujata Connell; Hickey, Clay; IWRB Water Use Reviews
Subject: Request for Comments for WR#83-11995
Attachments: 83-11995 Application for Permit.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. **The deadline for comments on the applications is September 26, 2022.**

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

Alleman, Tammy

From: Alleman, Tammy
Sent: Tuesday, August 30, 2022 2:21 PM
To: Clearwater Tribune
Subject: RE: Legal Notice
Attachments: 83-11995 Legal Notice.docx

Please publish the enclosed legal notice in the **Clearwater Tribune** on the dates indicated **September 7th & September 14th, 2022** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **September 26, 2022**. Your cooperation is appreciated.

Thank you,



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

83-11995

SHAYNE SKIPWORTH

NORMA SKIPWORTH

3688 CANYON CREEK RD

OROFINO, ID 83544-6099

Point of Diversion L2(NWSW)

S17 T37N R02E

CLEARWATER County

Source UNNAMED STREAM

Tributary TIE CREEK

Use: DIVERSION TO STORAGE

01/01 to 12/31 0.2 CFS

Use: FIRE PROTECTION STORAGE

01/01 to 12/31 2.1 AF

Use: AESTHETIC STORAGE

01/01 to 12/31 2.1 AF

Use: AESTHETIC

01/01 to 12/31 0.2 CFS

Total Diversion: 0.2 CFS

Date Filed: 08-25-2022

Place Of Use: AESTHETIC, AESTHETIC STORAGE, DIVERSION TO STORAGE, FIRE PROTECTION STORAGE

T37N R02E S17 L2(NWSW)

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see

<https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 9/26/2022. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 9/7/2022 and 9/14/2022

From: Adam.Frederick@idwr.idaho.gov,

To: caymanshayne@aol.com,

Subject: Application for Permit

Date: Tue, Aug 23, 2022 8:20 am

Attachments: application-for-permit SKIPWORTH.pdf (1010K), SKIPWORTH MAP.pdf (914K), SKIPWORTH POND ANALYSIS.docx (160K), image001.png (30K),

Shayne,

Please see the attached draft application for your review. If everything looks correct, please print all documents, sign, and return to the address below along with the \$100 application fee. Once we receive the application and fee, we can proceed onto advertising. Feel free to call or email with any questions you may have.

Thanks,

Adam



Adam Frederick | Water Rights Supervisor

Idaho Department of Water Resources

Northern Regional Office

7600 N Mineral Drive, Suite 100

Coeur d'Alene, ID 83815-7763

Phone: (208) 762-2800

THANK YOU