

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 37-8057

Priority: November 03, 1982

Maximum Diversion Rate: 1.21 CFS

Maximum Diversion Volume: 350.0 AF

It is hereby certified that:

STROM RANCHES INC
PO BOX 137
HILL CITY ID 83337-0137

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 03, 1982, and has submitted Proof of Beneficial Use on April 16, 1997. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	04/15 to 10/31	1.21 CFS	350.0 AF

Location of Point(s) of Diversion

GROUND WATER SW¼ NE¼, Sec. 31, Twp 01S, Rge 12E, B.M. CAMAS County
GROUND WATER SW¼ NE¼, Sec. 31, Twp 01S, Rge 12E, B.M. CAMAS County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	12E	31	0.8	20.1	40.0	8.6	11.1			32.0	8.6				0.3	16.6			138.1

Right Acre Limit: 100.0

Total Acres: 138.1

Conditions of Approval

1. This right is limited to the irrigation of 100.0 acres within the authorized place of use in a single irrigation season.
2. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 37B.
3. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion(s).
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 37-8057

5. To mitigate for the depletion of water resulting from the use of water under this right and to prevent injury to senior water right holders, the right holder shall cease diverting and using water as authorized by the following water right for the purposes and amounts specified below. Moreover, the official record for the following water right will be changed to show that diversion and use of water is not authorized because the right, or portion thereof, is being dedicated to mitigation by non-use. The mitigating right may also include a condition stating that the mitigation by non-use is for the benefit of this right.

Right No.	Use Changed to Mitigation by Non-Use	Mitigation Rate (cfs)	Mitigation Acres
37-2001	Irrigation	2.00	100.0

The land that will no longer be irrigated under this right is located within Sections 27, 28, and 33, Township 01S, Range 11E, B.M.

If the specified mitigation right, or portion thereof, is sold, transferred, leased, or is used on any place of use then the amount of water authorized for diversion under this right approval shall be reduced by the same proportion as the reduction to the mitigation right.

6. Diversion of water under right 37-8057 shall be discontinued when Wild Horse Creek, at the point where it intersects U. S. Highway 20, is no longer flowing.
7. This right is for the use of trust water, and it is subject to review 5 years after its initial approval (date of permit approval) to re-evaluate the availability of trust water for the authorized use and to re-evaluate the public interest criteria for reallocating trust water.
8. Administration of this right to satisfy the minimum stream flow water rights in the Snake River at Murphy Gage shall not be required because use of water pursuant to this right is either non-consumptive or the right holder is required to provide ongoing mitigation to offset the depletion of water resulting from the use of this right.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.


Signed this 9th day of August, 2022.




COREY SKINNER
Southern Regional Manager

State of Idaho
Department of Water Resources
Attachment to Water Right License
37-8057

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



-  Place Of Use Boundary
 Townships
 PLS Sections
 Quarter Quarters
 Point of Diversion



IDAHO DEPARTMENT OF WATER RESOURCES
Water Right 37-2001

8/9/2022

Owner Type **Name and Address**
 Current Owner STROM RANCHES INC
 PO BOX 137
 HILL CITY, ID 83337-0137
 (208) 764-2596

Priority Date: 9/20/1919

Basis: Decreed

Status: Active

Source
 WILD HORSE CREEK

Tributary
 CAMAS CREEK

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MITIGATION BY NON-USE	04/15	10/31	2.000 CFS	
	<u>Total Diversion</u>		2.000 CFS	

Source and Point(s) of Diversion:

WILD HORSE CREEK SWSWNW Sec. 27, Twp 01S, Rge 11E, ELMORE County

Place Of Use:

MITIGATION BY NON-USE within ELMORE County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	11E	27										X	X						
01S	11E	28													X			X	
01S	11E	33	X																

Conditions of Approval:

1. 193 This right mitigates for the depletion of water resulting from the diversion and use of water under Right 37-8057. To prevent injury to other water right holders, the right holder shall cease diverting 2.00 cfs of this right from Wild Horse Creek. If the mitigation portion of this right is used for any purpose other than conveyance loss, then water shall not be diverted under Right 37-8057.
2. C18 This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.
3. C05 Right includes accomplished change in place of use pursuant to Section 42-1425, Idaho Code.
4. C03 Right includes accomplished change in point of diversion pursuant to Section 42-1425, Idaho Code.



IDAHO DEPARTMENT OF
WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, ID 83301-5858

Phone: 208-736-3033 • Fax: 208-736-3037 • Email: southerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

August 9, 2022

STROM RANCHES INC
PO BOX 137
HILL CITY ID 83337-0137

RE: License No. 37-8057

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov.

Please note that pursuant to the issuance of License No. 37-8057, the official water right records for 37-2001 has been updated accordingly to reflect the mitigation components.

If you have any questions concerning the enclosed information, please contact me at (208) 736-3033

Sincerely,

Corey Skinner
Southern Regional Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on August 09, 2022, I served a true and correct copy of Water Right License No. 37-8057 by U.S. Mail, postage prepaid, to the following:

STROM RANCHES INC (Current Owner)
PO BOX 137
HILL CITY ID 83337-0137

WATER DISTRICT #37B
RUSTY KRAMER (Watermaster)
246B S HIGHWAY 46
FAIRFIELD ID 83327-5560



Denise Maline
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 37-8057

RECEIVED
AUG 03 2022
DEPT OF WATER RESOURCES
SOUTHERN REGION

Priority: November 03, 1982

Maximum Diversion Rate: 1.21 CFS

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 37-8057

STROM RANCHES INC
PO BOX 137
HILL CITY ID 83337-0137

requests the permit be changed as follows:

Source : GROUND WATER**Beneficial Use**

IRRIGATION

Period of Use

04/15 to 10/31

Rate of Diversion

1.21 CFS

Location of Point(s) of Diversion

GROUND WATER SW¼ NE¼, Sec. 31, Twp 01S, Rge 12E, B.M. CAMAS County

GROUND WATER SW¼ NE¼, Sec. 31, Twp 01S, Rge 12E, B.M. CAMAS County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	12E	31	0.8	20.1	40.0	8.6	11.1			32.0	8.6				0.3	16.6			138.1

Right Acre Limit: 100.0

Total Acres: 138.1

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 8/1 day of August, 20 22.

Strom Ranches Inc By
[Signature] Pres.
(Signature)

Amended

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 37-8057

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by DM # SD39368 Date 8-3-2022

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 37-8057 with the following:

Conditions of Approval

1. This right is limited to the irrigation of 100.0 acres within the authorized place of use in a single irrigation season.
2. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 37B.
3. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion(s).
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
5. To mitigate for the depletion of water resulting from the use of water under this right and to prevent injury to senior water right holders, the right holder shall cease diverting and using water as authorized by the following water rights for the purposes and amounts specified below. Moreover, the official record for the following water right will be changed to show that diversion and use of water is not authorized because the rights, or portion thereof, are being dedicated to mitigation by non-use. The mitigating right may also include a condition stating that the mitigation by non-use is for the benefit of this right.

Right No.	Use Changed to Mitigation by Non-Use Irrigation	Mitigation Rate (cfs)	Mitigation Acres
37-2001		2.00	100.0

The land that will no longer be irrigated under this right is located within Sections 27, 28, and 33, Township 01S, Range 11E, B.M.

If the specified mitigation right, or portion thereof, is sold, transferred, leased, used on any place of use, or is not deliverable due to a shortage of water or a priority call, then the amount of water authorized for diversion under this right approval shall be reduced by the same proportion as the reduction to the mitigation rights.

6. Diversion of water under right 37-8057 shall be discontinued when Wild Horse Creek, at the point where it intersects U. S. Highway 20, is no longer flowing.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.


Signed this 9th day of August, 20 22.


COREY SKINNER
Southern Regional Manager

State of Idaho
Department of Water Resources

Attachment for Application to Amend a Permit 37-8057

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion
- State Outline

0 0.075 0.15 0.3 Miles



Bitzenburg, James

From: Bitzenburg, James
Sent: Wednesday, August 3, 2022 2:23 PM
To: IdwrPayable
Subject: Refund request

IDWR Payable-

On November 22, 2016, the Department received an *Application for Amendment of a Permit* from Strom Ranches, Inc. The application was accompanied by a \$100.00 fee (receipt #W044798). The permit (37-8057) needed amended again after a field examination was conducted this summer. When the applicant returned the second amendment, he again paid \$100.00. Could you issue a refund for the extra \$100.00? The fee was paid by Strom Ranches, Inc. Their address is:

**STROM RANCHES INC
PO BOX 137
HILL CITY ID 83337-0137**

They paid for the amendment with check #18752, and the receipt number is S039368. Thank you and let me know if you need any more information.

Jim

**Jim Bitzenburg
Water Rights Supervisor
Idaho Department of Water Resources
Southern Regional Office
Phone (208)-293-9909
james.bitzenburg@idwr.idaho.gov**



IDAHO DEPARTMENT OF
WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, ID 83301-5858

Phone: 208-736-3033 • Fax: 208-736-3037 • Email: southerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

August 3, 2022

STROM RANCHES INC
PO BOX 137
HILL CITY ID 83337-0137

RE: Amendment of Permit 37-8057

Dear Dennis:

Thank you for returning the Application for Amendment of Permit and thank you to you and Brycen for facilitating the field exam on the permit back in June. Because you paid for the original Amendment of Permit back in 2016, no fee was required for this second amendment. I have contacted the IDWR State office in Boise to initiate a refund of the \$100.00 fee you paid with the amendment this summer.

If you have any questions, please contact me at (208) 293-9909.

Sincerely,

Jim Bitzenburg
Water Rights Supervisor



IDAHO DEPARTMENT OF
WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, ID 83301-5858

Phone: 208-736-3033 • Fax: 208-736-3037 • Email: southerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

July 26, 2022

STROM RANCHES INC
PO BOX 137
HILL CITY ID 83337-0137

RE: Water Right Permit No. 37-8057

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit(s) referenced above prior to issuing water right license(s). By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit(s) have been developed differently than described on your permit(s). Changes that do not increase the authorized use of water under the permit(s) can be requested and approved in accordance with Idaho Code § 42-211. Before license(s) can be issued, your permit(s) must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit(s):

 X Point(s) of Diversion – Covered in November, 2016 Application for Amendment of Permit

 X Place(s) of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when issued. Please review the amendment form carefully. If you concur with the information presented, please sign and return the form within fourteen (14) days. The fee for the amendment was paid with the Application for Amendment of Permit which Strom Ranches, Inc. filed back in November of 2016. The 2016 application covered the addition of the second well, but not the additional places of use.

If you have any questions, please call me at (208) 293-9909.

Sincerely,

Jim Bitzenburg
Water Rights Supervisor

Enclosure(s): Application for Amendment

RECEIVED

NOV 25 2016

DEPT OF WATER RESOURCES
SOUTHERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT

Fee is \$100 per § 42-221C, Idaho Code

RECEIVED
NOV 22 2016
WATER RESOURCES
WESTERN REGION

Applicant(s) Strom Ranches Inc. Phone 208-590-3268
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address P.O. Box 137 City Hill City
 State Id Zip 83337 Email: dstrom@rtci.net

I am the owner of Water Appropriation Permit No. 37-8057 and request that the permit be amended as follows:

- ☐ Change point of diversion ☒ Add point of diversion ☐ Change period of use
☐ Change nature of use ☐ Change place of use ☐ Other _____

1. Point of diversion: ☐ No changes to point(s) of diversion. Skip item #1 and proceed to #2.
☐ Attach Eastern Snake Plain Aquifer analysis if this proposes to change a point of diversion affecting the ESPA.

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
1S	12E	31		SW	NE		CAMAS	Ground Water	Well # 2

2. Period and nature of use: ☒ No changes to period and/or nature of use. Skip item #2 and proceed to #3.

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year) (water use) (month/day) (month/day)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year) (water use) (month/day) (month/day)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year) (water use) (month/day) (month/day)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year) (water use) (month/day) (month/day)

3. Place of use or land to be irrigated: ☐ No changes to place of use. Skip item #3 and proceed to #4.

Twp	Rge	Sec	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total number of acres to be irrigated _____

4. **Property ownership:** ☐ No changes to point of diversion and/or place of use. Skip item #4 and proceed to #5.

- a. Who owns the property at the point of diversion? Strom Ranches Inc.
- b. Who owns the land to be irrigated or place of use? Strom Ranches Inc.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

5. **Describe the proposed change in narrative form:**

Add a new well to make up for losses in old well
sent it was first drilled in 1982.
Need both to pump water right

6. **Map:** ☐ The point(s) of diversion and/or the place of use are not amended, therefore a map is not attached.

Attach a map showing the proposed point(s) of diversion and/or place(s) of use. Clearly label the map with township, range, section, and ¼ ¼ of section information. A photocopy of a USGS 7.5 minute topographic quadrangle is commonly used, or the *Map Tool* available on the Department website provides a satisfactory template for creating the required map (<http://maps.idwr.idaho.gov/TransferApplicationLayouts/Map>).

7. **Signature:**

The information in this application is true to the best of my knowledge. I understand that any willful misrepresentations in this application may result in rejection of the application or cancellation of an approval.

Signature of applicant or authorized agent _____ Dennis Strom Pres. _____ 11/22/16
Print name (and title, if applicable) Date

Dennis Strom _____
Signature of applicant or authorized agent _____
Print name (and title, if applicable) Date

FOR DEPARTMENT USE ONLY

Received by [Signature]
Received by [Signature]
Reviewed by _____


Date 11/22/16
Date 11/22/16
Date _____

Receipt No. W044798

State of Idaho
Department of Water Resources
Strom Permit To Appropriate Water
37-8057

IRRIGATION

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.



- Point of Diversion **Well #1**
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.125 0.25 0.5 Miles

**Proposed Well #2
Point of Diversion**



Map produced on November 19, 2015

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

RECEIVED

DEC 16 2015

DEPT OF WATER RESOURCES
SOUTHERN REGION

1. WELL TAG NO. D0070164

Drilling Permit No. 874940

Water right or injection well # _____

2. OWNER: Strom Ranches Inc.

Name Dennis StromAddress PO Box 137City Hill City State Idaho Zip 83337

3. WELL LOCATION:

Twp. 1501 North ☐ or South ☒ Rge. 12 East ☒ or West ☐Sec. 31 1/4 SW 1/4 NE 1/4Gov't Lot _____ County CamasLat. N43 17.535 (Deg. and Decimal minutes)Long. W115 4.605 (Deg. and Decimal minutes)

Address of Well Site _____

City Hill City

(Give at least name of road + Distance to Road or Landmark)

Lot _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☐ Air Rotary ☒ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft)	Placement method/procedure
Bentonite grout	0	250	6.1yds	pumped w/trimmie

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
16	0	295	.375	steel	☒	☐	☐	☒
16	355	415	.375	steel	☒	☐	☐	☒
16	455	475	.375	steel	☒	☐	☐	☒

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method _____Manufactured screen ☒ Y ☐ N Type JohnsonMethod of installation set in

From (ft)	To (ft)	Slot size	Number	Diameter (nominal)	Material	Gauge or Schedule
295	355	40		16	SS	.375
415	455	40		16	SS	.375
475	575	40		16	SS	.375

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft)	Placement method
sand pack 6-9	250	575	8.3yds	tagged in

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____Describe control device flat plate

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) _____ Static water level (ft) 18Water temp. (°F) 56 Bottom hole temp. (°F) _____

Describe access port _____

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
N/A			☐	☐	☐	☐

Test method:

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
20	0	12	Sticky Brown Clay		
20	12	19	Sticky blue clay		
20	19	23	salty blue clay		
20	23	34	blue sand and pea gravel		
20	34	37	silty blue clay		
20	37	40	sticky blue clay		
20	40	42	fine blue sand		
20	42	56	sticky blue clay		
20	56	77	blue sand and silt		
20	77	93	sticky blue clay		
20	93	102	silty blue clay		
20	102	116	sticky blue clay		
20	116	173	silty blue clay		
20	173	186	sticky blue clay		
20	186	198	coarse quartz sand and pea gravel		
20	198	204	coarse sand with light gray clay		
20	204	217	weathered clinders		
20	217	222	black basalt		
20	222	224	fractured basalt		
20	224	276	sandstone		
20	276	291	blue sand and gravel		
20	291	305	sandstone		
20	305	326	fractured brown sandstone		
20	326	329	brown and quartz sandstone		
20	329	346	Hard gray granite		
20	346	377	fractured brown granite		
20	377	422	solid gray granite		
20	422	426	decomposed granite with gray clay		
20	426	442	solid hard granite pink		
20	442	453	salt and pepper granite		
20	453	474	granite sand		
20	474	478	hard gray granite		

Completed Depth (Measurable): 580Date Started: Oct 6, 2015Date Completed: Nov 2, 2015

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Treasure Valley Drilling Co. No. 560*Principal Driller: [Signature] Date 12-11-15*Driller: [Signature] Date 12-10-15*Operator II: [Signature] Date _____Operator I: [Signature] Date 12-10-15

*Signature of Principal Driller and rig operator are required.

RECEIVED

DEC 11 2015

WATER RESOURCES
SOUTHERN REGION

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

2

1. WELL TAG NO. D D0070164

Drilling Permit No. _____

Water right or injection well # _____

2. OWNER: Strom Ranches Inc.

Name Dennis Strom

Address PO Box 137

City Hill City State Idaho Zip 83337

3. WELL LOCATION:

Twp. 30N North ☐ or South ☒ Rge. 12 East ☒ or West ☐

Sec. 31 1/4 SW 1/4 NE 1/4

Gov't Lot _____ County Camas

Lat. N43 17.535 (Deg. and Decimal minutes)

Long. W115 4.605 (Deg. and Decimal minutes)

Address of Well Site _____ City Hill City

(Write at least name of road + distance to head or landmark)

Lot _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation ☐ Thermal ☐ Injection

☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well

☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☐ Air Rotary ☒ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
Bentonite grout	0	250	6.1yds	pumped w/trimmie

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
16	0	295	.375	steel	☒	☐	☐	☒
16	355	415	.375	steel	☒	☐	☐	☒
16	455	475	.375	steel	☒	☐	☐	☒

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method _____

Manufactured screen ☒ Y ☐ N Type johnson

Method of Installation set in

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
295	355	40		16	SS	.375
415	455	40		16	SS	.375
475	575	40		16	SS	.375

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
sand pack 6-9	250	575	8.3yds	tagged in

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device flat plate

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) _____ Static water level (ft) 18

Water temp. (°F) 56 Bottom hole temp. (°F) _____

Describe access port _____

Well test: _____ Test method: _____

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
N/A			☐	☐	☐	☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water
				Y N
20	478	501	granite sand	
20	501	503	granite sand and gravel	
20	503	509	granite sand	
20	509	513	boulders	
20	513	521	granite sand	
20	521	560	granite sand and gravel	
20	560	566	solid hard gray granite	
20	566	574	granite sand and gravel	
20	574	580	hard dark gray granite	

Completed Depth (Measurable) 580

Date Started: Oct 6, 2015 Date Completed: Nov 2, 2015

Company Name Treasure Valley Drilling Co. No. 560

Principal Driller [Signature] Date 12-11-15

Driller [Signature] Date 12-10-15

Operator II [Signature] Date _____

Operator I [Signature] Date 12-10-15

Strom Ranches, Inc.

P.O. Box 137, Hill City, Idaho 83337

RECEIVED

NOV 25 2016

DEPT OF WATER RESOURCES
SOUTHERN REGION

RECEIVED
NOV 22 2016
WATER RESOURCES
WESTERN REGION

Idaho Department of Water Resources

650 Addison Avenue West, Suite 500

Twin Falls, Idaho 83301-5858

To whom it may concern:

This is my application to add my new well to my water right. My dad had the old well drilled in 1982. It had become less and less productive over the years, so I tried to replace it last winter. Heres the well drillers report for that well. The new well is not as strong as I hoped, but I can get my water using both wells.

I just found out I need to file an application to add the new well to stay legal. The well is in the same quarterquarter as the old well to irrigate the same acres. The new well pumps to the same pond and pumps. I am also sending along a map and a check for \$100.

Please contact me by regular mail or by e-mail at dstrom@rtci.net. I'm hard to reach by phone.

Thank you.

Dennis R. Strom

