

RECEIVED

MAR 07 2022

IDWR/NORTH

85903

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No.

96-10529

1. Name of applicant(s) RAY and/or CHRISTINE CROSSINGHAM Phone 208-597-1008
 Name connector (check one): ☐ and ☐ or ☒ and/or
 Mailing address 114 HORSESHOE LN City SANDPOINT
 State ID ZIP 83864 Email CHRISCROSSINGHAM@HOTMAIL.COM
2. Name of representative, if any _____ Phone _____
 Mailing address _____ City _____
 State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply SPRING - 2EA which is a tributary of SINKS
4. Location of point(s) of diversion:

Tw	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
57N	02W	30		NW	SW	SE	BONNER	SPRING	POND 1 DAM
57N	02W	30		NE	SW	SE	BONNER	SPRING	POND 2 DAM

5. Water will be used for the following purposes:
- Amount 5.9 af for Fire Protection Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 0.4 af for STOCKWATER STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) 6.3 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. TWO EXISTING SPRING FED PONDS INTERCONNECTED BY FLOWTHROUGH, EACH WITH AN EARTHEN DAM.
- b. Height of storage dam 6 FT feet; active reservoir capacity 4.1 acre-feet; total reservoir capacity 4.1 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☒ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
 Fee \$ 100.00 Receipted by NS Receipt No. N038562 Date 3/7/22

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. 25 HEAD MIXED STOCK FOR STORAGE USE
 - Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
 - Domestic; show number of households _____
 - Other; describe fully. FIRE PROTECTION STORAGE PONDS.

9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	30															F/S		storage



Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? NONE
11. a. Who owns the property at the point of diversion? APPLICANT
b. Who owns the land to be irrigated or place of use? APPLICANT
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. APPLICANTS WANT TO SECURE WATER RIGHTS FOR TWO EXISTING INTERCONNECTING PONDS USED FOR FIRE PROTECTION STORAGE AND STOCKWATER STORAGE. THE POND'S OVERFLOW SINKS INTO FIELDS. STOCKWATER DRINK DIRECTLY FROM PONDS.
13. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Christine Crossingham
Signature of Applicant
Christine Crossingham
Print Name (and title, if applicable)

Ray Crossingham
Signature of Applicant
RAYMOND CROSSINGHAM
Print Name (and title, if applicable)



Total Storage Calculations		
FILE NUMBER	Crossingham App	This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.
REVIEWER	LUKE BATES	
DATE	2/25/2022	
POND 1		Print Page to PDF
Surface Area (AC.)	0.45	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	6	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	2.7	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0.4	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a " <u>From Storage</u> " component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.5	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.5	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	4.1	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

POND 1:

- 15 FT MAX DEPTH
- Stockwater Multiple Fill Volume = 25 head mixed stock x 12 GPD X 365 DAY = 109,00 gal / 325,850 gal per acre-foot = 0.34 af (**apply for 0.4 af**)
- Fire Protect Annual Volume = 2.7 af (pond capacity) + 1.0 af (seepage/evaporation loss) = **3.7 af**

Total Storage Calculations		
FILE NUMBER	Crossingham App	This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.
REVIEWER	LUKE BATES	
DATE	2/25/2022	
POND 2		Print Page to PDF
Surface Area (AC.)	0.36	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	4	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	1.4	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a from storage component if the from storage component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.4	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.4	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	2.2	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

POND 2:

- 10 FT MAX DEPTH
- Stockwater Multiple Fill Volume = covered under pond 1; stock can drink water from either pond.
- Fire Protect Annual Volume = 1.4 af (pond capacity) + 0.8 af (seepage/evaporation loss) = 2.2 af

MAXIMUM DIVERSION VOLUME =

(3.7 af + 2.2 af) fire protection storage + 0.4 af stockwater storage = 6.3 af

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, March 10, 2022 1:11 PM
To: Chantilly Higbee; Anna Moody; Horsmon, Merritt
Subject: Request for Comments for WR#96-10529
Attachments: 96-10529 Application for Permit.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is April 4, 2022.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

Tammy



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

March 9, 2022

RAY CROSSINGHAM
CHRISTINE CROSSINGHAM
114 HORSESHOE LN
SANDPOINT, ID 83864-7921

RE: Application for Permit No. 96-10529

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE on 3/17/2022 and 3/24/2022. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Wednesday, March 9, 2022 2:03 PM
To: bcdblegals@cdapress.com
Subject: Legal Notice for Bonner County Daily Bee
Attachments: Legal Notice for 95-18270, 95-18272, 96-10306, 96-10335, 96-10386, 96-10431, 96-10432, 96-10439, 96-10454, 96-10465, 96-10494, 96-10495, 96-10509, 96-10529, 96-10530.docx

Please publish the enclosed legal notice in the **Bonner County Daily Bee** on the dates indicated **March 17th & March 24th, 2022** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **April 4, 2022**. Your cooperation is appreciated.

Thank you,

Tammy



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-18270

DAN R JOHNSTON
CAROLYN E JOHNSTON
PO BOX 919
ATHOL, ID 83801-0919
Point of Diversion SWSE
S32 T54N R03W
BONNER County
Source GROUND WATER
Use: IRRIGATION
04/01 to 10/31 0.09 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: DOMESTIC
01/01 to 12/31 0.08 CFS
Total Diversion: 0.17 CFS
Date Filed: 02-23-2022
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T54N R03W S32 SWSE
Total Acres: 3

95-18272

DAVID YENSER
SARAH YENSER
PO BOX 481
BAYVIEW, ID 83803-0481
Point of Diversion NWSE
S27 T54N R02W
BONNER County
Source OLD MAID CREEK
Tributary BAYVIEW CREEK
Use: IRRIGATION
04/01 to 10/31 0.06 CFS
Use: DOMESTIC
01/01 to 12/31 0.06 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Total Diversion: 0.14 CFS
Date Filed: 02-28-2022
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T54N R02W S27 NWSE
Total Acres: 2

96-10306

PAUL REIZEN
JULIANNE REIZEN
207 OSPREY ROOST RD
SANDPOINT, ID 83864-7474
Point of Diversion NENE
S23 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: IRRIGATION
04/01 to 10/31 0.03 CFS
Total Diversion: 0.09 CFS
Date Filed: 02-24-2022
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T57N R01W S14 L4(SESE)
Total Acres: 1

96-10335

STEWARDSHIP LAND MANAGEMENT
1410 LINCOLN WAY STE 100
COEUR D ALENE, ID 83814-2300

Point of Diversion L1(NENE)
S3 T57N R01W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 02-04-2022
Place Of Use: DOMESTIC
T57N R01W S3 L1(NENE)

96-10386
ROBERT MURRAY
107 SHANNON LN
DOVER, ID 83825
Point of Diversion NESW
S32 T57N R02W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 02-11-2022
Place Of Use: IRRIGATION
T57N R02W S32
L2(NESW),L2(SENW),NESW
Total Acres: 1.3

96-10431
HEILMANN LIVING TRUST
PO BOX 938
SAGLE, ID 83860
Point of Diversion SWSE
S10 T56N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 02-11-2022
Place Of Use: IRRIGATION
T56N R02W S10 SWSE
Total Acres: 1

96-10432
DOUG MARKS
495 WOOLSEY RD.
SAGLE, ID 83860
Point of Diversion NENW
S11 T56N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION
04/1 to 10/31
Total Diversion: 0.06 CFS
Date Filed: 02-18-2022
Place Of Use: IRRIGATION
T56N R02W S11 NENW
Total Acres: 2.3

96-10439
RICHARD TORPIE
2211 BROWNING WAY
SANDPOINT, ID 83864-2313
Point of Diversion SESW
S21 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary PEND OREILLE RIVER

Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 02-21-2022
Place Of Use: IRRIGATION
T57N R02W S21
SESW,SWSE,NWSE
Total Acres: 0.6

96-10454

KENNETH E KOVALCHUK
REBECCA KOVALCHUK
421 LAKEVIEW BLVD
SANDPOINT, ID 83864-1117
Point of Diversion SWSE
S22 T57N R02W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 02-24-2022
Place Of Use: DOMESTIC
T57N R02W S22 SWSE

96-10465

TRAVIS THOMPSON
33671 HIGHWAY 200
SANDPOINT, ID 83864-9065
Point of Diversion SENE
S6 T57N R01W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: COMMERCIAL
01/01 to 12/31 0.13 CFS
Use: IRRIGATION
04/01 to 10/31 0.13 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Total Diversion: 0.2 CFS
Date Filed: 02-23-2022
Place Of Use: COMMERCIAL,DOMESTIC,IRRIGATION,STOCKWATER
T57N R01W S6 SENE
Place Of Use: IRRIGATION
T57N R01W S6
L8(NENE),SWNE
Total Acres: 4.4

96-10494

DOUGLAS W WILLARD
LORNA J WILLARD
826 S NEYLAND AVE
LIBERTY LAKE, WA 99019-9579
Point of Diversion NWSW
S16 T57N R02W
BONNER County
Source SYRINGA CREEK
Tributary CHUCK SLOUGH
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: IRRIGATION
04/01 to 10/31 0.14 CFS
Total Diversion: 0.16 CFS
Date Filed: 02-28-2022
Place Of Use: IRRIGATION,STOCKWATER
T57N R02W S16 NWSW
Total Acres: 7

96-10495

DOUGLAS W WILLARD
LORNA J WILLARD
826 S NEYLAND AVE
LIBERTY LAKE, WA 99019-9579
Point of Diversion NWSW
S16 T57N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.08 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: IRRIGATION
04/01 to 10/31 0.14 CFS
Total Diversion: 0.2 CFS
Date Filed: 02-28-2022
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T57N R02W S16 NWSW
Total Acres: 7.5

96-10509

DIONE L STONEHOCKER-CHRISTESON
10490 LAKESHORE DR
SAGLE, ID 83860
Point of Diversion NESW
S15 T56N R03W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: IRRIGATION
04/01 to 10/31 0.12 CFS
Total Diversion: 0.16 CFS
Date Filed: 03-03-2022
Place Of Use: DOMESTIC,IRRIGATION
T56N R03W S15
NESW,NWSW
Total Acres: 4

96-10529

RAY CROSSINGHAM
CHRISTINE CROSSINGHAM
114 HORSESHOE LN
SANDPOINT, ID 83864-7921
Point of Diversion NWSWSE
S30 T57N R02W
BONNER County
Source SPRING
Tributary SINKS
Point of Diversion NESWSE
S30 T57N R02W
BONNER County
Source SPRING
Tributary SINKS
Use: FIRE PROTECTION STORAGE
01/01 to 12/31 5.9 AF
Use: STOCKWATER STORAGE
01/01 to 12/31 0.4 AF
Total Diversion: 6.3 AF
Date Filed: 03-07-2022
Place Of Use: FIRE PROTECTION STORAGE,STOCKWATER STORAGE
T57N R02W S30 SWSE

96-10530

BLASKO TRUST
274 THAMA DR
PRIEST RIVER, ID 83856-8786
Point of Diversion SWSE

S36 T59N R02W
BONNER County
Source BERRY CREEK
Tributary COLBURN CREEK
Use: IRRIGATION
01/01 to 12/31
Total Diversion: 0.2 CFS
Date Filed: 03-07-2022
Place Of Use: IRRIGATION
T59N R02W S36
SWNE,SENE,NESE,NWSE,SWSE,SESE
Total Acres: 87.8

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D'ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 4/4/2022. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director Published on 3/17/2022 and 3/24/2022