

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

2/18/2022

Water Right 63-32366 After Split

Owner Type **Name and Address**
Current Owner B W EAGLE INC
250 S BEECHWOOD STE 120
BOISE, ID 83709
(208) 375-6666

Priority Date: 3/27/2006

Basis: License

Status: Active

Source
GROUND WATER

Tributary
BOISE RIVER

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
AESTHETIC STORAGE	01/01	12/31		115.6 AF
	<u>Total Diversion</u>			115.6 AF

Source and Point(s) of Diversion:

GROUND WATER	L5(SWNW)	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	L5(SWNW)	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	NESW	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	NESW	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	NESW	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	NWSW	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	NWSW	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	L6(SENW)	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	NESW	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	NWSW	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	NESW	Sec. 21, Twp 04N, Rge 01E, ADA County
GROUND WATER	L5(SWNW)	Sec. 21, Twp 04N, Rge 01E, ADA County

Place Of Use:

AESTHETIC STORAGE within ADA County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01E	21			X L7					X L6	X	X		X					

Conditions of Approval:

1. 220 The 12 ponds established by storage of water under this right shall not exceed a total capacity of 229 acre-feet or a total surface area of 20 acres.
2. 936 Per Transfer 73900, Right 63-250 authorizes the diversion of 0.16 cfs and 23.9 af and per Transfer 73930, Rights 63-192, 63-216C, and 63-19425 authorize the diversion of 0.23 cfs and 40.7 af for a total of 0.39 cfs and 64.6 af of water

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

2/18/2022

3. to storage to offset evaporation losses from the ponds authorized by this right. Upon notification by the Department, the right holder shall maintain lockable controlling outlet works of a type approved by the Department in a manner that will provide the watermaster suitable control of outflows, if any, from the ponds.
4. 930 Water bearing zone to be appropriated is 3 to 25 feet.
5. 123 Water stored under this right is subject to fluctuations of the water table caused by changes in the flow of local streams and by diversions under prior ground water rights. This right does not guarantee the maintenance of any particular ground water level.
6. Aesthetic storage is for Lakemoor Subdivision.

Comments:

- | | | | |
|--|---------|-----------|-------------|
| 1 | dnelson | 9/15/2020 | POD |
| Updated Shape | | | |
| 2 | dnelson | 9/18/2020 | POD |
| Updated Shape | | | |
| 3 | dnelson | 9/18/2020 | POU |
| Updated Shape | | | |
| 4 | dnelson | 9/18/2020 | POU |
| Updated Pls | | | |
| 5 | djudd | 2/18/2022 | Split Right |
| Split into 63-32366 and 63-35198 due to change in ownership. | | | |
| 6 | djudd | 2/18/2022 | POU |
| Updated Shape | | | |

Dates and Other Information:

Licensed Date: 4/14/2021
Water District Number: EXC
Mitigation Plan: True

Combined Use Limits:

N/A


SubCase:

N/A

Water Supply Bank:

N/A

State of Idaho
Department of Water Resources
Water Right License
63-32366 After Split



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.075 0.15 0.3 Miles



IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

2/15/2022

- watermaster suitable control of outflows, if any, from the ponds.
4. 930 Water bearing zone to be appropriated is 3 to 25 feet.
5. 123 Water stored under this right is subject to fluctuations of the water table caused by changes in the flow of local streams and by diversions under prior ground water rights. This right does not guarantee the maintenance of any particular ground water level.
6. Aesthetic storage is for Lakemoor Subdivision.

Comments:

- | | | |
|-----------------------------|-----------|-----|
| 1. dnelson
Updated Shape | 9/15/2020 | POD |
| 2. dnelson
Updated Shape | 9/18/2020 | POD |
| 3. dnelson
Updated Shape | 9/18/2020 | POU |
| 4. dnelson
Updated Pls | 9/18/2020 | POU |

Dates and Other Information

Licensed Date: 4/14/2021
Water District Number: EXC
Mitigation Plan: True

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A

State of Idaho
Department of Water Resources
Water Right License

63-32366

Before Split

01E



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.075 0.15 0.3 Miles

