

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho
No. 98-8067

1. **Applicants**
Larry Duscher
293 FIRESIDE RD
BONNERS FERRY, ID 83805-2900
2082904841
lduscher@reagan.com

2. **Representatives**
Submitter is one of the applicants

3. **Source of Water Supply**
Source : GROUND WATER

4. **Location of Point(s) of Diversion**

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	GROUND WATER			62N	01E	12		/NE/SE	BOUNDARY

5. **Water will be used for the following purposes:**

Purposes	Season	Rate	Volume	Description
DOMESTIC	01/01 to 12/31	0.08 cfs	0.00 afa	

6. **Total quantity to be appropriated is (a) 0.08 cfs and/or 0 afa**

7. **Proposed Diverting Works:**

POD No :1
Description: Ground water well.
Drill Date :4/22/2019
Metal Tag :D00 79538
Drilled By :Universal well drilling
Drilled For :Larry Duscher
Drilling Permit :
GeothermalWater :False

8. **Description of Place Of Use:**

DOMESTIC							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
62N	01E	12	NE	SE	BOUNDARY		
62N	01E	12	NW	SE	BOUNDARY		

9. **Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.**
none


10. **Land Ownership**

- ☐ Who owns the land to be irrigated or place of use? Applicant
- ☐ Who owns the land at the point of diversion? Applicant does not own

11. **Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.**
established well

12. **Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum is 1 year).**

State of Idaho
Department of Water Resources
Application For Permit
98-8067



- 01E Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.0375 0.075 0.15 Miles



IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

1. WELL TAG NO. D 00079538
Drilling Permit No. 889471

Water right or injection well # _____

2. OWNER: Larry Duscher

Name Larry Duscher

Address 16720 Comanche Street

City Boonville State Id Zip 83805

3. WELL LOCATION:

Twp. 62 North ☒ or South ☐ Rge. 01 East ☒ or West ☐

Sec. 12 1/4 NE 1/4 SE 1/4

Gov't Lot _____ County Boundary

Lat. 48° 44' 27.4" (Deg. and Decimal minutes)

Long. -116° 15' 79.0" (Deg. and Decimal minutes)

Address of Well Site Forest Road

City Boonville

Lot _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection

☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well

☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
<u>Bentonite</u>	<u>0</u>	<u>38</u>	<u>23 bags</u>	<u>pour</u>

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Linear	Threaded	Welded
<u>6 3/8</u>	<u>-2</u>	<u>120</u>	<u>.25</u>	<u>steel</u>	☒	☐	☐	☒
<u>4</u>	<u>120</u>	<u>400</u>	<u>sch 40</u>	<u>plastic</u>	☐	☒	☐	☒

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 120

9. PERFORATIONS/SCREENS:

Perforations ☒ Y ☐ N Method sew

Manufactured screen ☐ Y ☒ N Type _____

Method of installation _____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
<u>380</u>	<u>400</u>	<u>1/8</u>	<u>20</u>	<u>1 in</u>	<u>plastic</u>	<u>40</u>

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
-----------------	-----------	---------	------------------------------------	------------------

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device well cap

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 200 Static water level (ft) 70

Water temp. (°F) 45 Bottom hole temp. (°F) 45

Describe access port well cap

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
<u>400</u>	<u>30 gpm</u>	<u>1 hour</u>	☐	☐	☒	☐

Water quality test or comments: good clear

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
<u>10</u>	<u>0</u>	<u>38</u>	<u>Seal</u>		☒
<u>6</u>	<u>0</u>	<u>110</u>	<u>Rocks cobble clay</u>		☒
<u>6</u>	<u>110</u>	<u>120</u>	<u>Soft shale</u>		☒
<u>6</u>	<u>120</u>	<u>200</u>	<u>Shale with cracks</u> <u>19 gpm</u>	☒	
<u>6</u>	<u>200</u>	<u>380</u>	<u>Shale with cracks</u> <u>4 gpm</u>	☒	
<u>6</u>	<u>380</u>	<u>400</u>	<u>Shale with cracks</u> <u>30 gpm</u>	☒	

RECEIVED

MAY 20 2019

IDWR / NORTH

Completed Depth (Measurable): 400

Date Started: Apr 12 19 Date Completed: Apr 12 19

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Universal Drilling Co. No. 650

*Principal Driller Scott H. H. H. Date Apr 12 19

*Driller Scott H. H. H. Date Apr 12 19

*Operator II Scott H. H. H. Date Apr 12 19

Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 26, 2022

LARRY DUSCHER
293 FIRESIDE RD
BONNERS FERRY, ID 83805-2900

RE: Application for Permit No. 98-8067

Dear Applicant:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNERS FERRY HERALD on 2/3/2022 and 2/10/2022. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Wednesday, January 26, 2022 12:08 PM
To: BFHLegals@bonnersferryherald.com
Subject: Legal Notice
Attachments: Legal Notice for 98-8067, 98-8070, 98-8071, 98-8075, 98-8076.docx

Please publish the enclosed legal notice in the **Bonners Ferry Herald** on the dates indicated **February 3rd & February 10th, 2022** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **February 22, 2022**. Your cooperation is appreciated.

Thank you,

Tammy



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

98-8067

LARRY DUSCHER
293 FIRESIDE RD
BONNERS FERRY, ID 83805-2900
Point of Diversion NESE
S12 T62N R01E
BOUNDARY County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.08 CFS
Date Filed: 11-22-2021
Place Of Use: DOMESTIC
T62N R01E S12
NESE,NWSE

98-8070

JOSH EVONIUK
MALLORIE EVONIUK
93 HUMBOLDT DR
BONNERS FERRY, ID 83805-1089
Point of Diversion L2(SWNW)
S30 T63N R02E
BOUNDARY County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 11-24-2021
Place Of Use: DOMESTIC
T63N R01E S25
NENE,SENE
Place Of Use: DOMESTIC
T63N R02E S30
L1(NWNW),L2(SWNW)

98-8071

VERA KENNEDY
157 CLOVER LANE
NAPLES, ID 83847
Point of Diversion L5(SWNW)
S6 T60N R01E
BOUNDARY County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 12-16-2021
Place Of Use: DOMESTIC
T60N R01E S6 L5(SWNW)

98-8075

JED CLARK
10267 W HIDDEN VALLEY RD
RATHDRUM, ID 83858
Point of Diversion SESW
S12 T61N R01E
BOUNDARY County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 01-20-2022
Place Of Use: DOMESTIC
T61N R01E S12 SESW

98-8076

JOHN POCOCK
PO BOX 447

DAYTON, NV 89403-0447
Point of Diversion SWSE
S8 T65N R01W
BOUNDARY County
Source GROUND WATER
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: IRRIGATION
04/01 to 10/31 0.12 CFS
Use: DOMESTIC
01/01 to 12/31 0.06 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-21-2022
Place Of Use: DOMESTIC, IRRIGATION, STOCKWATER
T65N R01W S8 SWSE
Total Acres: 4

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 2/22/2022. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director Published on 2/3/2022 and 2/10/2022