

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

1/14/2022

Water Right 34-14342 (After Split)

Owner Type **Name and Address**
Current Owner DARLA ANN HINTZE
RT 1 BOX 14
MACKAY, ID 83251

Current Owner MELVIN MARX HINTZE
RT 1 BOX 14
MACKAY, ID 83251

Priority Date: 4/1/1987

Basis: Decreed

Status: Active

Source
GROUND WATER

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	04/01	10/31	0.010 CFS	
	<u>Total Diversion</u>		0.010 CFS	

Source and Point(s) of Diversion

GROUND WATER NWSWSE Sec. 26, Twp 07N, Rge 24E, CUSTER County

Place of Use

IRRIGATION within CUSTER County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	24E	35									7.5								7.5

Right Acre Limit: 0.1

POU Total Acres: 7.5

Conditions of Approval:

1. X35 Rights 34-42A, 34-452A, 34-2300, 34-7194, 34-13761 and 34-14342 when combined shall not exceed a total diversion rate of 0.22 cfs and the irrigation of 7.5 acres.
2. X35 Rights 34-13761 and 34-14342 when combined shall not exceed a total diversion rate of 0.009 cfs, a total annual maximum diversion volume of 1.6 af at the field headgate, and the irrigation of 0.4 acres.
3. The actual diversion rate for this right is 0.004 cfs.
4. R05 Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 34.
5. R43 The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
6. C11 This water right is subordinate to all water rights with a priority date earlier than April 12, 1994, that are not decreed as enlargements pursuant to Section 42-1426, Idaho Code.


IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

1/14/2022

- As between water rights decreed as enlargements pursuant to Section 42-1426, Idaho Code, the earlier priority right is the superior right.
7. K02 This right is based upon an enlargement of Right No. 34-13761 pursuant to Section 42-1426, Idaho Code.
 8. K09 This right is for an enlargement of 0.04 acres within the place of use described for this right.
 9. T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
 10. T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
 11. T19 Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

State of Idaho
Department of Water Resources

**Water Rights 34-42A, 34-452A, 34-2300, 34-7194,
34-13761 and 34-14342 (After Split)**



-  Water Right POU
-  Townships
-  PLS Sections
-  Quarter Quarters

0 250 500 1,000 Feet



IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

1/4/2022

Water Right 34-14342 (Before Split)

Owner Type **Name and Address**
Current Owner DARLA ANN HINTZE
RT 1 BOX 14
MACKAY, ID 83251

Current Owner MELVIN MARX HINTZE
RT 1 BOX 14
MACKAY, ID 83251

Priority Date: 4/1/1987

Basis: Decreed

Status: Active

Source
GROUND WATER

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	04/01	10/31	0.006 CFS	
	<u>Total Diversion</u>		0.010 CFS	

Source and Point(s) of Diversion

GROUND WATER NWSWSE Sec. 26, Twp 07N, Rge 24E, CUSTER County

Place of Use

IRRIGATION within CUSTER County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	24E	35									11.0								11.0

Right Acre Limit: 0.1

POU Total Acres: 11.0

Conditions of Approval:

1. X35 Rights 34-42A, 34-452A, 34-2300, 34-7194, 34-13761 and 34-14342 when combined shall not exceed a total diversion rate of 0.33 cfs, and the irrigation of 11.0 acres.
2. X35 Rights 34-13761 and 34-14342 when combined shall not exceed a total diversion rate of 0.013 cfs, a total annual maximum diversion volume of 2.47 af at the field headgate, and the irrigation of .65 acres.
3. R05 Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 34.
4. R43 The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
5. C11 This water right is subordinate to all water rights with a priority date earlier than April 12, 1994, that are not decreed as enlargements pursuant to Section 42-1426, Idaho Code. As between water rights decreed as enlargements pursuant to Section 42-1426, Idaho Code, the earlier priority right is the superior right.

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

1/4/2022

6. K02 This right is based upon an enlargement of Right No. 34-13761 pursuant to Section 42-1426, Idaho Code.
7. K09 This right is for an enlargement of 0.065 acres within the place of use described for this right.
8. T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
9. T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
10. T19 Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.
11. The actual diversion rate for this right is 0.006 cfs.