

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 95-18151

Exam Date: 12/15/2021

1. Current Owner:

JESSICA THOMPSON 1651 W HAMPTON CT RATHDRUM ID 83858-7935 AND/OR
CHAD THOMPSON 1651 W HAMPTON CT RATHDRUM ID 83858-7935

2. Accompanied by: In house

Phone No:

Address:

Relationship to permit Holder:

3. **SOURCE:**

GROUND WATER

Method of Determination: application and permit**B. OVERLAP REVIEW**

1. Other water rights with the same place of use:

NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: NA

2. Other water rights with the same point-of-diversion:

NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: NA**C. DIVERSION AND DELIVERY SYSTEM**1. **LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER NE¼ NE¼, Sec. 30, Twp 54N, Rge 02W, B.M. BONNER County

Method of Determination: application, permit and well driller's report

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	02W	30	X																

Method of Determination: application, permit and ArcMap

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.

Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

Aerial Photo Attached (required for irrigation of 10+ acres).

Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R} \text{ and } V_{D.R} =$$

2. Volume Calculations for Other Uses: 1.2 af for domestic use indoor and outdoor with up to ½ acre of irrigation per administrative processing memo #22.

G. NARRATIVE/REMARKS/COMMENTS: ArcMap and Bonner County do not show a dwelling on the property. An email was sent to the permit holder requesting information. Permit holder responded in an email and phone call that there was a home recently built on the property. Pictures are attached. There are no overlaps with the POD or POU. POU and POD are located in Lot 2, Permberg Meadows subdivision. Removed condition 046 and added X60.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
DOMESTIC	1 /1 to 12/31	0.04 CFS	1.2 AF
<u>Totals:</u>		0.04 CFS	1.2 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

I. AUTHENTICATION Jean Hersley -

Field Examiner's Name Jean Hersley Date 12-23-21

Reviewer FT Date 12/27/21

Hersley, Jean

From: Jessica L. Thompson <jlthompson@nextitle.com>
Sent: Tuesday, December 21, 2021 10:48 AM
To: Hersley, Jean
Subject: RE: Water Right Permit 95-18151

Here you go. 😊



Thank you,



Lindsay Sargis

Jessica Thompson

Rachel Grooms

JESSICA THOMPSON

Escrow Assistant

Direct: 208.489.9937 | Mobile: 239.410.5304

Fax: 208.621.4561

jlthompson@nextitle.com

NEXTITLE »
NORTH IDAHO

HELPING YOU WRITE YOUR STORY

608 Northwest Blvd., #103, Coeur d'Alene, ID 83814

PLEASE NOTE CYBERCRIME IS ON THE RISE! Consumers are increasingly at risk for wire fraud and hacked email accounts. Because of this, it is important to exercise **extreme** caution to protect your funds. Should you receive any form of correspondence from NexTitle with new or revised wiring instructions, misspelled emails, unfamiliar domain names, anything else that seems unusual to you, please contact our office immediately, using a number you trust.

Our wire instructions rarely change so any deviation should be considered suspicious.

Our offices will be closed Friday December 24th for the Christmas Holiday. We will return to normal business hours on Monday, December 27th. We are also closed on Friday December 31st and will return Monday, January 3rd. Have a VERY MERRY CHRISTMAS!

From: Jessica L. Thompson
Sent: Monday, December 20, 2021 10:27 AM
To: Hersley, Jean <Jean.Hersley@idwr.idaho.gov>
Subject: RE: Water Right Permit 95-18151

Sounds good. ☺

Thank you,



Lindsay Sargis Jessica Thompson Rachel Grooms

JESSICA THOMPSON

Executive Assistant

Direct: 208.489.9937 | Mobile: 239.410.5304

Fax: 208.621.4561

jthompson@nextitle.com

NEXTITLE »
NORTH IDAHO

HELPING YOU WRITE YOUR STORY

608 Northwest Blvd., #103, Coeur d'Alene, ID. 83814

PLEASE NOTE CYBERCRIME IS ON THE RISE! Consumers are increasingly at risk for wire fraud and hacked email accounts. Because of this, it is important to exercise **extreme** caution to protect your funds. Should you receive any form of correspondence from NexTitle with new or revised wiring instructions, misspelled emails, unfamiliar domain names, anything else that seems unusual to you, please contact our office immediately, using a number you trust.

Our wire instructions rarely change so any deviation should be considered suspicious.

From: Hersley, Jean <Jean.Hersley@idwr.idaho.gov>
Sent: Monday, December 20, 2021 10:26 AM
To: Jessica L. Thompson <jthompson@nextitle.com>
Subject: Re: Water Right Permit 95-18151

I am out of the office today. I will get in touch with you tomorrow.

*Jean Hersley
Idaho Dept. Water Resources
Technical Records Specialist II
(208) 287-4942*

From: Jessica L. Thompson <jlthompson@nextitle.com>
Sent: Monday, December 20, 2021 8:56 AM
To: Hersley, Jean <Jean.Hersley@idwr.idaho.gov>
Subject: RE: Water Right Permit 95-18151

Hey Jean,

I just left you a voicemail. If you could call me at 208-489-9939 when you get a chance that would be awesome! ☺

Thank you,



Lindsay Sargis Jessica Thompson Rachel Grooms

JESSICA THOMPSON

Borrow Assistant

Direct: 208.489.9937 | Mobile: 239.410.5304

Fax: 208.621.4561

jlthompson@nextitle.com

NEXTITLE >>

NORTH IDAHO

HELPING YOU WRITE YOUR STORY

608 Northwest Blvd., #103, Coeur d'Alene, ID. 83814

PLEASE NOTE CYBERCRIME IS ON THE RISE! Consumers are increasingly at risk for wire fraud and hacked email accounts. Because of this, it is important to exercise **extreme** caution to protect your funds. Should you receive any form of correspondence from NexTitle with new or revised wiring instructions, misspelled emails, unfamiliar domain names, anything else that seems unusual to you, please contact our office immediately, using a number you trust.

Our wire instructions rarely change so any deviation should be considered suspicious.


From: Hersley, Jean <Jean.Hersley@idwr.idaho.gov>
Sent: Wednesday, December 15, 2021 7:08 AM
To: jessica.schlemm@yahoo.com; Jessica L. Thompson <jlthompson@nextitle.com>
Subject: Water Right Permit 95-18151

Chad and Jessica,

The Department of Water Resources is in the process of reviewing your permit for licensing. The Department received a proof statement on December 13, 2021, which isn't due until November 1, 2022. The form you submitted is considered a statement that the permit holder has applied water to the beneficial use and completed development of a water right to the extent it was approved. In your case, your permit is a domestic permit for a home, RV, etc. and up to ½ acre of irrigation.

It does not appear that a home has been built on your property. Unless you are using the water for an RV or trailer, there is no domestic beneficial use occurring. If this is the case, I would suggest withdrawing your proof statement. This would give you the opportunity to develop the water until November 1, 2022. If at this time you still haven't developed the water use (built a house or dwelling), you could file an extension of time to prove beneficial use. Please let me know how you would like to move forward. Please call me if you have any questions. Thank you.

Jean Hersley
Technical Records Specialist II
Idaho Dept Water Resources
(208) 287-4942



Bonner County shows permit holders as current owners of property.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

1. WELL TAG NO. D 0088605

Drilling Permit No. 901286
Water right or injection well # _____

2. OWNER:

Name Chad & Jessica Thompson
Address 126 Iola Lane
City Athol State ID Zip 83801

3. WELL LOCATION:

Twp. 54 North ☒ or South ☐ Rge. 02 East ☐ or West ☒
Sec. 30 10 acres 1/4 NE 1/4 NE 1/4

Gov't Lot _____ County Bonner
Lat. 48 ° 00.2347 N (Deg. and Decimal minutes)
Long. 116 ° 36.8669 W (Deg. and Decimal minutes)
Address of Well Site 126 Iola Lane

(Give at least name of road - Distance to Road or Landmark) City Athol
Lot. 2 Blk. _____ Sub. Name Pemberg Meadows

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
Bentonite Chips	0	18	600 lbs	Temp Casing

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
6"	+2	100	.250	Steel	☒	☐	☐	☒

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 100'

9. PERFORATIONS/SCREENS:

Perforations ☒ Y ☐ N Method Air Perforated

Manufactured screen ☐ Y ☒ N Type _____

Method of installation _____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
95	100	1/4x1	9	6"	Steel	.250

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method
N/A				

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 60 Static water level (ft) 60
Water temp. (°F) Cold Bottom hole temp. (°F) Cold
Describe access port Welded Steel Cap

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)
N/A	20 gpm	240

Test method:

Pump	Bailer	Air	Flowing artesian
☐	☐	☒	☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
12	0	10	Top Soil		X
12	10	18	Gravel		X
8	18	40	Gravel		X
8	40	60	Sand & Gravel		X
8	60	80	Gravel	X	
8	80	85	Brown Clay	X	
8	85	90	Fractured Granite	X	
8	90	100	Salt & Pepper Granite	X	
6	100	115	Salt & Pepper Granite		X
6	115	140	Gray Granite		X

RECEIVED

AUG 09 2021

IDWR/NORTH

Completed Depth (Measurable): 140'

Date Started: 08/05/2021

Date Completed: 08/06/2021

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Horsley Drilling, Inc. Co. No. 632

*Principal Driller C. Mark Horsley Date 08/06/2021

*Driller Grant Kee Date 08/06/2021

*Operator II _____ Date _____

Operator I Shaston Short Date 08/06/2021

* Signature of Principal Driller and rig operator are required.