STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT
TRANSFER NO. 85475

This is to certify that: GREENFERRY WATER & SEWER DIST
PO BOX 1105
POST FALLS, ID 83877-1105

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. A summary of the changes is also listed below. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

Summary of Water Rights Before the Proposed Changes

Water Right	Origin/Basis	Priority Date	Diversion Rate	Diversion Volume	Acre Limit	Total Acres	Source
95-8613	WR/DECREED	2/9/1989	1.000 cfs	651.0 af	N/A	N/A	GROUND WATER
95-9082	WR/DECREED	5/5/2004	1.000 cfs	N/A	N/A	N/A	GROUND WATER
95-9531	WR/LICENSE	8/25/2008	0.800 cfs	272.3 af	N/A	N/A	GROUND WATER

Purpose of Transfer (Changes Proposed)

Current Number	Split	POD	POU	Add POD	Period of Use	Nature of Use
95-8613	NO	YES	NO	YES	NO	NO
95-9082	NO	YES	NO	YES	NO	NO
95-9531	NO	YES	NO	YES	NO	NO

Summary Of Water Rights After the Approved Change

Existing Right	New No. (Changed Portion)	Transfer Rate	Transfer Volume	Acre Limit	Total Acres	New No. (remaining portion)	Remaining Rate	Remaining Volume	Remaining Acre Limit	Remaining Total Acres
95-8613	95-8613	1.000 cfs	651.0 af	N/A	N/A	N/A	N/A	N/A	N/A	N/A
95-9082	95-9082	1.000 cfs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
95-9531	95-9531	0.800 cfs	272.3 af	N/A	N/A	N/A	N/A	N/A	N/A	N/A
COMBINED TOTALS		**2.050 cfs**	**N/A**	**N/A**	**N/A**		**N/A**	**N/A**	**N/A**	**N/A**

This water right(s) is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Detailed Water Right Description(s) attached.

Dated this 20th day of December, 2021.

Adam Frederick, Water Rights Supervisor

WATER RIGHT NO. 95-8613

As Modified by Transfer No. 85475

In accordance with the approval of Transfer No. 85475, Water Right No. 95-8613 is now described as follows:

Right Holder: GREENFERRY WATER & SEWER DIST
Priority Date: 2/9/1989

Source: GROUND WATER

BENEFICIAL USE	From	To	Diversion Rate	Diversion Volume
MUNICIPAL	01/01	to 12/31	1.000 cfs	651.0 af
			1.000 cfs	651.0 af

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	L6 (SENW)	Sec 12 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	L6 (SENW)	Sec 12 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	L5 (SWNW)	Sec 12 Twp 50N Rge 05W KOOTENAI County

CONDITIONS OF APPROVAL

1. Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
2. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
3. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
4. The following rights are diverted through point(s) of diversion described above: 95-8613, 95-9082, & 95-9531.
5. Right Nos. 95-8613 and 95-9082 are limited to a total combined diversion rate of 1.25 cfs.
6. Place of use is within the service area of Greenferry Water and Sewer District as provided for under Idaho law. The place of use is generally located within Sections 10, 11, 12, 13 and 14, Township 50 North, Range 05 West.
7. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.
8. This right does not grant any right-of-way or easement across the land of another.

WATER RIGHT NO. 95-9082

As Modified by Transfer No. 85475

In accordance with the approval of Transfer No. 85475, Water Right No. 95-9082 is now described as follows:

Right Holder: GREENFERRY WATER & SEWER DIST
PO BOX 1105
POST FALLS, ID 83877-1105

Priority Date: 5/5/2004

Source: GROUND WATER

BENEFICIAL USE	From		To	Diversion Rate
MUNICIPAL	01/01	to	12/31	1.000 cfs
				1.000 cfs

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	L6 (SENW)	Sec 12 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	L6 (SENW)	Sec 12 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	L5 (SWNW)	Sec 12 Twp 50N Rge 05W KOOTENAI County

CONDITIONS OF APPROVAL

1. Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
2. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
3. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
4. The following rights are diverted through point(s) of diversion described above: 95-8613, 95-9082, & 95-9531.
5. Right Nos. 95-8613 and 95-9082 are limited to a total combined diversion rate of 1.25 cfs.
6. Place of use is within the service area of Greenferry Water and Sewer District as provided for under Idaho law. The place of use is generally located within Sections 10, 11, 12, 13 and 14, Township 50 North, Range 05 West.
7. A measuring device of a type approved by IDWR shall be maintained as a part of the diverting works.
8. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.
9. This right does not grant any right-of-way or easement across the land of another.

WATER RIGHT NO. 95-9531

As Modified by Transfer No. 85475

In accordance with the approval of Transfer No. 85475, Water Right No. 95-9531 is now described as follows:

Right Holder: GREENFERRY WATER & SEWER DIST
PO BOX 1105
POST FALLS, ID 83877-1105

Priority Date: 8/25/2008

Source: GROUND WATER

BENEFICIAL USE	From	To	Diversion Rate	Diversion Volume
MUNICIPAL	01/01	to 12/31	0.800 cfs	272.3 af
			0.800 cfs	272.3 af

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	L6 (SENW)	Sec 12 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	L6 (SENW)	Sec 12 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	L5 (SWNW)	Sec 12 Twp 50N Rge 05W KOOTENAI County

CONDITIONS OF APPROVAL

1. Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
2. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
3. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
4. The following rights are diverted through point(s) of diversion described above: 95-8316, 95-9082, and 95-9531.
5. Rights 95-8613, 95-9082, and 95-9531 when combined shall not exceed a total diversion rate of 2.05 cfs, nor a total annual maximum diversion volume of 905.0 af at the field headgate.
6. A map depicting the place of use boundary for this water right at the time of this approval is attached to this document for illustration purposes.
7. Place of use is within the service area of Greenferry Water and Sewer District as provided for under Idaho law. The place of use is generally located within Sections 10, 11, 12, 13 and 14, Township 50 North, Range 05 West.
8. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

WATER RIGHT NO. 95-9531

As Modified by Transfer No. 85475

CONDITIONS OF APPROVAL


9. This right does not grant any right-of-way or easement across the land of another.

Greensferry Water and Sewer District

Attachment to Transfer # 85475

Rights 95-8613, 95-9082, & 95-9531

This map depicts the MUNICIPAL place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



Point of Diversion

Water Service Area Boundary

Townships

PLS Sections

Quarter Quarters

0 0.325 0.65 1.3 Miles

N

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little **Director Gary Spackman**

December 21, 2021

GREENFERRY WATER & SEWER DIST
PO BOX 1105
POST FALLS ID 83877-1105

Re: Transfer No: 85475
Water Right No(s).: 95-8613, 95-9082, 95-9531
Transfer Approval Notice

Dear Water Right Holder:

The Department of Water Resources has issued the enclosed approved Transfer of Water Right(s). Please be sure to thoroughly review the conditions of approval and remarks listed on the approval document.

The Transfer of Water Right(s) is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless the APPLICANT petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

ANY PERSON aggrieved by any decision, determination, order or action of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Department and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

If the transfer approval includes a condition requiring measuring and recording devices, such devices shall comply with specifications established by the Department. Detailed specifications are available on the Department's home page on the Internet, or you can request a copy by contacting any office of the Department. Please be sure to thoroughly review the specifications to avoid unnecessary costs for reinstallation or modification due to non-conforming or improperly installed devices.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact the Northern Region Office at (208) 762-2800.

Sincerely,

Adam Frederick

Adam Frederick
Water Rights Supervisor

Enclosure
CC:

CERTIFICATE OF SERVICE

I hereby certify that on December 21, 2021 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Transfer) to the person(s) listed below:

Re: Transfer No.: 85475
Water Right No(s).: 95-8613, 95-9082, 95-9531

GREENFERRY WATER & SEWER DIST
PO BOX 1105
POST FALLS ID 83877-1105

Tammy Alleman
Administrative Assistant

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

Date: December 20, 2021

To: Transfer 85475

From: Luke Bates LSB

Re: Review & Evaluation of Sufficiency of Information

Review & Evaluation of Sufficiency of Information
12/20/2021

Authority to File:
Robert G Haynes, applicant's representative, is authorized to sign documents on behalf of Greenferry Water & Sewer District.

Water Right Validity:
Water Right(s) 95-8613 & 95-9082 are valid and have been decreed in the CSRBA. Water Right 95-9531 is a valid water right that has been licensed with an active status.

Injury to Other Water Rights:
See attached memorandum by Department staff member Daniel Sturgis, Dated 12/15/2021.

Enlargement of Use:
None.

Local Public interest:
No negative issues anticipated.

Beneficial Use/Conservation of Water Resources:
Proposed use is recognized as a beneficial use of water.

Effect on Economy the Local Area:
New well will ensure a safe drinking water source for the future of the municipal provider

Effect on Agricultural Base of the Local Area:
None anticipated.

Review of the application finds there is no clear inconsistency with criteria set forth in Section 42-222 Idaho Code preventing processing of this application.

Memorandum

To:	Adam Frederick, Water Rights Supervisor; Luke Bates, Water Resource Agent
From:	Daniel Sturgis, Technical Hydrogeologist
Date:	December 15, 2021
Re:	Greenferry Water and Sewer District Water Right Transfer Application No. 85475

Introduction and Purpose

Greenferry Water and Sewer District (WSD) has applied for a water right transfer for water rights 95-8613, 95-9082, and 95-9531. The water right transfer is for an additional point of diversion to the Greenferry WSD municipal system, currently supplied by two existing wells. The water right transfer is located outside the Rathdrum Prairie Ground Water Management Area; however, it is within the Rathdrum Prairie Comprehensive Aquifer Management Plan (CAMP) boundary (Figure 1). The purpose of this memo is to assess potential impacts of the water right transfer on existing water rights and on the Rathdrum Prairie Aquifer in general.




Figure 1. Rathdrum Prairie Ground Water Management Area (GWMA) and Comprehensive Aquifer Management Plan Boundary (CAMP) with the transfer application Point of Diversion (POD).

Potential Effects on the Rathdrum Prairie Aquifer

In order to assess the potential drawdown effects the water right transfer may have on exiting water rights, the hydraulic properties of the aquifer must first be estimated. This can be initially accomplished by using the specific capacity of the well as observed during pumping. Driscoll (1986) provides the following equation to estimate transmissivity of an unconfined (and confined) aquifer based on pumping rate and measured drawdown.

$$\frac{Q}{s} = \frac{T}{1500\ (2000\ for\ confined)}$$

where,

Q = pumping rate (gallons/minute)

s = drawdown (feet)

T = transmissivity (gpd/ft)

IDWR currently monitors water levels at the Greenferry WSD wells. Based on water level data, drawdown at well 1 was about 1-foot while pumping at 500-gpm. This equates to an estimated transmissivity of approximately 100,000 – 133,000 ft^2/day. In December 2021, Greenferry WSD conducted an eight-hour pumping test with wells 1 and 2 pumping at about 1500-gpm total. Drawdown data from a nearby well allows for a more detailed assessment of the aquifer properties in the area of the Greenferry wells. Based on the Theis solution shown in Figure 2, the transmissivity of the aquifer in the area is approximately 155,000 ft^2/day. This is a reasonable value compared to the Driscoll method. Storativity is estimated to be approximately 0.0013, suggesting the aquifer in the vicinity of the Greenferry wells is confined.




Figure 2. Estimated aquifer properties in the vicinity of the Greenferry WSD wells.

Figures 3 and 4 show the estimated drawdown effects of the water right transfer based on the Theis (1935) equation using the estimated hydraulic properties of the aquifer mentioned above. As shown in Figures 3 and 4, drawdown 5,000 feet from the well is minimal after five days of pumping at the applied rate of 1250-gallons per minute (approximately 2.8-cfs). Wells 500-ft from the Greenferry WSD well could experience approximately 1.0 to 1.5 feet of drawdown from the new point of diversion.




Figure 3. Estimated drawdown with time for select distances from the new point of diversion. Note: Pumping rate: 1250 gpm; Transmissivity: 155,000 ft2/day; Storativity: 0.0013.




Figure 4. Estimated drawdown with distance from the new point of diversion for select pumping durations. Note: Pumping rate: 1250 gpm; Transmissivity: 155,000 ft^2/day; Storativity: 0.0013.

Existing Water Rights

Existing water rights within a 5,000-ft radius from the Greenferry WSD Point of Diversion (POD) includes 74 active water rights, 19 active claims, and 3 permits (two by Greenferry WSD). Many of these water rights are located outside the aquifer and divert water from bedrock areas south of the Spokane River. The Greenferry WSD transfer POD is approximately 400 feet from the nearest water right.




Figure 5. Location of exiting water rights in the vicinity of Greenferry WSD wells. Active water rights are shown in blue squares. Active claims shown in white dots (recommended claim) and red squares.

Observed Long-Term Water Levels

Long-term water level records are available for the Rathdrum Prairie Aquifer. Hydrographs are provided in Figure 6 and 7. These hydrographs show a relationship to local climate fluctuations. Both long-term records appear to be stable, with water levels generally higher since the mid-1990s.




Figure 6. Water level data for select monitoring wells in the Rathdrum Prairie Aquifer.




Figure 7. Water level data for select monitoring wells in the Rathdrum Prairie Aquifer at and near Greenferry Water and Sewer District.

Conclusions and Recommendations

Greenferry Water and Sewer District is applying to add a new point of diversion to their existing system. This is not the development of a new water right. No "new" groundwater will be allocated from the Rathdrum Prairie Aquifer.

Based on a review of water level data, existing water rights and wells, and information provided in the water right transfer application, there appears to be sufficient groundwater to supply the well with minimal potential effects on existing groundwater users. The water right transfer application is recommended for approval.

IDWR may want to require Greenferry Water and Sewer District to report total monthly groundwater production volumes, submit a Reasonably Anticipated Future Needs (RAFN) water right application, and a water conservation plan. These will help IDWR meet the goals and objectives of the Rathdrum Prairie Comprehensive Aquifer Management Plan.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Kootenai)

RECEIVED
DEC 03 2021
IDWR / NORTH

Shaila Maciosek, being first duly sworn upon oath, deposes and states:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press", a newspaper printed and published daily in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The legal notice of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 18 day of November, 2021, and ending on the 25 day of November, 2021, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice Shaila Maciosek.

On this 25 day of November in the year of 2021 before me, a Notary Public, personally appeared Shaila Maciosek, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

KATRINA GEORGE NOTARY PUBLIC COMM. NO. 58374 STATE OF IDAHO

Katrina George
Notary Public for the State of Idaho
Residing in Coeur d'Alene, Idaho

My Commission Expires 8/29/23

NOTICE OF PROPOSED CHANGE OF WATER RIGHT TRANSFER NO. 85475

GREENFERRY WATER & SEWER DIST, PO BOX 1105, POST FALLS, ID 83877-1105 has filed Application No. 85475 for changes to the following water rights within KOOTENAI County(s): Right No(s). 95-8613, 95-9082, 95-9531; to see a full description of these rights and the proposed transfer, please see https://research.idwr.idaho.gov/apps/waterrights/querynewtransfers. The purpose of the transfer is to change a portion of the above rights as follows:

This transfer proposes to add a new point of diversion and change/correct an existing point of diversion to the Greenferry Water & Sewer District's existing municipal groundwater right(s) 95-8613, 95-9082, and 95-9531. The wells are located within the Greenferry Water & Sewer District's service area.

For additional information concerning the property location, contact Northern Region office at (208)762-2800. Protests may be submitted based on the criteria of Idaho Code Sec. 42-222. Any protest against the proposed change must be filed with the Department of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 12/6/2021. The protestant must also send a copy of the protest to the applicant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-18176
TOMMY TONKIN
DARBY J TONKIN
30261 N GOOD HOPE RD
ATHOL, ID 83801-6131
Point of Diversion NENE
S18 T53N R02W
KOOTENAI County
Source GROUND WATER
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: DOMESTIC
01/01 to 12/31 0.08 CFS
Use: IRRIGATION
04/01 to 10/31 0.09 CFS
Total Diversion: 0.19 CFS
Date Filed: 10-25-2021
Place Of Use:
DOMESTIC,IRRIGATION, STOCKWATER
T53N R02W S18 NENE
Total Acres: 3

95-18183
PEREZ REVOCABLE LIVING TRUST
3010 CATTLE POINT RD
FRIDAY HARBOR, WA 98250-7183
Point of Diversion NENE S19 T48N R04W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.06 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: IRRIGATION
03/15 to 11/15 0.09 CFS
Total Diversion: 0.09 CFS
Date Filed: 10-27-2021
Place Of Use: DOMESTIC,IRRIGATION, STOCKWATER
T48N R04W S19 NENE
Total Acres: 3

95-18187
ROCK ISLAND LLC
2760 W EVERWELL BAY LN
COEUR D ALENE, ID 83814-7374
Point of Diversion SWSW S1 T49N R04W
KOOTENAI County
Source COEUR D ALENE LAKE
Tributary SPOKANE RIVER
Use: DOMESTIC
01/01 to 12/31 0.14 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: IRRIGATION
03/15 to 11/15 0.2 CFS
Total Diversion: 0.36 CFS
Date Filed: 03-17-2021
Place Of Use: DOMESTIC,IRRIGATION, STOCKWATER
T49N R04W S11 L1(NENE)
Place Of Use: DOMESTIC,IRRIGATION, STOCKWATER
T49N R04W S2 NESE,SESE
Total Acres: 10.2

95-18189
DEREK WILLIAMS
KRISTIN WILLIAMS
4461 S WENIGER HILL RD
COEUR D ALENE, ID 83814-7811
Point of Diversion SESE S33 T50N R04W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 11-05-2021
Place Of Use: DOMESTIC
T50N R04W S33 NESE,SESE

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 12/6/2021. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director
CDA Legal #6567
AD#496549
November 18 , 25, 2021