

## MEMORANDUM

**Date:** November 18, 2021  
**To:** Transfer 85411  
**From:** James Cefalo  
**Re:** Review & Evaluation of Sufficiency of Information

This transfer proposes to add a point of diversion to water right 25-7622. Water right 25-7622 authorizes the diversion of 0.23 cfs from ground water for domestic use at a 13-home subdivision. Currently, the subdivision is served by one well. This application will add a second well point of diversion to the right. The second well is being constructed in conjunction with an expansion of the subdivision. Application 25-14504 was filed on the same day as this transfer application. Application 25-14504 proposes to divert 0.26 cfs for domestic use at an additional 33 homes. The proposed well will be constructed right next to the existing well.

**Authority to File:** Applicant, BRP Inc. is the owner of record for water right 25-7622 and the owner of the existing and proposed point of diversion.

**Water Right Validity:** Water right was licensed in 2011. Water use is regulated by Water District 120.

**Injury to Other Water Rights:** No issues identified. Proposed well will be located right next to existing well.

**Enlargement of Use:** No issues identified. Water will continue to be used for 13-home subdivision. Proposed and existing wells will be monitored to prevent enlargement.

**Local Public interest:** No issues identified.

**Beneficial Use/Conservation of Water Resources:** No issues identified.

Review of the application finds there is no clear inconsistency with criteria set forth in Section 42-222 Idaho Code preventing processing of this application.