

RECEIVED

42-222 POD - 07/18

OCT 12 2021

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TRANSFER OF WATER RIGHT – POINT(S) OF DIVERSION

This form may be used to apply to change and/or add points of diversion for existing water rights and to report an ownership change for a water right(s) in connection with the proposed point of diversion change(s). Do not use this form to apply for changes to other elements of a water right. See the [Application for Transfer Instructions](#) for help completing this form and for mailing addresses of Department offices where your application can be submitted.

Check all that apply:

- ☐ Change diversion point(s) ☒ Add diversion point(s) ☐ Ownership change ☐ Ownership split
☐ Transfer is for changes pursuant to [Idaho Code § 42-221.O.8](#). Attach an explanation and any supporting documentation.

1. APPLICANT(S) BRP INC Phone (208)529-9891
2. MAILING ADDRESS PO BOX 1768 City Idaho Falls
State ID Zip 83404 Email dhbeck@gmail.com

- ☐ If the applicant is not an individual and not registered to do business in the State of Idaho, attach documentation identifying officers authorized to sign for the applicant.
☐ If the applicant is not the current water right(s) owner, attach documentation of authority to file the application.
☐ If the application includes a change in ownership of water right(s), attach a copy of the conveyance document, such as a warranty deed, court decree, contract of sale, etc. The conveyance document must include a legal description of the property conveyed or description of the water right if no land is conveyed. Additional fee(s) are required for water right ownership changes; see Item 9 for the [fee schedule](#).
If the ownership change resulted in the water right(s) being split, how did the division occur? Mark one:
☐ The water rights or claims were divided as specifically identified in a deed, contract, or other conveyance document.
☐ The water rights or claims were divided proportionately based on the portion of their place(s) of use acquired by the new owner.
☐ If the application is not signed by the applicant, attach a Power of Attorney or other documentation providing authority to sign for the applicant.

3. LIST WATER RIGHT NUMBER(S) 25-7622

- ☒ Attach a copy of the water right(s) as recorded, available at [idwr.idaho.gov](#), *Water Right Transfers, Step 1*, or by contacting any Department office.

4. TOTAL AMOUNT OF WATER transferred is 0.23 cubic feet per second and/or 7.8 acre-feet per annum.
(diversion rate) (storage volume)

5. POINT OF DIVERSION – Describe all the point(s) of diversion to be included on the water right(s) after the proposed change.
☐ Attach Eastern Snake Plain Aquifer (ESPA) analysis if this transfer proposes to change a point of diversion affecting the ESPA. ESPA analysis information is available at [idwr.idaho.gov](#), *Water Rights, Water Right Transfers, Modeling Resources*.

New?	Lot	¼	¼	¼	Sec	Twp	Rge	County	Source	Local name or tag #
No		SE	NE	SE	34	02 N	37 E	Bonneville	Groundwater	
Yes	4		NE	SE	34	02 N	37 E	Bonneville	Groundwater	

6. GENERAL INFORMATION

- a. Describe the complete diversion system, including how you will accommodate a measuring device and lockable controlling works should they be required now or in the future:

See narrative for details. POD will be a water well. A well engineering report will be submitted to DEQ for approval. The preliminary design includes an 8 inch well diameter to approximately 200 feet below ground surface (hqs)

- b. Who owns the property at the point(s) of diversion? Applicant

If other than the applicant, describe the arrangement enabling the applicant to access the property for the diversion system:

- c. To your knowledge, has/is any portion of the water right(s) proposed to be changed:

Yes No

- ☐ ☒ undergone a period of five or more consecutive years of non-use,
☐ ☒ currently used in a mitigation plan limiting the use of water under the right(s), or
☐ ☒ currently enrolled in a Federal set-aside program limiting the use of water under the right(s)?


If yes, describe:

- d. Is any portion of the water right(s) proposed to be changed currently leased to the Water Supply Bank? ☐ Yes ☒ No

- ☐ If yes and there are multiple owners, attach a Lessor Designation form.
☐ If yes, the individual owner or designated lessor must complete, sign and attach an IRS Form W-9.
(Disregard if these items are on file and ownership has not changed.)

7. **MAP** – ☒ Attach a map of the diversion, measurement, control and distribution system. Include the place of use if a split of the water right occurred. Clearly label the map with township, range, section and ¼ ¼ of section information. You may create a map at idwr.idaho.gov, Water Rights, Water Right Transfers, File a Transfer Application, Step 2C.

8. **SIGNATURE** – The information in this application is true to the best of my knowledge. I understand any willful misrepresentations in this application may result in rejection of the application or cancellation of an approval.


Signature of applicant or authorized agent

DABeck Mgr
Print name and title if applicable

10-12-21
Date

Signature of applicant or authorized agent

Print name and title if applicable

Date

9. **FEE** – ☐ The application filing fee provided in Idaho Code § 42-221.O, must be submitted with the application for transfer. Applications for changes pursuant to Idaho Code § 42-221.O.8. require a filing fee of \$50 per water right. All other application fees are based on the total amount of water proposed for transfer in Item 4: the larger fee for either cubic feet per second (diversion rate) or acre-feet per annum (storage volume). The Fee Schedule is available at www.idwr.idaho.gov, Water Right Transfers, Step 4 and in the Application for Transfer Instructions.

FOR DEPARTMENT USE ONLY

E047455 receipt total
\$300.- / \$50.- for this app.

Transfer includes _____ pages of attachments.

Received by _____ Date _____

Fee paid \$ 50.- Date 10/12/2021

Received by JB

Receipt # E047455

Preliminary review by _____

Date 10-14-21

Active in the Water Supply Bank? Yes ☐ No ☐

W-9 received? Yes ☐ No ☐

Name on W-9 _____

W-9 forwarded to fiscal? Yes ☐ No ☐

(Do NOT scan the W-9 – confidential information is held by fiscal only)

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT REPORT

8/27/2021

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report

WATER RIGHT NO. 25-7622

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	BRP INC PO BOX 1768 IDAHO FALLS, ID 83403-1768 2085299891

Priority Date: 09/23/1998

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
DOMESTIC	01/01	12/31	0.23 CFS	7.8 AFA
Total Diversion			0.23 CFS	7.8 AFA

Location of Point(s) of Diversion:

GROUND WATER | SENESE Lt 4 | Sec. 34 | Township 02N | Range 37E | BONNEVILLE County

DOMESTIC Use:

Number of other uses: 13 hookups

Place(s) of use:

Place of Use Legal Description: DOMESTIC BONNEVILLE County

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>
02N	37E	34		SESE		4	SESE							
		35		SWSW										

Conditions of Approval:

1. X60 Place of use is located within Lots 1-3, 8-14, Blk 1 and Lots 2-4, Blk 5, Gem Lake Harbor Subdivision.
2. WB5 Domestic use is for 13 homes and does not include lawn, garden, landscape, or other types of irrigation.
3. 071 The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. R05 Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 120.
5. 01M After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
6. 048 The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
7. 004 The issuance of this right does not grant any right-of-way or easement across the land of another.

Dates:

Licensed Date: 12/27/2011

Decreed Date:

Permit Proof Due Date: 6/1/1998

Permit Proof Made Date: 9/23/1998

Permit Approved Date: 5/21/1993

Permit Moratorium Expiration Date:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

Water Supply Bank Enrollment Date Accepted:

Water Supply Bank Enrollment Date Removed:

Application Received Date: 03/25/1993

Protest Deadline Date:

Number of Protests: 0

Other Information:

State or Federal:

Owner Name Connector:

Water District Number: 120

Generic Max Rate per Acre:

Generic Max Volume per Acre:

Civil Case Number:

Old Case Number:

Decree Plaintiff:

Decree Defendant:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Cary Act Number:

Mitigation Plan: False

**IDAHO DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 2A**

Current Water Right No.: 25-7622

Current Owner: BRP INC
Priority Date: 9/23/1998
Origin: Water Right
Status: Active
Basis: License

Source

Tributary

GROUND WATER

<u>Beneficial Use</u>	<u>From To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
DOMESTIC	01/01 to 12/31	0.23 CFS	7.8 AF
	<u>Total Diversion</u>	0.23 CFS	7.8 AF

Location of Point(s) of Diversion

GROUND WATER L4(SE1/4NE1/4SE1/4) Sec. 34, Twp 02N, Rge 37E B.M.
BONNEVILLE County

Place of Use

DOMESTIC Within BONNEVILLE County

T02N R37E S34	SESE	T02N R37E S34	Lot 4	SESE
T02N R37E S35	SWSW			

Conditions of Approval:

1. WB5 Domestic use is for 13 homes and does not include lawn, garden, landscape, or other types of irrigation.
2. X60 Place of use is located within Lots 1-3, 8-14, Blk 1 and Lots 2-4, Blk 5, Gem Lake Harbor Subdivision.
3. R05 Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 120.
4. 004 The issuance of this right does not grant any right-of-way or easement across the land of another.
5. 071 The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
6. 048 The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
7. 01M After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

Gem Lake Harbor





Clearwater Geosciences, LLP
Ground Water Development and Exploration

October 12, 2021

Idaho Department of Water Resources
900 N Skyline Dr STE A
Idaho Falls ID 83402-1718

RE: Narrative in Support of Water Right 25-7622 Modification for Gem Lake Harbor, Bonneville County
Idaho

Dear Sir or Madam,

Gem Lake Harbor (subdivision) is a platted development south of Idaho Falls on the east side of Gem Lake north of West 49th South. The subdivision is in Sections 34 and 35, Township 2N, Range 37E. Figure 1 shows the general location and Figure 2 is the approved site plan. As Figure 1 shows, a portion of the site has been developed with 13 homes and an additional 33 lots for homes are proposed to be added in two phases.

The subdivision currently operates under Water Right No 25-7622, which is a domestic water right for 0.23 cubic feet per second (cfs) owned by BRP Inc. The water right report specifies that this water right does not include irrigation of any kind including lawn, garden, or landscape. The 13 homes of the subdivision are currently supported by one well or Point of Diversion (POD).

The subdivision is expanding and as such, is applying for an additional domestic water right to support an additional 33 lots. Additionally, the applicant is planning on drilling a new well to support the subdivision expansion, provide redundancy to the existing well, and to be used for fire suppression. All the lots in the subdivision, including the existing and future lots, will be serviced by one system which will be connected to both wells. As such, a modification to add an additional POD for Water Right No 25-7622 is requested.

System

The proposed well or POD will be located in the same lot as the current POD which is in the NE corner of the SE corner of Section 34, Township 2N, Range 37E as Figures 3 and 4 show. A well engineering report that discusses the well design of the new POD will be submitted to IDEQ.

The subdivision has an existing Large Soil Absorption System (LSAS) and a new one is planned for the additional homes. A Nutrient and Pathogen (NP) Level 1 Analysis for the new LSAS system was submitted to and approved by the Idaho Department of Environmental Quality (IDEQ) in July 2021.

Local Hydrology

The well log for the existing well or POD is presented in Figure 5. The well log indicates that the well is capable of producing 160 gallons per minute (gpm). The lithologic log specifies that during drilling alternating layers of basalt and clay were encountered and the primary water bearing zone was a hard gray basalt from 180 to 184 feet below ground surface (bgs). A review of the existing subdivision well and surrounding wells in the area shows that the new well should be more than capable of producing 0.26 cfs or 117 gpm.



Clearwater Geosciences, LLP
Ground Water Development and Exploration

Irrigation

Water Right 25-7622 will still not support irrigation. Landscaping in the subdivision will be irrigated with surface water.

Please call for any questions.

Sincerely,

Rachel Geringer

Rachel Geringer



References


Clearwater, Nutrient-Pathogen Level 1 Analysis Revision 1 Gem Lake Harbor, Bonneville County Idaho,
June 21, 2021.

<https://idwr.idaho.gov/water-rights/water-use-information.html>





Figure 2: Subdivision layout with proposed POD location circled in red






Figure 4: Proposed and existing PODs and topographical map



Clearwater Geosciences, LLP
Ground Water Development and Exploration

Form 238-7
1/84

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Use Typewriter
or
Ball Point Pen
56193

1. DRILLING PERMIT NO. 25-94-E-167-000
Other IDWR No. 25-7622

2. OWNER: BRP INC (Beco)
Name BRP INC (Beco)
Address 385 LARIAT LANE
City IDAHO FALLS State ID Zip 83404

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location.

Sketch map location must agree with written location.

N
W
E
S

Twp. 02 North ☒ or South ☐
Rge. 37 East ☒ or West ☐
Sec. 34 NE 1/4 SE 1/4 1/4
Gov't Lot _____ County BANNEVILLE
Address of Well Site GEM LAKE AREA
City IDAHO FALLS
(Give at least name of road + Distance to Road or Landmark)
Lt. _____ Blk. _____ Sub. Name _____

4. PROPOSED USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK
☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD
☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or	Pounds	
<u>BEAUMONT</u>	<u>0</u>	<u>138</u>	<u>46</u>		<u>DOWN ANNUAL</u>
					<u>SPACE</u>

Was drive shoe used? ☒ Y ☐ N ☒ N/A
Was drive shoe seal tested? ☐ Y ☐ N ☐ How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
<u>8"</u>	<u>0</u>	<u>128</u>	<u>250</u>	<u>STEEL</u>	☒	☐	☒	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

99 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal/min.	Drawdown	Pumping Level	Time
<u>160</u>			

Water Temp. COLD Bottom hole temp. _____
Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water	Y	N
<u>10"</u>	<u>0</u>	<u>5</u>	<u>TOP SOIL & GRAVEL</u>			
	<u>5</u>	<u>12</u>	<u>FILL-BROKEN CEMENT</u>			
	<u>12</u>	<u>15</u>	<u>BROWN CLAY</u>			
	<u>15</u>	<u>55</u>	<u>GRAY BASALT</u>			
	<u>55</u>	<u>65</u>	<u>BROWN CLAY</u>			
	<u>65</u>	<u>110</u>	<u>GRAY BASALT</u>			
	<u>110</u>	<u>122</u>	<u>BROWN CLAY</u>			
	<u>122</u>	<u>143</u>	<u>GRAY BASALT</u>			
	<u>143</u>	<u>145</u>	<u>BROWN SANDSTONE CLAY -</u>			
			<u>BROKEN BASALT</u>			
	<u>145</u>	<u>162</u>	<u>GRAY BASALT</u>			
	<u>162</u>	<u>180</u>	<u>BROKEN GRAY BASALT WITH</u>			
			<u>BROWN CLAY</u>			
	<u>180</u>	<u>184</u>	<u>HARD GRAY BASALT</u>			☒

RECEIVED
NOV 18 1994
NOV 14 1994
Department of Water Resources
Department of Water Resources
Eastern District Office
MAY 08 1995
Completed Depth 184 (Measurable)
Date: Started 9-26-94 Completed 10-10-94

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name INDEPENDENT DRILLING Firm No. 343

Firm Official Barat Henderson Date 10-19-94

and _____

Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

Figure 5: Well log for the existing well for Gem Lake Harbor

RECEIVED

OCT 12 2021



Department of Water Resources
Eastern Region

Doyle Beck <dhbeck@gmail.com>

Gem Lake Harbor Water Right Application and Modification to Existing Water Right

1 message

Rachel Geringer <racheljgeringer@gmail.com>

Tue, Oct 12, 2021 at 12:47 PM

To: dhbeck@gmail.com

Cc: Tom Wood <thomasrwood@gmail.com>

Hi Doyle,

Attached please find the application for your new water right as well as a modification for the existing water right. I apologize for this taking longer than anticipated. The application was more complicated than we anticipated. IDWR changed how they wanted to do the application, so we ended up doing three revisions. I spoke to Ryan at IDWR this morning and confirmed that this is how he wants to proceed.

We are going to do what's informally called a "stacked" water right. This means that you will have two waterrights that each have both wells (the existing and proposed) listed as the point of diversion or POD, so each water right will have two PODs. We are applying for a brand new water right for the expansion and are applying to add POD to your existing water right.

Please review each document and verify that the contact information is correct. I used the contact information on your existing water right. Once you have reviewed them, please print in color and sign each document. The application fee is \$300 total (\$250 for the new application and \$50 for the existing water right modification). Wet signatures are preferred, so please submit both documents and a check to IDWR either in person or via mail to IDWR at

900 N SKYLINE DR STE A,
IDAHO FALLS ID 83402-1718
Phone: (208) 525-7161

Please let me know if you have any questions or comments.

--

Rachel Geringer, P.G.
(208) 716-1555
Senior Geologist
Clearwater Geosciences LLP



2 attachments

Gem_Lake_Water_Right_Application_w_attach.pdf
2357K

Gem_Lake_Application_for_Transfer_POD.pdf
2268K

85411

No. C 90458 Return to: SECRETARY OF STATE 700 WEST JEFFERSON PO BOX 83720 BOISE, ID 83720-0080 NO FILING FEE IF RECEIVED BY DUE DATE		Due no later than Oct 31, 2018 Annual Report Form 1. Mailing Address: Correct in this box if needed. BRP, INCORPORATED MARK R. FULLER PO BOX 50935 IDAHO FALLS ID 83405-0935		2. Registered Agent and Address (NO PO BOX) MARK FULLER 410 MEMORIAL DR STE 201 IDAHO FALLS ID 83402 3. <u>New</u> Registered Agent Signature: *		
4. Corporations: Enter Names and Business Addresses of President, Secretary, and Directors. Treasurer (optional).						
Office Held	Name	Street or PO Address	City	State	Country	Postal Code
PRESIDENT	LYNN E BECK	P.O. BOX 1768	IDAHO FALLS	ID	USA	83403-1768
DIRECTOR	DOYLE H BECK	P.O. BOX 1768	IDAHO FALLS	ID	USA	83403-1768
SECRETARY	DOYLE H BECK	P.O. BOX 1768	IDAHO FALLS	ID	USA	83403-1768
DIRECTOR	ELIZABETH E BECK	P.O. BOX 1768	IDAHO FALLS	ID	USA	83403-1768
5. Organized Under the Laws of: ID C 90458		6. Annual Report must be signed.* Signature: Mark R Fuller Name (type or print): Mark R Fuller Date: 08/29/2018 Title: Attorney				
Processed 08/29/2018		* Electronically provided signatures are accepted as original signatures.				



IDAHO DEPARTMENT OF
WATER RESOURCES

Eastern Region • 900 N Skyline Drive, Suite A • Idaho Falls, ID 83402-1718

Phone: 208-525-7161 • Fax: 208-525-7177 • Email: easterninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 20, 2021

BRP INC
PO BOX 1768
IDAHO FALLS, ID 83403-1768

RE: Transfer No. 85411
Water Right No(s). 25-7622

Dear Applicant:

The Department of Water Resources has received your water right transfer application. Please refer to the transfer number referenced above in all future correspondence regarding this transfer.

A legal notice of the application has been prepared and is scheduled for publication in the POST REGISTER on 10/27/2021 and 11/3/2021. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the approval document.

Please contact this office if you have any questions regarding the application.

Sincerely,

Christina Henman
Administrative Assistant

CC:
CLEARWATER GEOSCIENCES LLP
1818 E 49TH S
IDAHO FALLS, ID 83404-7654

Henman, Christina

From: Henman, Christina
Sent: Wednesday, October 20, 2021 12:09 PM
To: legalnotices@postregister.com
Subject: Legal Notice for Post Register
Attachments: 85411 Post Register.docx

LEGAL NOTICE DEPARTMENT
POST REGISTER
PO BOX 1800
IDAHO FALLS, ID 83403-1800

RE: Transfer No. 85411
Water Right No(s). 25-7622

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 11/15/2021. Your cooperation is appreciated.

Thank You,



Christina Henman
Administrative Assistant
IDWR, Eastern Region
900 N Skyline Ste. A
Idaho Falls, ID 83402
Phone: (208) 525-7161

NOTICE OF PROPOSED CHANGE OF WATER RIGHT
TRANSFER NO. 85411

BRP INC, PO BOX 1768, IDAHO FALLS, ID 83403-1768 has filed Application No. 85411 for changes to the following water rights within BONNEVILLE County(s): Right No(s). 25-7622; to see a full description of these rights and the proposed transfer, please see <https://research.idwr.idaho.gov/apps/waterrights/querynewtransfers>. The purpose of the transfer is to change a portion of the above rights as follows: add point of diversion. The proposed points of diversion are both in Lot 4 (NESE), Sec 34, T02N, R37E for 0.23 cfs from ground water for domestic use.

For additional information concerning the property location, contact Eastern Region office at (208)525-7161. Protests may be submitted based on the criteria of Idaho Code Sec. 42-222. Any protest against the proposed change must be filed with the Department of Water Resources, Eastern Region, 900 N SKYLINE DR STE A, IDAHO FALLS ID 83402-1718 together with a protest fee of \$25.00 for each application on or before 11/15/2021. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 10/27/2021 and 11/3/2021