

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

OCT 06 2021

IDWR / NORTH

- Name of applicant(s) ALBERT WALSH Phone 504-208-7808
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 12718 OLD RIVER RD City KINGSTON
 State ID ZIP 83839 Email ALBERTVWALSH@GMAIL.COM
- Name of representative, if any _____ Phone _____
 Mailing address _____ City _____
 State _____ ZIP _____ Email _____
 - ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
 - ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
- Source of water supply unnamed stream/surface runoff which is a tributary of SINKS
- Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
49N	01E	19	4		SW	SW	KOOTENAI	UNNAMED STREAM	POD 1
49N	01E	19	4		SW	SW	KOOTENAI	UNNAMED STREAM	POD 2
49N	01E	19	4		SW	SW	KOOTENAI	SURFACE RUNOFF	POD 3
49N	01E	19	4		SW	SW	KOOTENAI	SURFACE RUNOFF	POD 4

- Water will be used for the following purposes:
 Amount 19.9 AF for AESTHETIC STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
 Amount 19.9 AF for FIRE PROTECTION STRG purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) 19.9 acre-feet per year (af).
- Proposed diverting works:
 - Describe type and size of devices used to divert water from the source. APPLICANT PLANS TO BUILD PONDS TO TRY AND RESTORE WETLAND AREA FROM PAST. PONDS WILL BE EXCAVATED WITH SMALL DAMS
 - Height of storage dam 4-5 feet; active reservoir capacity VARIES acre-feet; total reservoir capacity VARIES acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
 - Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
 - If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
 Fee \$ _____ Receipted by _____ Receipt No. _____ Date _____

RECEIVED

SEP 24 2021

IDWR/NORTH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. _____

1. Name of applicant(s) Albert Walsh Phone 504.208.7808
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 12718 Old River Road City Kingston
State ID ZIP 83839 Email albertvwalsh@gmail.com
2. Name of representative, if any Rand Wichman Phone 208.755.7024
Mailing address 2992 E. Gotham Bay Road City Harrison
State ID ZIP 83833 Email randwplan@gmail.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply unnamed stream (Schlagel Draw) which is a tributary of Coeur d'Alene River
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
49N	01E	19	4				Kootenai	Runoff/surface water	

5. Water will be used for the following purposes:
Amount 7.9 for aesthetics / wildlife / livestock purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) 12.9 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. excavation and earthen dam
- b. Height of storage dam 5 feet; active reservoir capacity _____ acre-feet; total reservoir capacity 4.08 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate . Application required? ☐ Yes ☒ No
- c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? N/A; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
Fee \$ 100.00 Received by NIS Receipt No. N0837492 Date 9-24-21

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
 - Domestic; show number of households _____
 - Other; describe fully. _____

9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N	01E	19										J,F	J,F						
												GL3	GL4						

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____

11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. APPLICANT PLANS TO BUILD PONDS ON PROPERTY TO TRY AND RESTORE HISTORICAL WETLAND AREA. PONDS WILL BE CONSTRUCTED VIA EXCAVATION WITH SMALL BERMS/ DAMS TO HELP HOLD WATER.

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

 Print Name (and title, if applicable)

Signature of Applicant

 Print Name (and title, if applicable)

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in kW. N/A
- Stockwatering; list number and kind of livestock. _____
- Municipal; must complete and attach the _____
- Domestic; show number of households N/A
- Other; describe fully. Pond used for wildlife habitat and aesthetics

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N	01E	19											J, W						

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? N/A

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Construct 2 ponds to hold water for wildlife and aesthetic purposes

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Albert Walsh, Owner

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. _____

Point of Diversion/Place of Use Supplement

Attachment to: ☒ Application for Permit to Appropriate Water ☐ Application for Transfer** ☐ Adjudication Claim
☐ Application for Amendment of Permit ☐ Beneficial Use Field Report ☐ Statutory Claim

Location of points of diversion (POD):


New POD?	Twp	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or well/diversion tag #
☒ Yes	49N	01E	19	4		SW	SW	KOOTENAI	SURFACE RUNOFF	POD 5
☐ Yes										
☐ Yes										
☐ Yes										
☐ Yes										
☐ Yes										
☐ Yes										
☐ Yes										
☐ Yes										
☐ Yes										

Description of place of use (POU):

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

APPLICATION MAP




Legend

- Parcels
- Township/Range
- Sections
- QQ

0 0.025 0.05 0.1 Miles



Application for Water Right



9/2/2021, 1:41:54 PM

Override 1

Counties


Quarter Quarter

Section

Township/Range

Idaho Outline

Idaho Mask



Maxar, Microsoft. Created by NRCS from 1:24,000 scale USGS topographic maps.. Esri, HERE, iPC, Idaho Department of Water Resources

Total Storage Calculations Pond 1

FILE NUMBER	WALSH APP
REVIEWER	AFREDERICK
DATE	10/6/2021

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated Value
Formula Explanations

Surface Area (AC.)	1.5	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	4	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	6.0	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a " <u>From Storage</u> " component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	1.6	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	1.4	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	9.0	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Total Storage Calculations Pond 2

FILE NUMBER	WALSH APP
REVIEWER	AFREDERICK
DATE	10/6/2021

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.5	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	4	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	2.0	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.5	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.5	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	3.0	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Total Storage Calculations Pond 3

FILE NUMBER	WALSH APP
REVIEWER	AFREDERICK
DATE	10/6/2021

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.4	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	4	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	1.6	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.4	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.4	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	2.4	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Total Storage Calculations Pond 4

FILE NUMBER	WALSH APP
REVIEWER	AFREDERICK
DATE	10/6/2021

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.4	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	4	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	1.6	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.4	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.4	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	2.4	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Total Storage Calculations Pond 5

FILE NUMBER	WALSH APP
REVIEWER	AFREDERICK
DATE	10/6/2021

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.6	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	3.2	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	1.9	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.7	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.6	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	3.1	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 14, 2021

ALBERT VILAIR WALSH
12718 OLD RIVER RD
KINGSTON, ID 83839-9769

RE: Application for Permit No. 94-9662

Dear Applicant:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 10/21/2021 and 10/28/2021. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, October 14, 2021 1:16 PM
To: Chantilly Higbee; Anna Moody; Horsmon, Merritt
Subject: Request for Comments on WR#94-9662 - Ponds from an unnamed stream & surface runoff
Attachments: 94-9662 Application for Permit.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. **The deadline for comments on the applications is November 8, 2021.**

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

Tammy



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, October 14, 2021 11:21 AM
To: LEGALS@CDAPRESS.COM
Subject: Legal Notice for CdA Press
Attachments: Legal Notice for 94-9660, 94-9662, 95-18144, 95-18146, 95-18148, 95-18161 to 95-18163, 95-18165, 95-18167 to 95-18170.docx

Please publish the enclosed legal notice in the **Coeur d'Alene Press** on the dates indicated **October 21st & October 28th, 2021** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **November 8th, 2021**. Your cooperation is appreciated.

Thank you,

Tammy



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

**NOTICE OF PROPOSED CHANGE OF WATER RIGHT
TRANSFER NO. 85182**

NORTH KOOTENAI WATER DISTRICT, 13649 N MEYER RD, RATHDRUM, ID 83858-4904 has filed Application No. 85182 for changes to the following water rights within KOOTENAI County(s): Right No(s). 95-2144, 95-2205, 95-7138, 95-7185, 95-7231, 95-7271, 95-7713, 95-7763, 95-7827, 95-8522, 95-8639, 95-9199, 95-9217; to see a full description of these rights and the proposed transfer, please see <https://research.idwr.idaho.gov/apps/waterrights/querynewtransfers>. The purpose of the transfer is to change a portion of the above rights as follows:

This transfer proposes to list all of North Kootenai Water District's wells within the Rathdrum Prairie Aquifer on existing rights 95-2144, 95-2205, 95-7138, 95-9185, 95-7231, 95-7271, 95-7713, 95-7763, 95-7827, 95-8522, 95-8639, 95-9199, & 95-9217.

For additional information concerning the property location, contact Northern Region office at (208)762-2800. Protests may be submitted based on the criteria of Idaho Code Sec. 42-222. Any protest against the proposed change must be filed with the Department of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 11/8/2021. The protestant must also send a copy of the protest to the applicant.

NOTICE OF DRAFT PERMIT

Notice is given of draft permit(s) allowing the operation of an injection well as per provisions of Title 42, Chapter 39, Idaho Code for the following injection well(s) listed in this format // Well Number, Location, Operator, Injectate //:

// 95W003001, T51NR04WS27NWSWSE, CDA School District #271, Heat Pump Return Water //

Copies can be requested from the Idaho Department of Water Resources at (208) 287-4800. Comments or requests for fact-finding hearings must be filed with the Department within 30 days of the initial publication date of this notice.

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-9660

LUKE SMITH
TIANNE SMITH
27191 E SCHOOLHOUSE LOOP
CATALDO, ID 83810
Point of Diversion NWNESE
S23 T49N R01W
KOOTENAI County
Source SPRING
Tributary SINKS
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 08-13-2021
Place Of Use: DOMESTIC
T49N R01W S23 NESE

94-9662

ALBERT VILAIR WALSH
12718 OLD RIVER RD
KINGSTON, ID 83839-9769
Point of Diversion L4(SWSW)
S19 T49N R01E
KOOTENAI County
Source UNNAMED STREAM
Tributary SINKS
Point of Diversion L4(SWSW)
S19 T49N R01E
KOOTENAI County
Source UNNAMED STREAM
Tributary SINKS
Point of Diversion L4(SWSW)
S19 T49N R01E
KOOTENAI County
Source SURFACE RUNOFF
Tributary SINKS
Point of Diversion L4(SWSW)
S19 T49N R01E
KOOTENAI County
Source SURFACE RUNOFF
Tributary SINKS
Point of Diversion L4(SWSW)

S19 T49N R01E
KOOTENAI County
Source SURFACE RUNOFF
Tributary SINKS
Use: AESTHETIC STORAGE
01/01 to 12/31 19.9 AF
Use: FIRE PROTECTION STORAGE
01/01 to 12/31 19.9 AF
Total Diversion: 19.9 AF
Date Filed: 10-06-2021
Place Of Use: AESTHETIC STORAGE, FIRE PROTECTION STORAGE
T49N R01E S19
L3(NWSW), L4(SWSW)

95-18144
BYRON M HIGA
JENNIFER L HIGA
PO BOX 1275
ATHOL, ID 83801-1275
Point of Diversion SWNE
S18 T53N R02W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 08-11-2021
Place Of Use: DOMESTIC
T53N R02W S18 SWNE

95-18146
SANDRA CHRISTENSEN
8655 E CHALLENGE RD
HAYDEN LAKE, ID 83835-7323
Point of Diversion SESW
S11 T51N R03W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 08-12-2021
Place Of Use: DOMESTIC
T51N R03W S11 SESW

95-18148
OWENS CRAIG
3555 E FERNAN HILL RD
COEUR D ALENE, ID 83814-9700
Point of Diversion SWSW
S17 T50N R03W
KOOTENAI County
Source SPRING
Tributary SINKS
Point of Diversion SESENW
S17 T50N R03W
KOOTENAI County
Source SPRING
Tributary SINKS
Use: IRRIGATION
03/15 to 11/15
Total Diversion: 0.06 CFS
Date Filed: 08-17-2021
Place Of Use: IRRIGATION
T50N R03W S17
L2(NESW), SENW
Total Acres: 2

95-18161

EDWIN T ZAPPEL
HOLLY A ZAPPEL
PO BOX 722
VASHON, WA 98070-0722
Point of Diversion SWNWSE
S20 T49N R03W
KOOTENAI County
Source SPRING
Tributary TURNER CREEK
Point of Diversion SWNWSE
S20 T49N R03W
KOOTENAI County
Source SPRING
Tributary TURNER CREEK
Point of Diversion SENWSE
S20 T49N R03W
KOOTENAI County
Source SPRING
Tributary TURNER CREEK
Use: DIVERSION TO STORAGE
01/01 to 12/31 0.2 CFS
Use: IRRIGATION
03/15 to 11/15 0.2 CFS
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: FIRE PROTECTION STORAGE
01/01 to 12/31 1.7 AF
Use: IRRIGATION STORAGE
01/01 to 12/31 30 AF
Use: IRRIGATION FROM STORAGE
03/15 to 11/15 30 AF
Use: STOCKWATER STORAGE
01/01 to 12/31 0.3 AF
Use: STOCKWATER FROM STORAGE
01/01 to 12/31 0.3 AF
Total Diversion: 0.2 CFS, 32 AF
Date Filed: 09-27-2021
Place Of Use: DIVERSION TO STORAGE
T49N R03W S20 NWSE
Place Of Use: DOMESTIC
T49N R03W S20
SWSW,SESW
Place Of Use: FIRE PROTECTION STORAGE,IRRIGATION,IRRIGATION FROM STORAGE,IRRIGATION
STORAGE,STOCKWATER,STOCKWATER FROM STORAGE,STOCKWATER STORAGE
T49N R03W S20 SESW
Place Of Use: IRRIGATION,IRRIGATION FROM STORAGE,STOCKWATER,STOCKWATER FROM STORAGE
T49N R03W S20 SWSW
Total Acres: 10

95-18162

DARREN SAWYER
DANNIELLE SAWYER
17320 E PERIMETER RD
ATHOL, ID 83801-5279
Point of Diversion NWSW
S32 T54N R02W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.06 CFS
Use: IRRIGATION
04/01 to 10/31 0.09 CFS
Total Diversion: 0.15 CFS
Date Filed: 09-29-2021
Place Of Use: DOMESTIC,IRRIGATION
T54N R02W S32 NWSW
Total Acres: 3

95-18163

EDWIN T ZAPPEL
HOLLY A ZAPPEL
PO BOX 722
VASHON, WA 98070-0722
Point of Diversion NESW
S20 T49N R03W
KOOTENAI County
Source TURNER CREEK
Tributary COEUR D ALENE LAKE
Point of Diversion NWSE
S20 T49N R03W
KOOTENAI County
Source TURNER CREEK
Tributary COEUR D ALENE LAKE
Use: IRRIGATION
03/15 to 11/15
Total Diversion: 0.2 CFS
Date Filed: 10-04-2021
Place Of Use: IRRIGATION
T49N R03W S20
NESW,SESW,NWSE
Total Acres: 10

95-18165

AUMAN LIVING TRUST
6369 W STANDING ELK TRL
COEUR D ALENE, ID 83814-7960
Point of Diversion SWSW
S20 T50N R04W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: FIRE PROTECTION
01/01 to 12/31 0.2 CFS
Use: IRRIGATION
03/15 to 11/15 0.15 CFS
Total Diversion: 0.2 CFS
Date Filed: 10-05-2021
Place Of Use: DOMESTIC,FIRE PROTECTION,IRRIGATION
T50N R04W S20 SWSW
Total Acres: 5

95-18167

TIMBERLAND CONSTRUCTION SERVICES LLC
PO BOX 965
SPIRIT LAKE, ID 83869-0965
Point of Diversion NWSW
S10 T52N R04W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.13 CFS
Date Filed: 10-08-2021
Place Of Use: DOMESTIC
T52N R04W S10 NWSW

95-18168

TIMBERLAND CONSTRUCTION SERVICES LLC
PO BOX 965
SPIRIT LAKE, ID 83869-0965
Point of Diversion NWNW
S10 T52N R04W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC

01/01 to 12/31
Total Diversion: 0.13 CFS
Date Filed: 10-08-2021
Place Of Use: DOMESTIC
T52N R04W S10 NWNW

95-18169

TIMBERLAND CONSTRUCTION SERVICES LLC
PO BOX 965
SPIRIT LAKE, ID 83869-0965
Point of Diversion SWSW
S10 T52N R04W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.13 CFS
Date Filed: 10-08-2021
Place Of Use: DOMESTIC
T52N R04W S10 SWSW

95-18170

TIMBERLAND CONSTRUCTION SERVICES LLC
PO BOX 965
SPIRIT LAKE, ID 83869-0965
Point of Diversion SWNW
S10 T52N R04W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.13 CFS
Date Filed: 10-08-2021
Place Of Use: DOMESTIC
T52N R04W S10 SWNW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 12/1/2021. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director
Published on 10/21/2021 and 10/28/2021