

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho
No. 95-18151

1. Applicants

Jessica Thompson
1651 W Hampton Court
Rathdrum, ID 83858
239-410-5304
jessica.schlemm@yahoo.com

Chad Thompson
1651 W Hampton Court
Rathdrum, ID 83858
2394105304
jessica.schlemm@yahoo.com

2. Representatives

Submitter is one of the applicants

3. Source of Water Supply

Source : GROUND WATER

4. Location of Point(s) of Diversion

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	GROUND WATER			54N	02W	30		/NE/NE	BONNER

5. Water will be used for the following purposes:

Purposes	Season	Rate	Volume	Description
DOMESTIC	01/01 to 12/31	0.04 cfs	0.00 afa	For a home/shop/yard

6. Total quantity to be appropriated is (a) 0.04 cfs and/or 0 afa

7. Proposed Diverting Works:

POD No :1
Description: Well
Well Depth :120.00
Well Diameter :0.00
Geothermal Water :False
Water Bearing Zone Start:0.00
Water Bearing Zone End:0.00

8. Description of Place Of Use:

DOMESTIC							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
54N	02W	30	NE	NE	BONNER		

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.

None

10. Land Ownership

- Who owns the land to be irrigated or place of use? Applicant
- Who owns the land at the point of diversion? Applicant

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Well is installed

13. Time required for completion of works and application of water to proposed beneficial use is 0 years (minimum is 1 year).

State of Idaho
Department of Water Resources
Application For Permit
95-18151

DOMESTIC




- Point of Diversion *JI CI*
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.035 0.07 0.14 Miles



State of Idaho
Department of Water Resources
Application For Permit
95-18151
DOMESTIC



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.035 0.07 0.14 Miles

SUPERSEDED



02/2014

RECEIVED

AUG 04 2021

IDWR/NORTH

Drilling Permit No. 901286Drilling Permit I.D. Tag No. D0088605

Water Right Permit No. _____

Injection Permit No. _____

State of Idaho
Department of Water Resources
APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

1. Property Owner (please print): Chad & Jessica Thompson2. Current Mailing Address: 126 Iora LaneCity: Athol State: ID Zip Code: 83801 Telephone: (208) 699-51633. Proposed Well Location: Twp. 54N Rge. 02W Sec. 30 1/4 NE 1/4 NE 1/4Gov't Lot No. _____ County: Bonner Lat. 48 00.2347N Long. 116 36.8669WStreet Address of Well Location: 126 Iora Lane City: Athol

Give at least name of road + Distance to Nearest Road or Landmark

Lot, block and subdivision Lot 2 Pernberg Meadows

4. Proposed Use of Well: (Note: Any well drilled for a Public Water Supply requires prior DEQ approval.)

☒ DOMESTIC (42-111a): The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd.

☐ DOMESTIC (42-111b): Any other use if the diversion rate does not exceed 0.04 cfs (18 gpm) and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☐ Irrigation ☐ Municipal ☐ Industrial ☐ Public Water Supply
☐ Commercial ☐ Other _____
 (Describe)

☐ INJECTION☐ MONITORING: A well bore schematic and map is required. No. of proposed wells: _____

5. Well Construction Information:

A. ☒ New well ☐ Modify ☐ Deepening ☐ Replace Previous Well # _____B. Proposed Casing Diameter 6" Proposed Maximum Depth 600'

C. Anticipated bottom hole temperature:

☒ 85°F or less
(Cold Water Well)

☐ 85°F to 212°F
(Low Temp. Geo. Well)

☐ 212°F or more
(Geothermal Well)
6. Construction Start Date: 08/05/20217. Drilling Company Name: Horsley Drilling, Inc.Driller's Lic. No. 632

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature: C. Mark Horsley Date: 08/05/2021Title: Well DrillerAddress (if different than owner): 54399 N. Old US Hwy. 95City: Athol State: ID Zip Code: 83801 Telephone: (208) 687-0798

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 8/4/2021

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY!**

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one(1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare, which may be required before construction of the well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit and the well ID tag at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state, or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho. If the well being drilled is associated with approved water right(s) use of the well must comply with conditions of said water right(s).
7. If the depth of this well exceeds 500 feet or the well is in an area known to have LTG water, bottom hole temperature must be measured and recorded on the Driller's Log, and reported on the Well Driller's Report.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller shall contact the Department immediately.
9. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (DigLine is a one-call center for utility notification) not less than 2 working days prior to the start of any excavation for this project. The "DigLine" Number for your area is 1-800-342-1585.
10. The stainless steel I. D. tag must be securely and permanently attached to the well casing by the Driller upon completion of the well, and prior to removing the drill rig from the drill site and must remain permanently attached above ground level for the life of the well. The well tag shall be attached by welding at least 3 sides or using four (4) stainless steel, closed-end pop rivets.
11. Any well being replaced by a new well shall be properly abandoned by the well driller prior to removing the drilling equipment, unless otherwise authorized by the department.

SPECIFIC CONDITIONS:

Ad F... WR Supervisor
Signature of Authorized Department Representative Title

Receipt No. _____ Received by _____ Fee _____ Date _____

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

September 10, 2021

JESSICA THOMPSON
CHAD THOMPSON
1651 W HAMPTON CT
RATHDRUM, ID 83858-7935

RE: Application for Permit No. 95-18151

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE on 9/16/2021 and 9/23/2021. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Friday, September 10, 2021 10:33 AM
To: 'bcdblegals@cdapress.com'
Subject: Legal Notice
Attachments: Legal Notice for 95-18151, 96-9895, & 96-9905.docx

Please publish the enclosed legal notice in the **Bonner County Daily Bee** on the dates indicated **September 16th & September 23rd, 2021** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **October 4th, 2021**. Your cooperation is appreciated.

Thank you,

Tammy



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-18151

JESSICA THOMPSON
CHAD THOMPSON
1651 W HAMPTON CT
RATHDRUM, ID 83858-7935
Point of Diversion NENE
S30 T54N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 08-31-2021
Place Of Use: DOMESTIC
T54N R02W S30 NENE

96-9895

TYLER WAGNER
407 CARR CREEK RD
SANDPOINT, ID 83864-6314
Point of Diversion NENW
S26 T57N R03W
BONNER County
Source CARR CREEK
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 09-09-2021
Place Of Use: IRRIGATION
T57N R03W S26
NENW,NWNW
Total Acres: 4.3

96-9905

THOMAS & DARLA FLETCHER REVOCABLE TRUST
PO BOX 577
COCOLALLA, ID 83813-0577
Point of Diversion NENW
S27 T56N R03W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.06 CFS
Use: STOCKWATER
01/01 to 12/31 0.03 CFS
Use: IRRIGATION
04/15 to 10/31 1.44 CFS
Total Diversion: 1.53 CFS
Date Filed: 09-09-2021
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T56N R03W S27
NWNE,NENW,SENV
Total Acres: 72

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 10/4/2021. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 9/16/2021 and 9/23/2021

MEMORANDUM

September 09, 2021

Water Permit: 95-181151

Author: smaxey

Subject: Amended Permit and Priority for Application 95-18151

Applicants; Jessica Thompson and Chad Thompson; submitted an on-line Application For Permit (95-18151) to Idaho Department of Water Resources (IDWR) that has been received at Northern Region. The original Application included a map showing the Applicants Place Of Use (POU) tax parcel and a Point Of Diversion (POD) well location on a different tax parcel that is not owned by the Applicants. The POD well location shown on the map appeared to be incorrect because the location shown for the well was not consistent with IDWR well records or the property ownership shown on the Bonner County parcel search web site.

IDWR contacted Co-Applicant Jessica Thompson via phone on 9/8/2021 to clarify the POD well location. Ms. Thompson stated that the original POD shown on the Application map was incorrect, that the well lies within the POU boundary shown on the Application map, and that the well will not be shared.

The map for the Amended Application was received at IDWR Northern on 9/9/2021. There being no other changes to Application 95-18151 advancement of the priority date is not required by IDWR Administrative Rules.