

RECEIVED

JUL 29 2021

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

IDWR / NORTH

1. Name of applicant(s) David Weiner Phone 1-208-449-2406
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 212 W Ironwood Dr. Suite D, PMB 246 City Coeur D'Alene
 State ID ZIP 83814 Email wand9601@gmail.com
2. Name of representative, if any _____ Phone _____
 Mailing address _____ City _____
 State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Lake Coeur D'Alene which is a tributary of SAKIAH RIVER
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
49N	04W	26	2		SE	NW	Kootenai	LAKE CDA	

5. Water will be used for the following purposes:
- Amount 0.04 for Domestic Residential Use purposes from Jan 1 to Dec 31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 0.04 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. An A.Y. McDonald lake pumping system with an 81 Gal Tank, a 20gpm pump, an in-line heat tape for freeze protection, and a Pura UV filtration system
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by Ja Date 7-29-21 Time _____ Preliminary check by _____
 Fee \$ 1000 Received by Ja Receipt No. N037211 Date 7-29-21

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in kW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; must complete and attach the Municipal Water Right Application Checklist.
- Domestic; show number of households 1 home (INCLUDES LAWN & GARDEN IRRIGATION UP TO 0.5 ACRES)
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N	04W	26								D									
										GLZ									

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? This application is for domestic use and no other water rights exist for this proposed residence. It is intended to also include some irrigation.

- Who owns the property at the point of diversion? applicant (David Weiner)
- Who owns the land to be irrigated or place of use? applicant (David Weiner)
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. The intent is to use lake water for a private residence (1900 sf with 3 bedrooms and 2 baths). Expected usage is 600 gallons per day (or 0.04 cfs) (0.04 cfs)
EXISTING ENCROACHMENT PERMIT L9555909

13. Time required for completion of works and application of water to proposed beneficial use is 3 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

David S. Weiner
 Signature of Applicant
DAVID S. WEINER
 Print Name (and title, if applicable)

 Signature of Applicant

 Print Name (and title, if applicable)

Kootenai County, Idaho



Map Title Location within Township

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36



THIS DRAWING IS TO BE USED FOR REFERENCE PURPOSES ONLY. THE COUNTY IS NOT RESPONSIBLE FOR ANY INACCURACIES CONTAINED HEREIN.

Map Revisions

07/28/08 - VMW
Pln of 49N04W-26-4500 comb w/ 1800 as Tax#22388; 4960 combined w/ rem 4500 & redesignated as Tax#22388 (10)

10/13/10 - VMW
49N04W-26-4550 out of 1800 as Tax#22388 (11)

07/18/12 - EY
49N04W-26-0850 & 0800 redesignated as Tax #23288 & 23289 for body to add (13)
Pln 49N04W-26-0700, 0750 & 1000 out to RAW as correction (13)
49N04W-26-0800 combined w/0850 & redesignated as Tax#23271 (13)

10/20/14 - GP
Pl 49N04W-26-0700 combined w/ 0750; 0700 & 0750 redesignated as Tax #23814 & #23813 (15)

11/05/14 - GP
Pl 49N04W-26-1800 combined w/ 4550; 1800 & 4550 redesignated as Tax #23821 & 23820 (15)

Notes:


Parcel areas have been calculated by traverse closure when sufficient information has been available. Area shown is Net Assessable Area. Right-of-Way, where applicable, has been subtracted. Distances and curve lengths less than 50' may not be shown due to scale limitations. Dimensions in parentheses denote record and/or plat to dimensions.

LOCATION OF ROADS SHOWN ARE BASED ON ADDRESSABLE ROAD INFORMATION AND MAY OR MAY NOT BE PUBLIC.

Parcel Identification Number (PIN) are comprised as follows:
Plat# - Subordinate and Parcel ID# ex. C-3510-021-088-C or C3610021999C
Unplatted Township and Parcel ID# ex. 50N03W-16 and 7500 Resulting PIN = 50N03W-16-7860 or 50N03W167850

Legend

(C-5357) Sub-code Tax Parcels Private Roads City Limits
001-001-A Parcel ID# (PIN) Legal Areas Plat Boundaries GCDB_Corners
Road RW Railroad GCDB_Lines



Maptile: 49N04W26N2

N 1/2 Sec. 26 Twp 49 N. R. 4 W. B. M.


Weiner Residence

Parcel : 49N04W262100

AIN : 103756

Legal Description :

TAX #12417 (IN GOVT LOT 2) 26 49N 04W





TIME & MATERIALS ESTIMATE

R.C. Worst & Company Inc.
625 E. Best Avenue
Coeur d'Alene, ID 83814

Quote Number: **56974**
 Quote Date: **7/26/2021**
 Quote Valid Date: **8/5/2021**
 Account Number: **C01-CASH**

CUSTOMER
Cash Customer 625 E Best Ave Coeur d'Alene, ID 83814

JOB SITE
Cash Customer - Coeur d'Alene 625 Best Avenue Coeur d'Alene, ID 83814-3740

Reference: **David Weiner - Lake System w/ UV & Heat Tape** Employee: **Richard Hayes**
 Terms: **Cash, Check, or Credit Card** Shipping Method: **-Not Defined-**

Item Number	Description	Quantity	Unit Price	Total
-------------	-------------	----------	------------	-------

THIS IS A BUDGETARY PRICE ESTIMATE ONLY. PRICING MAY VARY DEPENDING ON THE PROGRESSION OF THE JOB, AND DUE TO AN EVER INCREASING COST OF MATERIALS. PRICING MAY BE SUBJECT TO CHANGE AT THE TIME OF INVOICING.

We propose to install an A.Y.McDonald lake pumping system with an in-line heat tape for freeze protection and a Pura UV filtration system for your project at S Captains Rd Coeur d'Alene, Id 83814 for a budgetary price cost of \$18,920.00. The following major pieces of equipment along with accessories will be installed to provide a complete, functional system.

A. Y. McDonald Submersible Lake Pumping System

The pumping unit will consist of an A.Y. McDonald model AYM23150P3, 20 gallon per minute, 1.5 HP pump end coupled to a 1.5 HP, 230/1 VAC A.Y.McDonald 4" submersible motor. A.Y. McDonald 2300 series submersible pumps feature stainless steel motor bracket and discharge nozzle, 7/16" stainless steel hex shaft, polished stainless steel shell and removable check valve built into discharge nozzle. Factory warranty on the pump and motor will be 3 years. The pump and motor will be set into the lake by an experienced diver. The pump will be set on 150-feet of 1-1/4-inch poly pipe, weighted to prevent flotation. This estimate also includes a PVC intake structure, submersible pump cable, waterproof splice kit, emergency stop button at the lakes edge per Dept. of Building Safety and associated fittings.

Amtrol Pressure System

The pressure tank will be an Amtrol model WX-255, 81 gallon pressure tank. Amtrol tanks feature seamless heavy-duty butyl diaphragm, polypropylene liner, 100% non-metallic water reservoir, 100% corrosion resistant water reservoir, and enamel exterior finish. Factory warranty on the tank will be 7 years. The pressure system will also include a Square D pressure switch, pressure gage, Wilkens pressure relief valve, drain valve, 1-1/4 and 1 inch galvanized piping and associated fittings. Our portion of the job will end at the ball valve on the discharge side of the UV filtration system.

PURA UVBB3 Ultraviolet Disinfection System

The PURA UVBB3 Ultraviolet Disinfection System removes sediment, removes Cryptosporidium and Giardia cysts, and kills viruses and bacteria. Treatment is accomplished in three stages: 1.) The 4" X 20" pre-filter cartridge removes sedimentary particles 5 micron and larger. 2.) The 4" x 20" Carbon block filter is for taste and odor. 3.) The PURA ultraviolet disinfectant eliminates bacteria and viruses including E-Coli, Coliform, and Cholera (greater than 99.9% kill rate).

Note: This product is not recommended for use in systems containing more than 0.5 mg/L of iron.

WARNING:

NEVER LOOK DIRECTLY AT A LIGHTED UV LAMP.
ULTRAVIOLET RAYS CAN BE HARMFUL TO EYES.

Heat Line in Pipe Heating Cable

Freeze protection will be accomplished by means of an in pipe heating cable. The cable will extend inside the poly pipe from the crawl space 180 -feet. The cable will be thermostatically controlled using an outdoor temperature sensor.

State of Idaho
Department of Water Resources
Application For Permit





State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN Region • 7600 N MINERAL DR STE 100 • COEUR D ALENE, ID 83815-7763
Phone: (208)762-2800 • Fax: (208)769-2819 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

August 5, 2021

DAVID S WEINER
212 W IRONWOOD DR STE D PMB 246
COEUR D ALENE, ID 83814-1403

RE: Application for Permit No. 95-18139

Dear Applicant:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 8/19/2021 and 8/26/2021. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink that reads "Tammy Alleman".

Tammy Alleman
Administrative Assistant

CC:
IDAHO DEPT OF LANDS
PO BOX 83720
BOISE, ID 83720-0050

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, August 5, 2021 1:56 PM
To: Chantilly.Higbee@deq.idaho.gov; 'Horsmon,Merritt'; 'Anna.Moody@deq.idaho.gov'; 'Mike Ahmer'; Golden, Kala; Skoro, Emily
Subject: Request for Comments for WR#95-18139 Domestic Use from Lake Coeur d'Alene
Attachments: 95-18139 Application for Permit.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is September 7, 2021.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

Tammy



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, August 5, 2021 1:45 PM
To: 'LEGALS@CDAPRESS.COM'
Subject: Legal Notice
Attachments: Legal Notice 95-18138, 95-18139, & 95-18142.docx

Please publish the enclosed legal notice in the **Coeur d'Alene Press** on the dates indicated **August 19th & August 26th, 2021** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **September 7, 2021**. Your cooperation is appreciated.

Thank you,

Tammy



Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-18138

BRIAN SHERMAN
CELESTE SHERMAN
PO BOX 658
RATHDRUM, ID 83858-0658
Point of Diversion NWNE
S25 T52N R05W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Total Diversion: 0.06 CFS
Date Filed: 07-28-2021
Place Of Use: DOMESTIC, STOCKWATER
T52N R05W S25 NWNE

95-18139

DAVID S WEINER
212 W IRONWOOD DR STE D PMB 246
COEUR D ALENE, ID 83814-1403
Point of Diversion SENW
S26 T49N R04W
KOOTENAI County
Source COEUR D ALENE LAKE
Tributary SPOKANE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 07-29-2021
Place Of Use: DOMESTIC
T49N R04W S26
SENW, L2(SENW)

95-18142

CHARL D KUNZMANN
WENDY RAE KUNZMANN
6529 E GREYRIDGE RD
ATHOL, ID 83801-9822
Point of Diversion NWSW
S22 T53N R03W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Total Diversion: 0.06 CFS
Date Filed: 07-30-2021
Place Of Use: DOMESTIC, STOCKWATER
T53N R03W S22 NWSW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 9/7/2021. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 8/19/2021 and 8/26/2021

Maxey, Shaun

From: Maxey, Shaun
Sent: Friday, July 30, 2021 9:44 AM
To: 'David Weiner'
Subject: RE: ID Number assigned to your Application For Permit (95-18139) & narrative correction (Line 12)

Mr. Weiner:

Thanks,

Shaun Maxey

From: David Weiner [mailto:wand9601@gmail.com]
Sent: Friday, July 30, 2021 9:42 AM
To: Maxey, Shaun <Shaun.Maxey@idwr.idaho.gov>
Subject: Re: ID Number assigned to your Application For Permit (95-18139) & narrative correction (Line 12)

Shaun,

I agree that you can remove the reference to 600 gallons per day.

Thank you,
David Weiner

On Fri, Jul 30, 2021 at 9:13 AM Maxey, Shaun <Shaun.Maxey@idwr.idaho.gov> wrote:

Mr. Weiner:

Your Application For Permit has been assigned ID number 95-18139. Please reply to this e-mail to indicate that you want to remove text '.. 600 gallons per day...' from Line 12 of your application. This is contradicted by the 0.04 CFS that you wrote in elsewhere on the Application for the amount of water to be used.

Please phone me at (208) 762.2816 concerning the narrative comment correction if you have any questions. Your voicemail box was not accepting more messages when I called earlier today.

Thanks,

Shaun Maxey