

State of Idaho
Department of Water Resources
Permit to Appropriate Water
No. 47-17664

Priority: May 24, 2017

Maximum Diversion Rate: 0.02 CFS

This is to certify that

ROBERT K LINDERMAN
AND
JANA L LINDERMAN
4377 N 1400 E
BUHL ID 83316-5234

have applied for a permit to appropriate water from:

Source : UNNAMED STREAM

Tributary: MUD CREEK

and a permit is APPROVED for development of water as follows:

Beneficial Use

DOMESTIC

Period of Use

03/15 to 11/15

Rate of Diversion

0.02 CFS

Location of Point(s) of Diversion

UNNAMED STREAM NE¼ SE¼ NE¼, Sec. 23, Twp 09S, Rge 14E, B.M. TWIN FALLS County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S	14E	23	X			X													
09S	14E	24						X	X										

Conditions of Approval

1. Proof of application of water to beneficial use shall be submitted on or before **June 01, 2022**.
2. Subject to all prior water rights.
3. Domestic use is for uses associated with one home.
4. The quantity of water diverted under this right shall not exceed 13,000 gallons per day.
5. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
6. This right when combined with other existing or future domestic rights, recorded or unrecorded, from wells or other sources, shall not exceed 13,000 gallons per day and ½ acre irrigation.
7. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide suitable control of the diversion.
8. This right is for the use of trust water, and it is subject to review 5 years after its initial approval (date of permit approval) to re-evaluate the availability of trust water for the authorized use and to re-evaluate the public interest criteria for reallocating trust water.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
No. 47-17664

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 26th day of July, 20 21.



COREY SKINNER
Southern Regional Manager




State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

47-17664

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

14E



- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.035 0.07 0.14 Miles





State of Idaho

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION • 650 ADDISON AVE W STE 500 • TWIN FALLS ID 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037

Website: www.idwr.idaho.gov • Email: southerninfo@idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

July 26, 2021

Robert K and Jana L Linderman
4377 N 1400 E
Buhl, ID 83316-5234

RE: Permit to Appropriate Water 47-17664

Dear Permit Holders:

I have enclosed the Permit to Appropriate Water issued in connection with the May 28, 2021 preliminary order approving your application. If you have any questions regarding this matter feel free to contact me (208)736-3033 at your convenience.

Sincerely,

Corey Skinner, PE
IDWR Southern Region Manager

Enclosure