

Henman, Christina

From: Yenter, Cindy
Sent: Monday, May 17, 2021 11:16 AM
To: Henman, Christina
Subject: comments transfer 84926

As indicated, a correction transfer to modify incorrect POD location. I have not verified this POD myself, but applicant is a watermaster in another area and is proficient with maps so I don't have a question about the location.

This area is not in a water district . WD Flag = NWD

*Cindy Yenter
IDWR Salmon Field Office
102 S Warpath
Salmon ID 83467
208-742-0655
208-731-0901 cell*

Henman, Christina

From: Henman, Christina
Sent: Thursday, May 6, 2021 10:53 AM
To: Yenter, Cindy
Subject: Application for Transfer No. 84926
Attachments: RecommendationForm Transfer3.docx

Watermaster:

The Idaho Department of Water Resources (IDWR) is seeking written comment and/or recommendations from you regarding the above referenced water right application. You can find a copy of the application at: <https://research.idwr.idaho.gov/apps/waterrights/querynewtransfers> . Please review the application, then complete the enclosed recommendation form and return it to this office within 14 days of the date of this letter.

If the application is approved, IDWR will include appropriate standard conditions of approval for a water right located within a water district, such as regulation by the watermaster, lockable controlling works, and/or measuring devices. Any special conditions or other concerns you have related to this application should be specifically addressed in your recommendation.

IDWR can finish reviewing an unprotested application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered. If IDWR has not received your written recommendation within 14 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Please contact this office if you have any questions regarding the application.